

19713-262

05/23/2000

6/9

1/2

Best available copy



# 25% Lindane SEED TREATER

For Protection Of Germinating Seeds And Seedlings Against Wireworms

**ACTIVE INGREDIENT:**  
Lindane\* ..... 25.0%

**INERT INGREDIENTS:** ..... 75.0%

**TOTAL:** ..... 100.0%

\*Gamma Isomer Of Benzene Hexachloride

## KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

EPA Reg. No. 19713-262  
EPA Est. No. 19713-GA-1

2623P-046

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water.

**IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.

**PRECAUTIONARY STATEMENTS**

**WARNING:** May be fatal if swallowed. May be absorbed through skin. Do not breathe dust. Avoid contact with skin and eyes. Avoid contamination of feed and foodstuffs.

**PERSONAL PROTECTIVE EQUIPMENT**  
Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical resistance category selection chart.

**WPS USES:** Applicators and other handlers who handle the pesticide for any uses covered by the Worker Protection Standard (40 CFR Part 170)—must wear:

- Coveralls over short sleeved shirt and short pants
- Chemical-resistant gloves, such as Barrier Laminats or Viton
- Chemical-resistant footwear plus socks
- Chemical-resistant headgear for overhead exposure
- Protective eyewear
- Chemical-resistant apron when cleaning equipment, mixing, or loading

**NON-WPS USES:** Applicators and other handlers who handle this pesticide for any uses NOT covered by the Worker Protection Standard (40 CFR Part 170)—in general, only agricultural-plant uses are covered by the WPS—must wear:

- Elbow-length waterproof gloves
- Unlined waterproof boots
- For enclosed areas such as crawl spaces, a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-33C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS**

Users should:  
Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.  
Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.  
Remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**  
This product is toxic to fish and wildlife. For terrestrial uses, do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply the product only as specified on this label.

**DIRECTIONS FOR USE**  
It is a violation of federal law to use this product in a manner inconsistent with its labeling.  
Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.  
For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**  
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.  
Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.  
PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:  
Coveralls over short-sleeved shirt and short pants, Chemical-resistant gloves, such as Barrier Laminats or Viton, Chemical-resistant footwear plus socks, Protective eyewear and Chemical-resistant headgear for overhead exposure.

**SEED TREATMENT**—For protection of germinating seeds and seedlings against wireworms, treat seed immediately before planting with 25% LINDANE Seed Treater at the rate given below. The seed and the Lindane should be thoroughly moist; a small quantity of water (¼ pint per bushel of seed) may be added to aid in sticking the Lindane to the seed. Plant immediately after treating. **DO NOT USE TREATED SEED FOR FEED, FOOD OR OIL PURPOSES.** Treated seeds

Manufactured by  
**Drexel Chemical Company**  
P O BOX 13327 MEMPHIS, TN 38113-0327

**ACCEPTED**  
MAY 23 2000  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 19713-262

2/2

7/9

Exposed on soil surfaces will be hazardous to birds and wildlife.

8 oz. 25% LINDANE Seed Treater per bushel of seed for following crops:

~~Barley, corn, soybeans, timothy, oats, rye, sorghum, wheat.~~

8 oz. 25% LINDANE Seed Treater per 100 lbs. of seed for following crops:

~~oats, timothy.~~

4 oz. 25% LINDANE Seed Treater per 100 lbs. of seed for following crops:

~~carrots, lettuce, peas, onions, spinach.~~

2 oz. 25% LINDANE Seed Treater per 100 lbs. of seed for following crops:

~~broccoli, brussels sprouts, cabbage, cauliflower, radish.~~

1 lb. 25% LINDANE Seed Treater per 100 lbs. of seed for following crops:

~~potatoes.~~

### STORAGE AND DISPOSAL

#### PESTICIDE DISPOSAL

Burn bags when empty, never reuse. Keep out of smoke. Bury any spillage in ~~proper area away from water supplies.~~

### WARRANTY—CONDITION OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks of use, storage, and handling of this material not in strict accordance with directions given herewith. In no case shall Draxel or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by Draxel Chemical Company and is accepted as such by the Buyer.