



ACCEPTED
AUG 29 2000
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 19713-262

25% Lindane
Seed Treater

For protection of germinating seeds and seedlings against Wireworms.

ACTIVE INGREDIENT: Lindane* 25.0%
INERT INGREDIENTS: 75.0%
TOTAL: 100.0%

*Gamma Isomer Of Benzene Hexachloride

KEEP OUT OF REACH OF CHILDREN
WARNING / AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See FIRST AID Below

EPA Reg. No. 19713-262
EPA Est. No. 19713-GA-1

Net Contents: _____

FIRST AID
IF SWALLOWED:
IF INHALED:
IF ON SKIN:
IF IN EYES:
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

WARNING: May be fatal if swallowed! May be absorbed through skin. Do not breathe dust. Avoid contact with skin and eyes. Avoid contamination of feed and foodstuffs.
PERSONAL PROTECTIVE EQUIPMENT
WPS USES: Applicators and other handlers who handle this pesticide for any uses covered by the Worker Protection Standard (WPS) (40 CFR Part 170)—must wear: Coveralls over short sleeved shirt and short pants, chemical-resistant gloves, such as Barrier Laminate or Viton, chemical-resistant footwear plus socks, chemical-resistant headgear for overhead exposure, protective eyewear and chemical-resistant apron when cleaning equipment, mixing or loading.
(Continued)

PRECAUTIONARY STATEMENTS (Continued)
NON-WPS USES: Applicators and other handlers who handle this pesticide for any uses NOT covered by the WPS (40 CFR Part 170)—in general, only agricultural-plant uses are covered by the WPS—must wear: Elbow-length waterproof gloves and unlined waterproof boots.
For enclosed areas such as crawl spaces, a respirator with an organic-vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter.
Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS
Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. 2) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. 3) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS
This product is toxic to fish and wildlife. For terrestrial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS
Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the WPS.
Do not enter or allow worker entry into treated areas during the REI of 24 hours.
PPE required for early entry to treated areas that is permitted under the WPS and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls over short-sleeved shirt and short pants, chemical-resistant gloves, such as Barrier Laminate or Viton, chemical-resistant footwear plus socks, protective eyewear and chemical-resistant headgear for overhead exposure.

Manufactured By:
Drexel Chemical Company
P.O. BOX 13327 MEMPHIS, TN 38113-0327
SINCE 1972

SEED TREATMENT—For protection of germinating seeds and seedlings against Wireworms, treat seed immediately before planting with this product at the rates given below. The seed and the Lindane should be thoroughly mixed; a small quantity of water (¼ pint per bushel of seed) may be added to aid in sticking the Lindane to the seed. Plant immediately after treating. **DO NOT USE TREATED SEED FOR FEED, FOOD OR OIL PURPOSES.** Treated seeds exposed on soil surfaces will be hazardous to birds and wildlife.

BARLEY, CORN, OATS, RYE, SORGHUM, WHEAT—Use 8 ounces of this product per bushel of seed.

BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER, RADISHES—Use 2 ounces of this product per 100 pounds of seed.

LETTUCE, SPINACH—Use 4 ounces of this product per 100 pounds of seed.

WARRANTY—CONDITION OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in a cool, dry area away from any heat or ignition source. Do not stack over 2 pallets high. Move bags carefully so as not to tear or puncture. Do not move containers from one area to another unless they are securely sealed. Keep containers tightly sealed when not in use. Do not allow bags to become wet or store near water supplies, food, feed and fertilizer to avoid contamination. Store in original container only. If the contents are leaking or material is spilled, follow these steps:

1. Collect and place in suitable containers for disposal.
2. Wash area with soap and water to remove remaining pesticide.
3. Follow washing with clean water rinse.
4. Do not allow runoff to enter sewer or contaminate water supplies.
5. Dispose of waste as indicated below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.