

19713-287

07-19-2010

1/5



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7504P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Reg. Number:

19713-287

Date of Issuance:

JUL 19 2010

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Name of Pesticide Product:

Sucker Terminator

Name and Address of Registrant (include ZIP Code):

Drexel Chemical Company
P.O. Box 13327
Memphis, TN 38113

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is reregistered in accordance with FIFRA provided that you:

- 1) Submit and/or cite all data required for registration/reregistration review of your product when the Agency requires all registrants of similar products to submit data.

Signature of Approving Official:

Tony Kish
Product Manager 22
Fungicide Branch
Registration Division (7504P)

Date:

JUL 19 2010

- 2) The signal word currently on the label "Warning / Aviso" must be revised to read "**Danger / Peligro**".
- 3) Based on toxicity ranking per the acute toxicity review, the First Aid statements should be placed on the label in the following order:

IF IN EYES
 IF ON SKIN OR CLOTHING
 IF SWALLOWED
 IF INHALED

- 4) A Note to Physician must be added to the label and must read:

"Probable mucosal damage may contraindicate the use of gastric lavage."

- 5) Per the acute toxicity review, the Hazards to Humans and Domestic Animals must be revised to read:

"Danger. Corrosive. Causes irreversible eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing."

- 6) The PPE section must be revised to read:

"Some materials that are chemical-resistant to this product are made of barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride or viton. If you want more options, follow the instructions for category C on the chemical-resistance category selection chart.

Mixers, loaders, applicators, and other handlers must wear: **goggles or face shield**, long sleeved shirt, long pants, shoes plus socks, **and chemical resistant gloves. When mixing and loading wear a chemical resistant apron. When cleaning equipment add a chemical resistant apron.**"

- 7) The REI must be revised to read:

"Do not enter or allow worker entry into treated areas during the REI of **48** hours."

- 8) Update the Storage and Stability section with PR Notice 2007-4.

A stamped copy of the label is enclosed for your records. You must submit one copy of the final printed label before you release the product for shipment. Products shipped after 12 months from

EPA Reg. 19713-287

Page 3

the date of this letter or the next round of printing must bear the new revised label. If these EPA conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA. Your release for shipment of the product constitutes acceptance of these EPA Reg. conditions. This label supersedes all other previously accepted labels. If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.

Enclosure: Product Chemistry Review
 Acute Toxicology Review

4
15



Sucker-Terminator

Concentrate

Tobacco Sucker Control Agent

ACTIVE INGREDIENTS:

Fatty alcohols (0.5% C₆, 42.0% C₈, 56.0% C₁₀, 1.5% C₁₂) 85.0%

OTHER INGREDIENTS: 15.0%

TOTAL: 100.0%

This product contains 6.04 pounds of active ingredients per gallon.

KEEP OUT OF REACH OF CHILDREN WARNING / AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**See FIRST AID Below
SHAKE WELL BEFORE USING**

EPA Reg. No. 19713-287

EPA Est. No. 19713-GA-001

Net Content: _____

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious or convulsing person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.	

USER SAFETY RECOMMENDATIONS

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. 2) Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. 3) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

USE INFORMATION

SUCKER-TERMINATOR is a carefully balanced combination of active ingredients and wetting agents (surfactants) to be used for the control of sucker growth on Burley, Flue-cured and Dark tobacco. The concentrated product is diluted with water to form a creamy emulsion which is applied as a coarse spray. The emulsion is effective only when it comes in direct contact with the suckers; therefore, the material is applied so that maximum contact is made with the suckers. This product can be used alone, or can be followed by a systemic sucker control agent in a dual treatment program on Flue-cured or Burley tobacco.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the WPS.

Do not enter or allow worker entry into treated areas during the REI of 24 hours.

PPE required for early entry to treated areas that is permitted under the WPS and that involves contact with anything that has been treated, such as plants, soil or water is: Coveralls, chemical-resistant gloves made of any waterproof material, shoes plus socks, and protective eyewear.

PRECAUTIONARY STATEMENTS
Hazards To Humans And Domestic Animals

WARNING: Causes substantial but temporary eye injury. Do not get in eyes, on skin or on clothing. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist.

PERSONAL PROTECTIVE EQUIPMENT (PPE)
Mixers, loaders, applicators, and other handlers must wear: Long-sleeved shirt and long pants, and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.



Manufactured by **Drexel Chemical Company**, a Rodenticide Act
P.O. BOX 13327, MEMPHIS, TN 38113-0327
SINCE 1972
Registered under EPA Reg. No. 19713-287

ACCEPTED
with COMMENTS
In EPA Letter Dated:
JUL 19 2010

5
5

TIME OF APPLICATION

This product may be applied either before or after topping at the button to early flower stage. However, best results are usually obtained by making the first contact application to Tobacco with this product before topping, as soon as 50 to 60 percent of the plants have a visible button. The floral parts help to intercept sprays to increase sucker kill in the upper leaf axils. Top plants that are ready for topping as soon as possible after first application. This product is usually more effective if applied 3 to 5 days apart when humidity is low and leaf axils are fully exposed - that is, generally between 10:00 A.M. and 6:00 P.M. on sunny days, except when the plants are wilted and temperatures exceed 90°F. Some injury to the tender leaves at the top of the plant may result from the application of this product under bright sunlight at temperatures above 90°F. Injury may also result if this product is applied to the underside of the Tobacco leaf; thus, application in winds high enough to turn over the top leaves is not recommended. Do not apply during rain or to wet plants. However, if the material has been on the plants over an hour before a rain or irrigation, reapplication should not be necessary.

NUMBER OF APPLICATIONS

In many cases a single application of this product is satisfactory to control both primary and secondary suckers. If secondary sucker growth appears vigorous, a second treatment on Flue-cured or Burley tobacco 3 to 7 days after the initial treatment may be advantageous. Excellent leaf quality can be obtained with the use of this product alone in one or, where necessary, two applications. Some growers favor a dual treatment using this product first (at the button stage) followed 1 to 2 weeks later with a systemic sucker control agent (maleic hydrazide) used in accordance with manufacturer's instructions. If this dual treatment method is used, an application rate of 2 gallons of this product per 50 gallons of spray solution is adequate.

RATE OF APPLICATION

For use on Flue-cured and Burley tobacco, the first application of this product should be diluted at the rate of 4 to 5 ounces per gallon of water or 1.75 to 2 gallons per 50 gallons of spray solution. For Flue-cured tobacco, the rate of this product for the second application may be increased to 2.5 gallons per 50 gallons of spray solution for the second application, about 3 to 5 days following the first application, unless plants are tender. For extended sucker control, this product may be applied as needed at the rate of 2.5 gallons per 50 gallons of spray solution 3 to 4 weeks after maleic hydrazide has been applied. When using this product on Dark tobacco, 7 to 8 ounces per gallon of water or 2.5 to 3.5 gallons per 50 gallons of spray solution should be used. Use the lower rates when optimum growing conditions exist and leaves are tender. When applied by hand, 1 gallon of this product, diluted, will treat approximately 250 plants. If a power sprayer is used, 50 gallons of diluted spray solution should be applied per acre of Tobacco.

METHOD OF APPLICATION

The diluted emulsion is most easily prepared by adding the required amount of this product to your spray tank and then adding the water. In order to obtain the best results, it is important that the water be added to the product rather than the product to the water.

If you use a hand-held or backpack sprayer, the diluted emulsion should be applied at a rate of 0.66 to 1 ounce per plant (or enough to ensure run down to the bottom of the plant). A coarse spray is recommended, directed downward at the top of the stalk from 6 to 8 inches above the top leaves. Very little tank pressure is required, and in no case should more than about 20 pounds per square inch (psi) be used. When applied with power equipment, three nozzles per row should be used (TG-3, TG-5 or equivalent are recommended). One nozzle should be directed downward over the center of the row and one should be 9 inches on either side directed at or slightly above the top of the stalk. The diluted product should be applied to the topped Tobacco as a coarse spray from a height of 12 to 16 inches above the top of the stalk. It is recommended that boom pressure be kept at 20 to 25 psi and should never exceed 30 psi. By using the recommended spray tips, spraying at 20 to 25 psi pressure and operating at a tractor speed of 2.5 to 3 mph, you will apply approximately 50 gallons of diluted emulsion per acre of Tobacco.

If allowed to stand for extended periods of time, the diluted emulsion may separate. Always remember to mix well immediately before using. In order to minimize the possibility of injury to the Tobacco plants, do not mix this product with other chemicals such as insecticides or herbicides or apply this product to plants which have recently been treated with such chemicals. Be sure that all spray equipment has been carefully rinsed out prior to using. In Burley tobacco, during prolonged periods of high heat and humidity or under other conditions which might favor the spread of Hollow stalk or Stem rot diseases, delay application of this product until these conditions pass.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Storage should be under lock and key in a ventilated room and secure from access by unauthorized persons and children. Storage should be in a cool, dry area away from any heat or ignition source. Do not stack containers over 2 pallets high. Move containers by handles or cases. Do not move containers from one area to another unless they are securely sealed. Keep containers tightly sealed when not in use. Keep away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Avoid contamination with oxidizing materials. Store in original containers only. If the contents are leaking or material is spilled, follow these steps:

1. Contain spill. Absorb with a material such as sawdust, clay granules or dirt.
2. Collect and place in suitable containers for disposal.
3. Wash area with soap and water to remove remaining pesticide.
4. Follow washing with clean water rinse.
5. Place a leaking container in plastic tub and transfer contents, as soon as possible, to an empty, original container.
6. Do not allow runoff to enter sewer or contaminate water supplies.
7. Dispose of waste as indicated below:

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

WARRANTY—CONDITIONS OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

