19713 - 293 Please read instructions on reverse before completing form.	5-)	8-20	OH Form Approved	OMB No. :	2070-006	D. Approval expires 2-28-95
United States Environmental Protection Agent Weshington, DC 20460				Registra Amenda Other	tion	OPP Identifier Number
Applica	ition for Po	esticide	- Section			
1. Company/Product Number 19713-293 4. Company/Product (Name)		2. EPA Product Manager Cynthia Giles-Parker PMs				oposed Classification None Restricted
DREXEL MH 2.25		22/Fungicide Branch				
5. Name and Address of Applicant (Include ZIP Code) Drexel Chemical Company, P.O. Box 13327	-(-1	6. Expedited Reveiw. In accordance wi (b)(i), my product is similar or identical in to:				*
Memphis, TN 38113-0327	ļ	EPA Reg. No.				****
Check if this is a new address		Product	Name			*40*
	Section	on - II				0040
Amendment - Explain below. Resubmission in response to Agency latter dated Notification - Explain below.		-	nal printed label gency letter det Ve Toe" Applice ther - Explain be	id tion.	e to	NOTIFICATION MAY 1 8 2004
Explanation: Use additional page(s) if necessary. (For sec One (1) copy of the revised label (293SP-0404++) is submitted submission. The required certification statement is also submitted	for your record a	and file. De	talls of the change	a is on the co	over letter a	accolotplaritying this
	Section	on - III				والكاف برده بي حيف مثلاث بدس بي وروي الأستحد و يبيين في العام
1. Material This Product Will Be Packaged in:						
Child-Resistant Packaging Yes No * Certification must be submitted Unit Packaging Yes No If "Yes" Unit Packaging wgt. No. per Unit Packaging wgt.	If "Yes"		No. per container	2. Type of	Container Motel Plestic Gless Paper Other (S	pecify)
Label Container	Retail Containe	r		ation of Lab	el Directio	ne .
6. Manner in Which Label is Affixed to Product Light	hogreph per gluad enciled	L	Other		-	
	Sectio	n - IV				
1. Contact Point (Complete items directly below for identification)	etion of individu	rel to be co	entacted, if nece	esery, to pr	ocese this	application./
Name LUZ G CHAN					hone No., (Include Area Code)) 774-4370 👾 "	
Cartification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					8. Date Application Received (Stamped)	
2. Signature Lug G. Chan	3. Title REGISTRA	TION MAN	AGER	•		•••
4. Typed Name LUZ G CHAN	5. Date	April 2	23, 2004			• • •



NOTIFICATION
MAY 1 8 2004

April 23, 2004

Submission of Revised Label per PR Notice 95-1 DREXEL MH 2.25 (EPA Reg. No. 19713-293)

This notification is consistent with the Provisions of PR Notice 98-10 and EPA Regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

FOR DREXEL CHEMICAL COMPANY

Registration Manager

1700 Channel Avenue • Post Office Box 13327 • Memphis, Tennessee 38113-0327
Phone: (901) 774-4370 • Fax: (901) 774-4666 • E-Mail: info@drexchem.com • www.DrexChem.com

W. IROI III



MH 2.25

Liquid Growth Retardant

ACTIVE INGREDIENT:

ľ

This product contains 2.25 pounds of Maleic hydrazide equivalent per gallon.

CAUTION

See FIRST AID Below SHAKE WELL BEFORE USING

EPA Reg. No. 19713-293 EPA Est. No. 19713-TN-1

Net Contents:

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- · Do not give anything by mouth to an unconscious or convulsing person.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing
- · Rinse skin immediately with plenty of water for 15 to 20 minutes.

IF INHALED:

- · Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if swallowed, absorbed through skin or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart. Applicators and other handlers must wear: Long-sleeved shirt and long pants, shoes plus socks and chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. (Continued)

PRECAUTIONARY STATEMENTS (Cont.)

When handlers use closed systems or enclosed cabs a a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS . .

....

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilets 2) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. 3) Remove PPE immediately after manding this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

SURFACE WATER ADVISORY: Under some conditions, maleic hydrazide may have a significant potential for runoff into surface water (primarily via dissolution in runoff water) for several days postapplication. Conditions favoring runoff include poorly drained soils or wet soils with readily visible slopes, frequently flooded areas, areas where an intense or sustained rainfall is forecast to occur within 48 hours, areas overlying extremely shallow groundwater, and areas overlying tile drainage systems that flow to surface water.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements in this labeling about personal protective equipment (PPE), restricted entry intervals (REI) and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS).

Do not enter or allow worker entry into treated areas during the REI of 12 hours.

PPE required for early entry to treated areas that is permitted under the WPS and that involves contact with anything that has been treated, such as plants, soil or water is: Coveralls, chemical-resistant gloves made of any waterproof material and shoes plus socks.



To Prevent Sucker Development on Flue-Cured, Burley, Dark-Fire, MD and Cigar (PA and WI) Tobacco:

MH 2.25, a plant growth inhibitor, offers a new method of controlling sucker growth by keeping suckers from growing rather than by killing them. Since this product is absorbed and moves inside the Tobacco plant, spraying the whole plant is not necessary. Best results are obtained by spraying the upper one-third to one-half of the plant. It is very important to apply equal amounts of this product to each plant at the correct time to obtain satisfactory control.

When to Spray for Flue-Cured, Burley, Dark-Fire and MD Tobacco:

- If all plants flower at about the same time, proceed as follows: As soon as the plants are in full flower, top, pull all suckers from early-maturing plants and spray this product uni formly onto the entire field within 24 hours after topping (See "NOTES" 1-9).
- If there is a wide range in the time of flowering, the following procedure should be used:
 - Go through the field and top the few early-flowering plants.
 - Wait until the remaining plants are in full flower, top them, remove all suckers from the entire field, and apply this product within 24 hours after topping (See "NOTES" 1-9).

Tip leaves to be harvested should be at least 6 inches long at time of spraying.

When to Spray for PA Cigar Tobacco: 1. If your field flowers uniformly.

- - a. Top when about one-fourth to one-half of your plants show one or more open flowers on each head.
 - Wait three days after topping.
- c. Spray this product. For best results, this product should be sprayed

on dry or nearly dry leaves. Avoid spraying on leaves covered with dew

- 2. If your field doesn't flower uniformly.
 - When flowering in your field is particularly uneven, you should top when about 50 to 60% of the plants show one or more open flowers per head.
 - Wait three days after topping and remove, by hand, any suckers more than two inches long.
 - c. Spray this product over your entire field.

When to Spray for WI Cigar Tobacco:

- Top the field when most of the plants in your field are in full finwer
- Remove, by hand, any suckers larger than one or two inches.
- Spray within 24 hours after topping and removal of suckers

How to Spray: This product may be applied with either tractor-drawn insecticide sprayer or with a compressed air shoulder sprayer.

- Tractor-drawn insecticide sprayers. Any number of nozzlas may be used (See "NOTE" 6). Can be applied in the same manner as in secticide, spraying one or more rows at a time, wetting upper onethird or one-half of plant.
- Compressed air shoulder sprayer with single nozzle spraying a wide cone. Spray one side of each Tobacco row while walking at a constant rate. Use up and down motion of spray nozzle to moisten upper 6 to 8 leaves of each plant. Apply equal amounts of spray to each plant.

Amount of Spray: Apply the recommended amounts of this product in 30 to 50 gallons of water per acre. Do not use less than 30 gallons of water per acre.

For Flue-Cured, Burley, Cigar (PA, WI) and MD Tobacco: Apply 1 pint of this product per 1,000 plants.

Example: Use 1 gallon of this product for 8,000 plants per acre.

For Dark Tobacco: Apply 2 pints of this product per 1,000 plants. Example: Use 2 gallons of this product for 8,000 plants per acre. NOTES:

- 1. To control Tobacco suckers apply this product at the proper time. Spraying too early may prevent normal development of top leaves. Spraying too late will allow some sucker growth. FULL FLOWER is the stage when 90% of your plants have begun to shed their first flowers.
- Rains occurring within 6 hours after spraying may reduce effectiveness
- 3. At 40° F and below the formulation will form solids, it readily re-dissolves, but must be warmed to 50° F or above. The larger the container, the more time is needed to completely redissolve the precipitate.
- Follow dosage recommendations carefully, spray field uniformly and do not use less than the minimum amount of water recommended on Tobacco.
- Do not use on Tobacco plants grown for seed production.
- Do not spray Tobacco in the middle of hot, dry days when leaves are severely wilted. For best results spray during early morning, all day on cloudy days, avoiding the late afternoon or night applications (Use a nozzle delivering a fine mist spray. Do not use a broad jet-type of spray).

- Closely hand-suckered or Tobacco treated with this product will not ripen as rapidly as poorly-suckered Tobacco. Also, under some conditions, tips treated with this product have a tendency to turn yellow prematurely. This is not harmful and does not mean that your Tobacco is ripe. Therefore, do not harvest Tobacco treated with this product by using time and color of the leaves as your only guide to ripeness. Use other characteristics indicative of ripeness such as (a) Fading of color from midrib, and (b) Change in apparent leaf texture.
- If Tobacco plants have been growing under drought conditions, absorption of this product will be slow and results may not be as good as plants grown under more favorable moisture conditions.
- Using too little of this product will result in less than desired control. Too much is wasteful and may cause burning of leaves and may reduce quality of tips.
- This product is not corrosive to spray equipment. 10.
- Rinse spray equipment with water after application. Do not 11. contaminate water supplies by cleaning of equipment or disposal of wastes.
- 12. Use only one application of this product to Tobacco per season.
- 13. Allow at least 7 days after application before harvest of Tobacco.
- 14. Should washoff occur within 6 hours of application to Tobacco, a single repeat application may be made.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. PESTICIDE STORAGE: Storage should be under lock and key in a ventilated room and secure from access by unauthorized persons and children. Storage should be in a cool, dry area away from heat or ignition source. Do not stack containers over 2 pallets high. Move containers by handles or case. Do not move containers from one area to another unless they are securely sealed. Keep container tightly sealed when not in use. Keep away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Store in original containers only. If the contents are leaking or material is spilled, follow these steps:

- 1. Contain spill. Absorb with a material such as sawdust, clay granules or dirt.
- 2. Collect and place in suitable containers for disposal.
- 3. Wash area with soap and water to remove remaining pesticide.
- 4. Follow washing with clean water rinse.
- 5. Place a leaking container in a plastic tub and transfer contents, as soon as possible, to an empty, original container.
- 6. Do not allow runoff to enter sewer or contaminate water supplies.
- 7. Dispose of waste as indicated below:

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or dispose of in a sanitary landfill or incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

WARRANTY—CONDITIONS OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.



5/5

April 23, 2004

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency Rm 266A, Crystal Mali 2		••••
1921 Jefferson Davis Hwy. Arlington, VA 22202	••••	
Re: Submission of Revised Label by Notification per PR Notice 95-1 DREXEL MH 2.25 (EPA Reg. No. 19713-293)	•••••	

Herewith:

- 1. Completed EPA Form 8570-1.
- 2. One (1) copy of the revised label (293SP-0404++). The following is the change made on the label:
 - i) In the Environmental Hazards section, the paragraph, "Note: Add this statement to all container sizes..........Office of the EPA." was deleted. Per PR Notice 95-1, this only applies to end-use products registered for industrial preservative, water treatment, other industrial processing uses and commercial and institutional uses.
- 3. Certification Statement per PR Notice 98-10

If you have questions/clarification regarding this submission, I can be reached at (901) 774-4370. My e-mail address is Lchan@drexchem.com.

Thank you.

Respectfully yours, FOR DREXEL CHEMICAL COMPANY

Luz Chan

Registration Manager

1700 Channel Avenue • Post Office Box 13327 • Memphis, Tennessee 38113-0327

Phone: (901) 774-4370 • Fax: (901) 774-4666 • E-Mail: info@drexchem.com • www.DrexChem.com