
RESTRICTED USE PESTICIDE

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.



Chlorpyrifos 4 Wood

Insecticide

For control of wood-infesting insects in lumber, logs and other wood products for outdoor, non-residential, industrial and commercial use only.

ACTIVE INGREDIENT:

 Chlorpyrifos: O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate*
 44.9%

 OTHER INGREDIENTS**:
 55.1%

 TOTAL:
 100.0%

*This product contains 4 pounds of Chlorpyrifos per gallon.

**Contains petroleum distillate.

KEEP OUT OF REACH OF CHILDREN

WARNING / AVISO

Si usted no entiende la etiqueta, busque a algulen para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See FIRST AID Below SHAKE WELL BEFORE USING

EPA Reg. No. 19713-300 EPA Est. No. 19713-GA-1

Net Contents:

FIRST AID

F SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Do not give any liquid to the person.
- Do not induce variiting unless told to do so by a poison control center or doctor;
- Do not give anything by mouth to an unconscious or convulsing person.

M EYES:

Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.

IF INHALED:

- Move person to fresh air.
- if person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

Call a polson control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Contains petroleum distillate-vomiting may cause aspiration preumonia. Chlorpyritos is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate degree of exposure (basefine data are useful). Atropine, only by injection, is the preferable antidote. Oximes such as 2-PAM/protopam may be therapeutic if used early, however, use only in conjunction with stropine. In case of severe, acute poisoning, use antidotes immediately after establishing an open sinvey and respiration.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: May be fatal if swallowed. Excessive absorption through skin may be fatal. Causes substantial but temporary eye injury. Causes skin irritation.

Do not get in eyes, on skin or on clothing. Avoid breathing vapors and spray mist. Handle concentrate in a ventilated area. Wear eye protection. Wear protective clothing and chemical-resistant gloves when handling. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Keep away from food, feedstuffs and water supplies.

ENVIRONMENTAL HAZARDS

This posticide is toxic to birds and wildlife and extremely toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of waste. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sever systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame. Do not cut or weld container.

DIRECTIONS FOR USE

RESTRICTED USE PESTICIDE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read all directions for use carefully before applying.

Do not formulate this product into other end-use products.

GENERAL INFORMATION

CHLORPYRIFOS 4 WOOD is an emulsifiable concentrate that can be diluted with water or a suitable base oil (such as mineral spirits) for treatment of wood products to prevent insect attack. This product may be used for treatment of fence posts, utility poles, railroad ties, landscape timbers, lumber, logs, pallets, poles, posts, wooden containers and processed wood products (such as chips and composite materials) for use in outdoor, non-residential settings. Applications may be made by dipping, brushing, spraying or by pressure treatment. For longer control, use the higher use rates and/or apply by pressure treating.

Wood-destroying insects are often very small. Therefore, complete coverage of the wood product is essential for optimal control. Application by dipping, spraying or brushing is a surface treatment. Milling or cutting surface treated wood may expose unprotected wood for insect attack. Where control of wood rotting or staining organisms is desired, an appropriate fungicide will need to be added to the treatment solution or applied separately.

Manufactured By

Drexel Chemical Company

P.O. BOX 13327, MEMPHIS, TN 381 13-0327

5-N (E 1971

CHLORPYRIFOS 4 WOOD Page 1 of 2 + 300SP-0801++PENDING