Reg # 19713 - 323

PM - 19



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

MAR 1 4 1994

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Barbara Brown DREXEL CHEMICAL CO. BOX 9306 MEMPHIS, TN 38109

Subject: Label Amendment Submission of 11/01/93 in Response to PR Notice 93-7 EPA Reg. No. 19713-323 DREXEL PARATHION 8

IMPORTANT NOTICE: This Letter Requires You to Submit a Notification to the Office of Compliance Monitoring within 20 Days.

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments listed on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

SERIOUS ERROR(S) ON SUBMITTED LABELING:

EPA has determined that one or more of the errors on the labeling you submitted to the Agency is categorized as "serious" as defined in PR Notice 93-11. In general, serious errors are those that may create a potential for harm to workers, handlers, other persons, or the environment; or those that prevent the achievement of the basic goals of the Worker Protection Standard (WPS) or FIFRA.

YOU MUST NOT SELL OR DISTRIBUTE (INCLUDING RELEASE FOR SHIPMENT) ANY PRODUCT BEARING THE SUBMITTED LABELING. Sale or distribution of any product with the incorrect labeling is a violation of FIFRA that could result in initiation of an action for civil penalties and/or cancellation of your product. This matter has been referred to the Office of Compliance Monitoring (OCM) for further action.

YOU MUST SUBMIT A NOTIFICATION TO THE OFFICE OF COMPLIANCE MONITORING WITHIN 20 DAYS OF THE DATE OF THIS LETTER.



Recycled/Recyclebie Printed with Soy/Canola Ink on paper that contains at least 50% recycled liber Page 2

2 9 2

Each notification must include the following information:

- 1. Registrant's name and address.
- 2. EPA Registration number of the product for which the labeling was submitted.
- 3. Whether any product already has been sold or distributed (this includes released for shipment) bearing the submitted labeling.

In addition, the notification must include the following information, IF you have already sold or distributed any product bearing the submitted labeling:

- 1. Quantity of the product that has been sold or distributed.
- 2. EPA Producing Establishment number.
- 3. Location of the product, if known.
- 4. Proposed plan for assuring that product with the incorrect labeling in your control, as well as that in the hands of dealers/distributors/users, will be corrected. The plan must include your proposal for assuring that the labeling is corrected as soon as possible.

Submit the notification to:

Michael Wood, Director Compliance Division, (7203) Worker Protection Notification Office of Compliance Monitoring U.S. Environmental Protection Agency 401 M Street SW Washington, DC 20460

Failure to submit a notification also may result in initiation of an action under FIFRA for civil penalties, if you sold or distributed (this includes released for shipment) product bearing the incorrect labeling. Page 3

IN ADDITION, YOU SHOULD CONTACT IMMEDIATELY THE PERSONS TO WHOM YOU SOLD OR DISTRIBUTED YOUR PRODUCT AND INFORM THEM NOT TO SELL OR DISTRIBUTE ANY PRODUCT WITH THE INCORRECT LABELING.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the WPS labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have neither been reviewed nor accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

Submit the required notification. Then by the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

 BEFORE selling or distributing any product bearing the final printed labeling as amended

AND

WITHIN one year from date of this acceptance.

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL) Office of Pesticide Programs (7505C) U.S. Environmental Protection Agency 401 M Street, SW Washington, D.C. 20460-0001

4 9 23

Page 4

Hand or courier deliveries of final labeling may be made to:

Document Processing Desk (FIN-LABEL) Office of Pesticide Programs Room 266A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

Sincerely, Jim Tompkins Deputy Chief **Registration Support Branch** Registration Division (7505W)

Attachment

cc: Office of Compliance Monitoring

RESTRICTED USE PESTICIDE Due to very high acute toxicity to Humans and Birds

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in thee activities are informed of the precautionary statements.

PARATHION - 8

ACTIVE INGREDIENTS:

Parathion* (0,0-diethyl 0-p-	-nj	itr	or	phe	en j	1			
phosphorothioate)	•	•	•	•			•	•	. 80.6%
Aromatic Petroleum Solvent.	•	•	•	•	٠	•	•	•	. 10.2%
INERT INGREDIENTS:	٠	٠	•	•	•	٠	•	•	. 9.2%
TOTAL	•	•	٠	•	-	•	•	•	.100.0%
*Also known as Ethyl Parathi	Lor	ì							
Product contains 8 pounds of	Ē	?ar	at	:hi	or	ı g	per	c ç	jallon.

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

POISON VENENO

CAN CAUSE DEATH

PRECAUCION-AL-USUARIO:-Si-usted-no-lec-ingles,-no-use-este producto-hasta-que-le-etiqueta-haya-sido-explicado-ampliamente. Si usted no entiende la etiqueta, busque a alquien para que se la explique a usted en detaile. (If you do not understand the label, find someone to explain it to you in detaile).

STATEMENT OF PRACTICAL TREATMENT

FIRST AID TREATMENT: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

IF BREATHING HAS STOPPED: Start artificial respiration immediately and maintain until doctor sees victim.

IF SWALLOWED: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

IN CASE OF CONTACT: Immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately

EPA REG. NO. 19713-323 EPA EST. NO. 19713-MS-1 ACCEPTED with CONDIENTS in EPA Letter Dated

MAR 1 4 1994

Under the Federal insecticide. Fundicide, and Rodenticide Act as amended, for the praticide registered under EPA Reg. No. 19713-323

NOTE TO PHYSICIAN

Antidote: Administer atropine sulfate in large doses two to four mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respirator depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treat symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

PRECAUTIONARY STATEMENTS DANGER HAZARDS HUMANS AND DOMESTIC ANIMALS Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Rapidly absorbed through skin. Do not breathe vapors. Do not get in eyes or on skin or clothing. CAN KILL IF SWALLOWED: This product can kill you if swallowed. Even in small amounts spray mist may be fatal if swallowed. CAN KILL BY SKIN CONTACT: This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes). CAN KILL IF BREATHED: This product can kill you if vapors or spray mist are breathed. PERSONAL PROTECTIVE EQUIPMENT Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category F on an EPA chemical resistant category selection chart. Applicators (pilots in enclosed cockpits) must wear: Long-sleeved shirt and long pants Shoes plus socks In addition, pilots must wear chemical-resistant gloves, such as Barrier Laminate, Butyl Rubber, Nitrile Rubber, or Viton when entering or leaving an aircraft contaminated with pesticide residues. If taken into the cockpit, the gloves must be kept in an enclosed container to prevent contamination of the inside of the cockpit. Mixers and Loaders (who must use the closed system described elsewhere on this label) must wear: Coveralls over long-sleeved shirt and long pants Chemical resistant gloves, such as Barrier Laminate, Butyl Rubber, Nitrile Rubber or Viton Chemical resistant footwear plus socks Chemical-zesistant apron when cleaning equipment, mixing, or loading delete Protective eyewear - missing text Chemical resistant headgear for overhead exposure

PRECAUTIONARY STATEMENTS CONTINUE All other handlers, including persons who (1) repair, clean, or maintain the parts of mixing, loading, or application equipment that may contain residues, (2) clean up spills, (3) handle open containers, or (4) dispose of this pesticide, must wear: Chemical-resistant protective suit Chemical resistant gloves, such as Barrier Laminate/or Viton must be song my Chemical-resistant footwear plus socks Protective eyewear Chemical-resistant headgear for overhead exposure A respirator with either an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G). User Safety Recommendations Require ments Users must: Provide mechanical exhaust ventilation, if product is handled indoors. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Clean respirators and replace cartridges or canisters according to instructions included with the respirators. Replace gloves frequently. Keep and wash PPE (coveralls, gloves, footwear, aprons, protective eyewear, etc.) separately from all other laundry. Wash PPE after each day's use, following the manufacturer's directions. If no such instructions, use detergent and hot water. Store PPE separately from personal clothing. Keep personal work clothing (long-sleeved shirts, long pants, and socks) worn while performing mixing, loading, application, and other handling and early entry tasks separately from household articles. After each day of use, wash work clothing separately from household articles.

USER SAFETY REQUIREMENTS Recommendations Users must: Should Not rub eyes or mouth with hands. STOP work and get help right away, if you feel sick in any way. See First Aid (Practical Treatment) section of this label. Call a doctor (physician), clinic, or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (See First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PFE, all work clothing, and footurear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests that the cholinesterase level has returned to normal. Before
Not rub eyes or mouth with hands. STOP work and get help right away, if you feel sick in any way. See First Aid (Practical Treatment) section of this label. Call a doctor (physician), clinic, or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (See First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE, all work clothing, and footurear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
See First Aid (Practical Treatment) section of this label. Call a doctor (physician), clinic, or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (See First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE, all work clothing, and footwear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
a doctor (physician), clinic, or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (See First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE, all work clothing, and footurear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
that the victim has been exposed to parathion and describe his condition. After first aid is given (See First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE, all work clothing, and footurear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
<pre>condition. After first aid is given (See First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE, all work clothing, and footwear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests</pre>
Section) and if a doctor cannot come, take victim to clinic or hospital. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE, all work clothing, and footwear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE, all work clothing, and footurear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE, all work clothing, and footurear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE, all work clothing, and footwear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
thoroughly and put on clean clothing. Remove PPE, all work clothing, and footuear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
Remove PPE, all work clothing, and footurear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
<pre>water before removing. Shower using soap and water. Wear only clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests</pre>
clean clothing when leaving jobdo not wear contaminated clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
clothing. The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
The National Pesticide Telecommunication Network (NPTN) is available for commendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
toxicity of parathion. The toll-free number for NPTN is 1-800- 858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
858-7378. Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
inhibitor. Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests
that the cholinesterase level has returned to normal Defers
using this product, consult the Agricultural Extension Service or Experimental Station for specific recommendations regarding
such blood tests.

WORR-SAFETY-RULES:

The-National-Pesticide-Telecommunication-Network-i3-available-for recommendations-regarding-poisoning-management7-emergency treatment7-and-other-information-regarding-the-toxicity-of parathion-The-toll-fee-number-for-the-National-Pesticide Telecommunication-Network-is-1-800-858-7378--If-handled-indoors7 provide-mechanical-exhaust-ventilation-Keep-all-unprotected persons7-children7-livestock7-and-pets-away-from-treated-area-or where-there-is-danger-of-drift-Bo-not-rub-eyes-or-mouth-with hands-If-you-feel-sick-in-any-way7-STOP-work-and-get-help-right away--See-First-Aid-(PRACTICAL-TREATMENT)-sectionIMPORTANT:-If-pesticide-comes-in-contact-with-skin;-wash-off-with soap-and-water-and-contact-a-physician-immediately:-Always-wash hands;-face;-and-arms-with-soap-and-water-before-smoking;-eating; drinking;-or-toileting;

AFTER-WORK:-Before-removing-gloves,-wash-them-with-soap-and water.-Take-off-all-work-clothes-and-shoes.-Shower-using-soap-and water.-Wear-only-clean-clothes-when-leaving-the-job.-Bo-not-wear contaminated-clothing.-Personal-clothing-worn-during-work-must-be stored-and-laundered-separately-from-protective-clothing-and household-articles.-Store-protective-clothing-separately-from personal-clothing.-Clean-or-launder-protective-clothing-after each-use.-Respirators-must-be-cleaned-and-filters-replaced according-to-instructions-included-with-the-respirators. Protective-clothing-and-protective-equipment-heavily-contaminated or-drenched-with-parathion-must-be-destroyed-according-to-sate and-local-regulations-Heavily-contaminated-or-drenched-clothing cannot-be-adequately-decontaminated.-Buring-aerial-application; human-flaggers-are-prohibited.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish, aquatic invertebrates, and wildlife. Birds in treated area may be killed. Shrimps and other aquatic organisms may be killed at recommended application rates. For terrestrial uses, do not apply directly to water, to areas where the surface water is present, or to intertidal areas below the mean high water mark. Runoff and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters. This product is extremely toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crop or weeds if bees are visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS Do not use or store near heat or open flame.

10 9 23

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

11] 23

Bo-not-apply-this-product-through-any-type-of-irrigation-System. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

This-product-may-not-be-applied-to-any-crops-other-than-alfalfa; barley;-corn;-cotton;-sorghum;-soybeans;-sunflower-and-wheat;-Any treated-crops-may-be-harvested-only-by-mechanical-means;-hand harvesting-of-a-treated-crop-is-prohibited;

LIMITS-ON-APPLICATION

<u>Acrial-Application-Only</u>-This-product-may-be-applied-acrially, and-only-by-a-certified-commercial-applicator-as-defined-in-PIFRA 2(c)(3)-

<u>Areas-Where-Application-Is-Prohibited:</u>-This-product-may-not-be applied-within-100-feed-of-buildings;-public-roads-or-bodies-of water:-Parathion-may-not-be-applied-within-100-feed-of-property lines-unless-the-owner-of-the-adjacent-property-has-given-prior written-consent-te-the-application-and-has-been-informed-of-the timing-of-the-application-and-the-appropriate-reentry requirements.

<u>Brift-Reduction-Measures</u>:-Bo-not-apply-this-product-if-the-wind exceeds-10-miles-per-hour-Apply-only-from-nozzles-located-not more-than-75%-of-the-distance-from-the-center-of-the-aircraft-to the-wing-tip-or-helicopter-rotor-tip-

<u>Notification-To-Land-Owners:</u>-A-certified-commercial applicator shall-not-apply-this-product-to-a-person's-property-unless-the applicator-has-notified-the-person-in-writing-no-more-than-12 months-before-the-date-of-the-application-of:-the-requirement that-crops-treated-with-parathion-be-harvested-mechanically;-the appropriate-reentry-interval-and-the-requirements-concerning reentry-set-forth-on-this-label;-and-the-incident-reporting requirements-set-forth-on-this-label;

Left out all of the new text for applications Restrictions - mgg 6 - 7 of guidence.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions pertaining to the restricted-entry intervals, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS)>

12 9 23

IMPORTANT: The exceptions in the WPS pertaining to personal protective equipment, restricted-entry intervals, and notification to workers do NOT apply when this product is used.

AGRICULTURAL USE REQUIREMENTS CONTINUE Restrictions on Entry to Treated Areas: Do not enter or allow any person to enter into entry-restricted areas (treated areas plus areas within 100 feet of treated areas) during the restricted entry interval (REI) of 3 days (6 days for corn) and during any longer period of time prescribed by State law or regulation. Entry into entry-restricted areas (including early entry that would otherwise be permitted under the WPS) by any person is PROHIBITED, except for persons who are (1) handlers performing crop-advisor tasks or (2) workers performing irrigation-related tasks.

Restrictions for All Persons Who Enter Entry-Restricted When any person enters the treated areas or within 100 feet of the treated area before the expiration of REI all of the following requirements must be complied with: 1) No entry is permitted, except for persons who are performing crop-advisor tasks or irrigation-related tasks,

2) No person is allowed to enter or remain in entry-restricted areas during application and until four (4) hours after application is complete,

3) No person .s allowed to remain in any entry-restricted area for a total of more than one (1) hour in any 24-hour period,

4) Each person must wear the personal protective equipment specified for early entry on this label.

5) Each person must be provided the protections in the WPS and in this labeling. If the two requirements are not identical, the requirements that are the most restrictive must be followed.

6) Each person, except owners of the farm and members of their immediate family, must have received training as follows:

(a) Currently certified as an applicator of restricted-use pesticides, OR

(b) Currently trained as a handler under the requirements of the WPS, OR

(c) Currently trained as a worker under the requirements of the WPS and, in addition, is informed (i) how to put on, use, and take off PPE correctly, (II) about the importance of washing thoroughly after removing PPE, and (III) how to prevent, recognize, and give correct first aid for heat illness.

(7) Before entering the entry-restricted area, each person must have read the product labeling or been informed in a manner the person can understand of all the requirements of all labeling requirements related to safe use of the pesticide, including signal word, human hazard precautions, first aid instructions, symptoms of poisoning, and personal protective equipment requirements for early entry.

(8) Appropriate measures to prevent heat illness must be taken for each person.

(9) Each person must be provided a decontamination site that is reasonably accessible and is within 1/4 mile of that person. (Exception: if the site where the person is working is more than 1/4 mile from the nearest point reachable by vehicle, the decontamination site may be at the access point.) Each decontamination site must contain an adequate supply of soap and single-use towels and an adequate amount of water for routine washing, emergency eyeflushing, and emergency whole body washing. The water must be of a quality and temperature that will not cause illness or injury when it contacts the skin or eyes or if it is swallowed. The site must also contain a clean change of clothing, such as a coverall.

(10) Each person must carry an eyeflush dispenser containing at least one pint of water that meets the quality and temperature criteria listed for decontamination water in (9) above.

(11) After the activity in the entry-restricted area, soap, clean towels, and an adequate amount of water for thorough washing must be available at the place where the person removes the PPE. The water must meet the quality and temperature criteria listed for decontamination water in (9) above.

(12) Each person must wash thoroughly after remove PPE.

(13) Personal protective equipment worn during early entry must not be worn home. No person, other than owners of the farm and members of their immediate family, may take home--before it is cleaned--PPE worn during early entry.

Personal Protective Equipment for Early Entry: PPE required for early entry to treated areas that is permitted on this label is: Coveralls over long-sleeved shirt and long pants Chemical-resistant gloves, such as Barrier Laminate, Butyl Rubber, Nitrile Rubber or Viton Chemical-resistant footwear Protective eyewear Chemical-resistant headgear for overhead exposure 23

AGRICULTURAL USE REQUIREMENTS CONTINUE

Notification About Application And Entry Restrictions: Notify workers (other than workers who are members of the farm owners' immediate family) of the application by warning them orally if they will be within 1/4 mile of the treated area. In addition, treated areas must be posted with WPS signs at (or 100 feet outside) all usual points of entry or at (100 feet outside) all the corners of the treated areas affording maximum visibility.

NOTIFICATION TO FARM OWNER/OPERATOR

A certified commercial applicator must not apply this parathion product on a farm until he or she makes sure the owner of the farm (or person responsible for managing the farm) has the following information in writing: ((2)) time and date of application, (3) product name, EPA registration number, and active ingredients, (4) the entry restrictions including the restricted-entry interval, (5) the requirement for both oral warnings to workers and posting of treated areas, (6) the requirement that crops treated with parathion be harvested mechanically and the prohibition on hand harvesting, (7) the incident reporting requirements set forth on this label, and workers or other persons during or after application. This requirement is satisfied if the owner/operator of the farm has a copy of this label.

PROTECTION OF APPLICATORS AND MIXER/LOADERS

Applicator Protection: The cockpit of the aircraft used to apply this product must be fully enclosed while this product is being applied. No pilot may apply this product if the pilot has earlier during the day of application performed any mixing/loading activities (other than acting as an observer) involving any pesticide product containing parathion. Human flaggers are prohibited.

Mixer/Loader Protection: An observer must be present during all mixing/loading activities in order to furnish assistance in the event of an accident. The observer must not act as a mixer/loader and need not wear personal protective equipment.

This product must be mixed and loaded in a closed system, as described below: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirement listed in the Worker Protection Standard (WPS) for agricultural pesticides [40CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

16 23

REENTRY-STATEMENT

<u>General-Reentry-Limitation</u>:-While-an-area-is-being-treat-with this-product-and-during-the-first-three-days-after-treatment-(six days-after-treatment-if-the-crop-treated-is-corn)-or-any-longer period-of-time-prescribed-by-State-law-or-regulation,-no-person may-enter-or-remain-in-the-treated-area-or-within-100-feet-of-the treated-area

<u>Bxception</u>-After-four-(4)-hours-have-passed-since-the-end-of-the application7-a-person-may-enter-an-area-under-reentry restrictions-to-perform-scouting-or-irrigation-related-work-in accordance-with-the-following-requirements:

a)-No-person-shall-remain-in-an-area-under-reentry-restrictions for-a-total-of-more-than-l-hour-in-any-24-hour-period-

b)-Before-entering-the-treated-area;-the-person-must-have-read the-product-labeling-or-have-been-informed;-in-a-language-that the-person-can-understand;-of-all-requirements-of-the-product's labeling-related-to-human-hazards-or-precautions;-first-aid; symptoms-of-poisoning;-personal-protective-equipment-specified for-early-entry;-and-any-other-labeling-requirements-related-to safe-use;

c)-The-person-must-wear-personal-protective-equipment-consisting of-a-cotton-or-other-fabrie-coverall-worn-over-a-long-sleeved shirt-and-long-pants;-chemical-resistant-boots;-and-chemical resistant-gloves;-and-shall-take-appropriate-measures-to-prevent heat-related-illness;

d)-The-person-must-carry-an-eye-flush-dispenser-containing-at least-one-pint-of-water-

e)-A-reasonably-accessible-decontamination-site-must-be-available with-adequate-supplies-of-potable-water-for-washing,-soap,-and single-use-towels--After-restricted-reentry-activity,-the-person must-be-provided-soap,-clean-towels,-and-a-sufficient-amount-of potable-water-for-washing-and-must-wash-thoroughly-after-removing personal-protective-equipment.

f)-All-personal-protective-equipment-worn-during-restricted reentry-must-be-laundered-separately-and-must-not-be-worn-home-

<u>Posting-Of-Treated-Areas</u>-Treated-areas-shall-be-posted-with signs-at-all-usual-points-of-entry-or-in-the-corners-of-the treated-areas-affording-maximum-visibility-Written-warnings-must include-the-following-information:-BANGER:-Area-treated-with parathion-on-(date):-Bo-not-enter--Consult-your-State Agricultural-Extension-Service-or-Experiment-Station-regarding posting-treated-areas. PROTECTION-OF-APPLICATORS,-MIXER-LOADERS,-AND-MAINTENANCE PERSONNEL

<u>Applicator-Protection:-</u>The-cockpit-of-the-aircraft-used-to-apply this-product-must-be-fully-enclosed-while-the-product-is-being applied.-No-pilot-may-apply-any-mixing/loading-activities-(other than-acting-as-an-observer)-involving-any-pesticide-product containing-parathion.

<u>Maintenance-Personnel-Protection:-</u>The-following-protective clothing-and-equipment-must-be-worn-during-repair;-cleaning-of application-equipment;-and-disposal-of-pesticide:-waterproof-suit of-one-or-two-pieces-covering-all-parts-of-the-body-except-the head;-hands;-and-feet;-heavy-duty-chemical-resistant-gloves; chemical-resistant-shoes-(or-chemical-resistant-shoe-coverings-or chemical-resistant-boots);-goggles-or-face-shield;-hood-or-widebrimmed-hat;-NHOSH-approved-respirator.

<u>Mixer-loader-Protection:-An-observer-must-be-present-during-all</u> mixing/loading-activities-in-order-to-furnish-assistance-in-the event-of-an-accident:-The-observer-may-not-act-as-a-mixer-loader:

Any-person-involved-in-mixing/loading-activities-(other-than-the observer)-must-wear-a-cotton-or-other-fabric-coverall-worn-over-a long-sleeved-shirt-and-long-pants;-chemical-resistant-boots-and gloves;-and-when-the-mixing/loading-system-is-pressurized;-a chemically-resistant-apron-and-a-face-shield-or-goggles;

The liquid pesticide must be removed from its original shipping container and transferred through connecting hoses, pipes, and/or couplings that are sufficiently tight to prevent handlers or other persons from contacting the parathion concentrate, use dilution, or rinsate solution. A complete seal by dry break or screw-on coupling to the opening of the original container shall be required.

All hoses, piping, tanks, and connections used in the system shall be of a type appropriate for the product being used and the pressure and vacuum levels involved. The system shall be designed and operated so that the concentrated form of this product is not under more than 25 psi of pressure at any point in the system beyond or downstream from a pump producing positive pressure. The closed system must be adequate to make necessary measurements of the product being used. External sight gauges shall be quipped with valves so that the flow of pesticide to the sight gauge can be shut off in case of breakage or leakage from the gauge.

Shut-off devices must be installed on the exit end of all hoses and at all disconnect points to prevent leakage of parathion when the transfer is stopped and the hose is removed or disconnected. If a hose carried parathion concentrate and has not been rinsed in accordance with the instructions in this section, a dry couple shutoff device that will minimize parathion drippage to not more than 2 ml. per disconnect must be installed at the disconnect point. If the hose carried diluted-for-use parathion or rinsate solution, a reversing action pump or a similar system that will empty the hose and eliginate dripping of liquid from the end of the hose may be used as an alternative to a shut-off device.

In mixing/loading operations do not pour this product from its container. Before opening the container, make sure that the container is resting securely on the ground or a sturdy support, with the top (opening) end up and approximately level.

Remove the product from the container only by use of a vacuumproducing pump system connected to a probe system that is listed by the State of California under that State's program establishing criteria for closed-system handling of Toxicity Category I pesticides. Examples of California listed systems are the Chemprobe(R) Model II system sold by Cherlor Mfg. Co., Inc., P. O. Box 2174, Salinas, CA 93902, telephone 408-422-5477 or the Protect-O-Loader Model XM-1 system sold by Protecto Mfg. Co., 20189 Firerock Road, Bend, Or. 97701; telephone 503/382-6886. The probe system shall be screwed into the threaded opening in the top of the container to form a watertight connection, using appropriate adaptors provided by the probe manufacturer as necessary. The instructions provided by the seller of the probe system shall be followed, except that a removable probe may not be removed from the container until the container is empty and the container and probe have been thoroughly rinsed as required by this section.

The closed-system must provide for adequate rinsing of any removable probe and of all containers that are not labeled for return to the registrant. Rinsing must be done using a liquid that container no pesticide. The rinsing system must be capable of spray-rinsing the inner surface of the container. The rinse solution shall be removed from the pesticide container concurrent with the introduction of the rinse medium. The rinse solution shall go into the pesticide mix tank or applicator vehicle via the closed system.

The system shall be rinsed according to the specifications of the manufacturer of the probe systems, or, in the absence of such specifications, by moving at least one half of the container volume through the system. A minimum pressure of 15 psi shall be used for the spray rinse. Parathion containers shall be protected against excessive pressure during the container rinse operation. Measures shall be taken to prevent the spray rinse procedure from causing an increase in pressure on the inside of the container walls of more than 5 psi. Either the operator of the closed system must have available at the time of operation a complete set of written instructions for proper operation of the system, or the certified applicator must document in writing before an operator uses the closed system that the operator has been adequately trained in the proper operation of the system.

19 23

INCIDENT REPORTING

A telephone notification must be made if mixing, loading, or use of a product containing parathion results in inadvertent or unexpected human exposure to the product or illness resulting from exposure to the product, spill of the product, an investigation by Federal, State or local authorities of allegations involving drift of the product, or the death of birds or other wildlife. The contified applicator or the owner of the treated land must notity by telephone the Chief, Compliance Branch, Office of Compliance Monitoring, U.S. EPA, at 202-260-3375 within seven days of becoming aware of the incident.

GENERAL INFORMATION

Mix Parathion 8 in water to form an emulsion spray solution. To make the spray solution, fill the spray tank half full with water, agitate, add the proper amount of Parathion 8 and then fill the spray tank with water while still agitating. Continue to agitate during use.

Aircraft should apply the recommended amount of Parathion 8 in not less than 1 gallon of water per acre. Always use sufficient water for adequate coverage of the crop foliage.

Where a dosage range is given, use the lower rate on small or young plants or with light insect infestations. Use the higher rate on mature plants or with heavy insect infestation.

The amount given to use are the amounts of Parathion 8 to apply per acre per application. The hazards and precautions for handling Parathion 8 are equally applicable to it after dilution with water for spray application.

<u>General Warnings and Limitations:</u> Do not plant any food or feed crop in parathion treated soils other than those with registered parathion uses. ALFALFA: For three-cornered alfalfa hoppers, alfalfa caterpillars, and spittlebugs, use 1/4 pint per acre. For aphids, alfalfa weevil larvae and adult weevils, armyworms up to third instar, clover leaf weevils, climbing cutworms, webworms, grasshoppers, crickets, spotted alfalfa aphids, leafhoppers, Lygus bugs, thrips, and torticid moths, use 1/4 to 1/2 pint per acre. For alfalfa seed chalcids control on alfalfa grown for seed, use 1/4 to 1/2 pint per acre. California and Nevada regulations limit the use of this material to not more than 3/8 pint per acre. For clover weevils, spider mites, blister beetles, Asiatic garden beetles, sweet clover weevils, and green June beetles, use 1/2 pint per acre. For beet armyworms and corn earworms use 1/2 to 3/4 pint per acre. Do not spray alfalfa during bloom period to avoid injury to honey bees. Do not apply within 15 days of harvest, cutting or forage use. Do not apply if the crop or weeds in the treatment area are in bloom. Bo-not reenter-treated-fields-for-3-days- The restricted-entry interval is 3 days.

20 0 23

CORN: For control of European corn borers, use 1/2 pint per acre. Apply the first spray when 75% of the corn plants show shot-hole feeding and follow with two additional sprays at 5 to 7 day intervals. Use sufficient water per acre to provide complete coverage and be certain whorls of plants are well treated. For corn leaf aphids, use 1/4 pint per acre. For fall armyworms, corn rootworm adults, armyworms up to third instar, climbing cutworms, grasshoppers and Japanese beetles, use 3/8 pint per acre. To control stink bugs and spider mites, use 1/2 pint per acre. To control corn earworm, use 1/2 pint per acre and apply to silks as soon as they appear. Make 3 to 4 applications at 2 to 3 day intervals as infestation warrants. Re-apply immediately after rain. To control chinch bugs, use 3/4 pint per acre. Do not apply within 12 days of harvest, cutting or forage use. Bo-not-re-enter treated-field-for-6-days- The restricted-entry interval is 6 days.

CORN (Sweet): To control fall armyworms, aphids and silkflies, use 1/4 pint per acre. To control sap beetles and spider mites, use 1/2 pint per acre. To control corn earworm apply to silks as soon as they appear. Make 3 to 4 applications at 2 to 3 day intervals as infestation warrants. Reapply immediately after rain. To control chinch bugs, use 3/4 pint per acre. If crop is intended for canning, consult your cannery fieldmen prior to application. Do not apply within 12 days of harvest. Bo-not reenter-treated-fields-for-6-days. The restricted-entry interval is 6 days. COTTON: To control aphids, mites, cotton leafworms, cotton fleahoppers, garden webworms and thrips, use 1/4 pint per acre. For cabbage loopers, use 3/8 to 1/2 pint per acre. For boll weevils and stink bugs, use 1/2 to 3/4 pint per acre. For saltmarsh caterpillars, use 1/2 to 1 pints per acre. For bollworms, cotton leaf perforators, Lygus bugs, false chinch bugs, serpentine leaf miners and southern garden leafhoppers, use 1 pints per acre. Make first application when insect appear and repeat at 7 day intervals if required. If desired, this formulation may be combined with other insecticides in a complete cotton spray program. Do not feed cotton trash to dairy animals or animals being finished for slaughter within 15 days of application. Do not harvest within 7 days after application. do not-reenter-treated-fields-for-3-days. The restricted-entry interval is 3 days.

21 7 25

SMALL GRAINS (Wheat, Barley): To control armyworms up to third instar, aphids (greenbugs) and winter grain mites, use 1/4 pint per acre. For thrips, use 1/4 to 3/8 pint per acre. For Say's plant bugs, use 3/8 pint per acre. For black grass bugs, stink bugs, white spider mites, leafhoppers, climbing cutworms, grasshoppers and brown wheat mites, use 1 pint per acre. For chinch bugs, false chinch bugs and Banks grass mites, use 3/4 pint per acre. Do not apply within 15 days of harvest, cutting, or forage use. Bo-not-reenter-treated-fields-for-3-days.-The restricted-entry interval is 3 days.

SORGHUM: To control sorghum midge, apply at a rate of 1/2 to 1 pints per acre. Make 2 applications 3 to 5 days apart when approximately 90% of the heads have completed emerged from the boot or not later than start of blooming. For aphids (greenbugs) and mites, use 1/4 pint per acre. For sorghum webworms, fall armyworms, armyworms up to third instar and corn earworms, use 3/8 to 1/2 pint per acre. Leaf injury may occur on some hybrid varieties of sorghum. Spray a few rows a week or so before booting to test effects on plants. Do not apply within 12 days of harvest, cutting or forage use. Bo-not-reenter-treated-fields-for 9-days. The restricted-entry interval is 3 days

SOYBEANS: To control webworms, use 1/4 pint per acre. To control velvet beak caterpillar, green cloverworms, two-spotted mites and stink bugs, use 1/2 pint per acre. To control corn earworms and fall armyworms, use 1/2 to 3/4 pint per acre. To control white grubs and wireworms, broadcast 2 quarts per acre just prior to planting and thoroughly incorporate into upper 4 to 6 inches of soil. Do not apply within 20 days of harvest, cutting or forage use. Bo-not-reenter-treated-fields-for-3-days. The restricted-entry interval is 3 days.

22 y 23

SUNFLOWERS: To control sunflower moth, use 1/2 to 1 pints per acre on a schedule of 2 to 3 applications at 5 day intervals. Hybrid sunflowers completely bloom in 12 to 15 days; thus the initial application should be made when 10 - 20% of the plant have begun to flower and moths and young larvae are present. Do not apply later than 30 days before harvest. Bo-not-reenter treated-fields-for-3-days. The restricted-entry interval is 3 days.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

STORAGE

Store in a dry location away from children, animals, foods, feeds, seeds, and other agricultural chemicals. Keep container closed when not using. Do not allow water into container as this may cause deterioration of product. Handle-in-accordance-with information-given-under-PRECAUTIONARY-STATEMENTS, Personnel must wear the personal protective equipment specified for "ALL Other Handlers" listed in the Hazards to Humans section of this label when handling open containers or cleaning up spills. Do not store under conditions where temperature may exceed 120 |F or below 45 F. Keep storage area looked when not in use. In the event of spillage or leakage, soak up material with absorbent clay, sand, sawdust, or other absorbent materials while wearing appropriate protective equipment. Scrape up and dispose of in accordance with information given under PESTICIDE DISPOSAL. In case of fire or other emergency, report at once by toll-free telephone to 800-424-9300,

DISPOSAL

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

WARRANTY - CONDITION OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall Drexel or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The forgoing is a condition of sale by Drexel Chemical Company and is accepted as such by the Buyer.

23 23