

Reg # 19713-325

PM-19

19715

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	19713-325	October 29, 1971
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	TERM OF ISSUANCE	
	Until Reregistration	
NAME OF PESTICIDE PRODUCT		
Drexel Parathion 4 EC		
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
Drexel Chemical Company P.O. Box 9306 Memphis, Tennessee 38109		
NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:		
1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.		
2. Make the following label changes:		
a. Add the phrase, "EPA Registration No. 19713-325." Delete the old Registration Number, 19713-218.		
b. Revise the Restricted Use Statement to read as follows:		
For retail sale only to certified commercial aerial applicators or persons under their direct supervision. For use only by certified commercial aerial applicators. Direct supervision for this product is defined as the certified commercial applicator being physically present during mixing, loading, repair and cleaning of application equipment. Certified commercial applicators must also ensure that all persons involved in these activities are informed of the precautionary		
<input checked="" type="checkbox"/> ATTACHMENT IS APPLICABLE statements.		
SIGNATURE OF APPROVING OFFICIAL		DATE
[Signature: Dennis H. Edwards]		10/29/91

- c. The parathion technical ingredient used in this formulation contains 95% pure active ingredient and 3% related compounds. The active ingredient statement for this product must be revised to reflect these percentages, it should be written as follows:

ACTIVE INGREDIENT

Parathion (O,O-diethyl O-p-nitrophenyl phosphorothioate).....	43.91%
Related compounds.....	1.39%
INERT INGREDIENTS.....	<u>54.70%</u>
Total	100.00%

- d. Add the Skull & Crossbones symbol (in red, for the final printing) to the front panel, as required for all Toxicity Category I pesticides.
- e. In the Statement of Practical Treatment, delete the phrase "...for at least 15 minutes" from the instructions for "If In Eyes".
- f. Correct the following phrase under the Precautionary Statements by adding the word "to":

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

- g. The Environmental Hazards Statement must be revised to read as directed by the 1986 Ethyl Parathion Registration Standard for Nongranular products (non-aquatic uses):

This pesticide is highly toxic to fish and wildlife. Birds in treated areas may be killed. Do not apply directly to water or wetlands (swamps, marshes, bogs and potholes). Run-off and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment or disposing of equipment washwaters.

- h. On page four, insert the word "only" into the information for LIMITS ON APPLICATION, Aerial Application ("This product may only be applied aerially...").
- i. Delete the text entitled "General Warnings and Limitations" on page nine since it implies treatment of soils.
- j. In the Directions for Use on soybeans, delete the instructions for treatment of white grubs and

wireworms ("...broadcast 2 quarts per
acre...").

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

DHE

Dennis H. Edwards Jr.
Product Manager 19
Insecticide-Rodenticide Branch
Registration Division (H7505C)

enclosure

ACCEPTED
with COMMENTS
to EPA Letter Datab

OCT 29 1991

RESTRICTED USE PESTICIDE
Due to very high acute toxicity to
Humans and Birds

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
19713-325

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

PARATHION 4 EC

ACTIVE INGREDIENTS:

Parathion* (0,0-diethyl 0-p-nitrophenyl phosphorothioate)	45.3%
INERT INGREDIENTS:	54.7%
TOTAL	100.0%

*Also known as Ethyl Parathion

Product contains 4 pounds of Parathion per gallon.

EPA REG. NO. 19713-218
EPA EST. NO. 19713-MS-1

KEEP OUT OF REACH OF CHILDREN

DANGER
PELIGRO

POISON
VENENO

CAN CAUSE DEATH

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID TREATMENT: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

IF BREATHING HAS STOPPED: Start artificial respiration immediately and maintain until doctor sees victim.

IF SWALLOWED: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

IN CASE OF CONTACT: Immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately

5 7 15

**PRECAUTIONARY STATEMENTS
DANGER
HAZARDS HUMANS AND DOMESTIC ANIMALS**

CAN KILL IF SWALLOWED: This product can kill you if swallowed. Even in small amounts spray mist may be fatal if swallowed.

CAN KILL BY SKIN CONTACT: This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

CAN KILL IF BREATHED: This product can kill you if vapors or spray mist are breathed.

WORK SAFETY RULES:

The National Pesticide Telecommunication Network is available for recommendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll free number for the National Pesticide Telecommunication Network is 1-800-858-7378. If handled indoors, provide mechanical exhaust ventilation. Keep all unprotected persons, children, livestock, and pets away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. See First Aid (PRACTICAL TREATMENT) section.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting.

AFTER WORK: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving the job. Do not wear contaminated clothing. Personal clothing worn during work must be stored and laundered separately from protective clothing and household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. Protective clothing and protective equipment heavily contaminated or drenched with parathion must be destroyed according to state and local regulations. Heavily contaminated or drenched clothing cannot be adequately decontaminated. During aerial application, human flaggers are prohibited.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

NOTE TO PHYSICIAN


Antidote: Administer atropine sulfate in large doses two to four mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respirator depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish, aquatic invertebrates, and wildlife. Birds in treated area may be killed. Shrimps and other aquatic organisms may be killed at recommended application rates. Do not apply directly to water, to areas where the surface water is present, or to intertidal areas below the mean high water mark. Runoff and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters. This product is extremely toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crop or weeds if bees are visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation System.

This product may not be applied to any crops other than alfalfa, barley, corn, cotton, sorghum, soybeans, sunflower and wheat. Any treated crops may be harvested only by mechanical means; hand harvesting of a treated crop is prohibited.

LIMITS ON APPLICATION

Aerial Application Only: This product may be applied aerially, and only by a certified commercial applicator as defined in FIFRA 2(e)(3).

Areas Where Application Is Prohibited: This product may not be applied within 100 feet of buildings, public roads or bodies of water. Parathion may not be applied within 100 feet of property lines unless the owner of the adjacent property has given prior written consent to the application and has been informed of the timing of the application and the appropriate reentry requirements.

Drift Reduction Measures: Do not apply this product if the wind exceeds 10 miles per hour. Apply only from nozzles located not more than 75% of the distance from the center of the aircraft to the wing tip or helicopter rotor tip.

Notification To Land Owners: A certified commercial applicator shall not apply this product to a person's property unless the applicator has notified the person in writing no more than 12 months before the date of the application of the requirement that crops treated with parathion be harvested mechanically; the appropriate reentry interval and the requirements concerning reentry set forth on this label, and the incident reporting requirements set forth on this label.

REENTRY STATEMENT

General Reentry Limitation: While an area is being treated with this product and during the first three days after treatment (six days after treatment if the crop treated is corn) or any longer period of time prescribed by State law or regulation, no person may enter or remain in the treated area or within 100 feet of the treated area.

Exception: After four (4) hours have passed since the end of the application, a person may enter an area under reentry restrictions to perform scouting or irrigation-related work in accordance with the following requirements:

- a) No person shall remain in an area under reentry restrictions for a total of more than 1 hour in any 24-hour period.
- b) Before entering the treated area, the person must have read the product labeling or have been informed, in a language that the person can understand, of all requirements of the product's labeling related to human hazards or precautions, first aid, symptoms of poisoning, personal protective equipment specified for early entry, and any other labeling requirements related to safe use.
- c) The person must wear personal protective equipment consisting of a cotton or other fabric coverall worn over a long-sleeved shirt and long pants, chemical resistant boots, and chemical resistant gloves, and shall take appropriate measures to prevent heat-related illness.
- d) The person must carry an eye-flush dispenser containing at least one pint of water.
- e) A reasonably accessible decontamination site must be available with adequate supplies of potable water for washing, soap, and single-use towels. After restricted reentry activity, the person must be provided soap, clean towels, and a sufficient amount of potable water for washing and must wash thoroughly after removing personal protective equipment.
- f) All personal protective equipment worn during restricted reentry must be laundered separately and must not be worn home.

Posting Of Treated Areas: Treated areas shall be posted with signs at all usual points of entry or in the corners of the treated areas affording maximum visibility. Written warnings must include the following information: DANGER: Area treated with paration on (date). Do not enter. Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

.....
.....
.....
.....
.....
.....
.....
.....

PROTECTION OF APPLICATORS, MIXER-LOADERS, AND MAINTENANCE PERSONNEL

Applicator Protection: The cockpit of the aircraft used to apply this product must be fully enclosed while the product is being applied. No pilot may apply this product if the pilot has earlier during the day of application performed any mixing/loading activities (other than acting as an observer) involving any pesticide product containing parathion.

Maintenance Personnel Protection: The following protective clothing and equipment must be worn during repair, cleaning of application equipment, and disposal of pesticide: waterproof-suit of one or two pieces covering all parts of the body except the head, hands, and feet; heavy-duty chemical resistant gloves; chemical resistant shoes (or chemical resistant shoe coverings or chemical resistant boots); goggles or face shield; hood or wide-brimmed hat; NIOSH approved respirator.

Mixer-loader Protection: An observer must be present during all mixing/loading activities in order to furnish assistance in the event of an accident. The observer may not act as a mixer-loader.

Any person involved in mixing/loading activities (other than the observer) must wear a cotton or other fabric coverall worn over a long-sleeved shirt and long pants, chemical resistant boots and gloves, and when the mixing/loading system is pressurized, a chemically resistant apron and a face shield or goggles.

The liquid pesticide must be removed from its original shipping container and transferred through connecting hoses, pipes, and/or couplings that are sufficiently tight to prevent handlers or other persons from contacting the parathion concentrate. use dilution, or rinse solution. A complete seal by dry break or screw-on coupling at the opening of the original container shall be required.

All hoses, piping, tanks, and connections used in the system shall be of a type appropriate for the product being used and the pressure and vacuum levels involved. The system shall be designed and operated so that the concentrated form of this product is not under more than 25 psi of pressure at any point in the system beyond or downstream from a pump producing positive pressure. The closed system must be adequate to make necessary measurements of the product being used. External sight gauges shall be equipped with valves so that the flow of pesticide to the sight gauge can be shut off in case of breakage or leakage from the gauge.

Shut-off devices must be installed on the exit end of all hoses and at all disconnect points to prevent leakage of parathion when the transfer is stopped and the hose is removed or disconnected. If a hose carried parathion concentrate and has not been rinsed in accordance with the instructions in this section, a dry couple shutoff device that will minimize parathion drippage to not more than 2 ml. per disconnect must be installed at the disconnect point. If the hose carried diluted-for-use parathion or rinsate solution, a reversing action pump or a similar system that will empty the hose and eliminate dripping of liquid from the end of the hose may be used as an alternative to a shut-off device.

In mixing/loading operations do not pour this product from its container. Before opening the container, make sure that the container is resting securely on the ground or a sturdy support, with the top (opening) end up and approximately level.

Remove the product from the container only by use of a vacuum-producing pump system connected to a probe system that is listed by the State of California under that State's program establishing criteria for closed-system handling of Toxicity Category I pesticides. Examples of California listed systems are the Chemprobe(R) Model II system sold by Cherlor Mfg. Co., Inc., P. O. Box 2174, Salinas, CA 93902, telephone 408-422-5477 or the Protect-O-Loader Model XM-1 system sold by Protecto Mfg. Co., 20189 Firerock Road, Bend, Or. 97701; telephone 503/382-6886. The probe system shall be screwed into the threaded opening in the top of the container to form a watertight connection, using appropriate adaptors provided by the probe manufacturer as necessary. The instructions provided by the seller of the probe system shall be followed, except that a removable probe may not be removed from the container until the container is empty and the container and probe have been thoroughly rinsed as required by this section.

The closed-system must provide for adequate rinsing of any removable probe and of all containers that are not labeled for return to the registrant. Rinsing must be done using a liquid that contains no pesticide. The rinsing system must be capable of spray-rinsing the inner surface of the pesticide container concurrent with the introduction of the rinse medium. The rinse solution shall go into the pesticide mix tank or applicator vehicle via the closed system.

The system shall be rinsed according to the specifications of the manufacturer of the probe system, or, in the absence of such specifications, by moving at least one half of the container volume through the system. A minimum pressure of 15 psi shall be used for the spray rinse. Parathion containers shall be protected against excessive pressure during the container rinse operation. Measures shall be taken to prevent the spray rinse procedure from causing an increase in pressure on the inside of the container walls of more than 5 psi.

Either the operator of the closed system must have available at the time of operation a complete set of written instructions for proper operation of the system, or the certified applicator must document in writing before an operator uses the closed system that the operator has been adequately trained in the proper operation of the system.

INCIDENT REPORTING

A telephone notification must be made if mixing, loading, or use of a product containing parathion results in inadvertent or unexpected human exposure to the product or illness resulting from exposure to the product, spill of the product, an investigation by Federal, State or local authorities of allegations involving drift of the product, or the deaths of birds or other wildlife. The certified applicator or the owner of the treated land must notify by telephone the Chief, Compliance Branch, Office of Compliance Monitoring, U.S. EPA, at 202-260-3375 within seven days of becoming aware of the incident.

GENERAL INFORMATION

Mix Parathion 4EC in water to form an emulsion spray solution. To make the spray solution, fill the spray tank half full with water. agitate, add the proper amount of Parathion 4EC and then fill the spray tank with water while still agitating. Continue to agitate during use.

Aircraft should apply the recommended amount of Parathion 4EC in not less than 1 gallon of water per acre. Always use sufficient water for adequate coverage of the crop foliage.


Where a dosage range is given, use the lower rate on small or young plants or with light insect infestations. Use the higher rate on mature plants or with heavy insect infestation.

The amount given to use are the amounts of Parathion 4EC to apply per acre per application. The hazards and precautions for handling Parathion 4EC are equally applicable to it after dilution with water for spray application.

General Warnings and Limitations: Do not plant any food or feed crop in parathion treated soils other than those with registered parathion uses.

ALFALFA: For three-cornered alfalfa hoppers, alfalfa caterpillars, and spittlebugs, use 1/2 pint per acre. For aphids, alfalfa weevil larvae and adult weevils, armyworms up to third instar, clover leaf weevils, climbing cutworms, webworms, grasshoppers, crickets, spotted alfalfa aphids, leafhoppers, Lygus bugs, thrips, and tortricid moths, use 1/2 to 1 pint per acre. For alfalfa seed chalcids control on alfalfa grown for seed, use 1/2 to 1 pint per acre. California and Nevada regulations limit the use of this material to not more than 3/4 pint per acre. For clover weevils, spider mites, blister beetles, Asiatic garden beetles, sweet clover weevils, and green June beetles, use 1 pint per acre. For beet armyworms and corn earworms use 1 to 1 1/2 pint per acre. Do not spray alfalfa during bloom period to avoid injury to honey bees. Do not apply within 15 days of harvest, cutting or forage use. Do not apply if the crop or weeds in the treatment area are in bloom. Do not reenter treated fields for 3 days.

CORN: For control of European corn borers, use 1 pint per acre. Apply the first spray when 75% of the corn plants show shot-hole feeding and follow with two additional sprays at 5 to 7 day intervals. Use sufficient water per acre to provide complete coverage and be certain whorls of plants are well treated. For corn leaf aphids, use 1/2 pint per acre. For fall armyworms, corn rootworm adults, armyworms up to third instar, climbing cutworms, grasshoppers and Japanese beetles, use 3/4 pint per acre. To control stink bugs and spider mites, use 1 pint per acre. To control corn earworm, use 1 pint per acre and apply to silks as soon as they appear. Make 3 to 4 applications at 2 to 3 day intervals as infestation warrants. Re-apply immediately after rain. To control chinch bugs, use 1 1/2 pint per acre. Do not apply within 12 days of harvest, cutting or forage use. Do not reenter treated field for 6 days.



CORN (Sweet): To control fall armyworms, aphids and silkflies, use 1/2 pint per acre. To control sap beetles and spider mites, use 1 pint per acre. To control corn earworm apply to silks as soon as they appear. Make 3 to 4 applications at 2 to 3 day intervals as infestation warrants. Reapply immediately after rain. To control chinch bugs, use 1 1/2 pint per acre. If crop is intended for canning, consult your cannery fieldmen prior to application. Do not apply within 12 days of harvest. Do not reenter treated fields for 6 days.

COTTON: To control aphids, mites, cotton leafworms, cotton fleahoppers, garden webworms and thrips, use 1/2 pint per acre. For cabbage loopers, use 3/4 to 1 pint per acre. For boll weevils and stink bugs, use 1 to 1 1/2 pint per acre. For salt-marsh caterpillars, use 1 to 2 pints per acre. For bollworms, cotton leaf perforators, Lygus bugs, false chinch bugs, serpentine leaf miners and southern garden leafhoppers, use 2 pints per acre. Make first application when insect appear and repeat at 7 day intervals if required. If desired, this formulation may be combined with other insecticides in a complete cotton spray program. Do not feed cotton trash to dairy animals or animals being finished for slaughter within 15 days of application. Do not harvest within 7 days after application, do not reenter treated fields for 3 days.

SMALL GRAINS (Wheat, Barley): To control armyworms up to third instar, aphids (greenbugs) and winter grain mites, use 1/2 pint per acre. For thrips, use 1/2 to 3/4 pint per acre. For Say's plant bugs, use 3/4 pint per acre. For black grass bugs, stink bugs, white spider mites, leafhoppers, climbing cutworms, grasshoppers and brown wheat mites, use 1 pint per acre. For chinch bugs, false chinch bugs and Banks grass mites, use 1 1/2 pint per acre. Do not apply within 15 days of harvest, cutting, or forage use. Do not reenter treated fields for 3 days.

SORGHUM: To control sorghum midge, apply at a rate of 1 to 2 pints per acre. Make 2 applications 3 to 5 days apart when approximately 90% of the heads have completed emerged from the boot or not later than start of blooming. For aphids (greenbugs) and mites, use 1/2 pint per acre. For sorghum webworms, fall armyworms, armyworms up to third instar, and corn earworms, use 3/4 to 1 pint per acre. Leaf injury may occur on some hybrid varieties of sorghum. Spray a few rows a week or so before booting to test effects on plants. Do not apply within 12 days of harvest, cutting or forage use. Do not reenter treated fields for 3 days.

SOYBEANS: To control webworms, use 1/2 pint per acre. To control velvet bean caterpillars, green cloverworms, two-spotted mites and stink bugs, use 1 pint per acre. To control corn earworms and fall armyworms, use 1 to 1 1/2 pint per acre. To control white grubs and wireworms, broadcast 4 quarts per acre just prior to planting and thoroughly incorporate into upper 4 to 6 inches of soil. Do not apply within 20 days of harvest, cutting or forage use. Do not reenter treated fields for 3 days.

SUNFLOWERS: To control sunflower moth, use 1 to 2 pints per acre on a schedule of 2 to 3 applications at 5 day intervals. Hybrid sunflowers completely bloom in 12 to 15 days; thus the initial application should be made when 10 - 20% of the plant have begun to flower and moths and young larvae are present. Do not apply later than 30 days before harvest. Do not reenter treated fields for 3 days.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

STORAGE

Store in a dry location away from children, animals, foods, feeds, seeds, and other agricultural chemicals. Keep container closed when not using. Do not allow water into container as this may cause deterioration of product. Handle in accordance with information given under PRECAUTIONARY STATEMENTS. Do not store under conditions where temperature may exceed 120°F or below 45°F. Keep storage area locked when not in use. In the event of spillage or leakage, soak up material with absorbent clay, sand, sawdust, or other absorbent materials while wearing appropriate protective equipment. Scrape up and dispose of in accordance with information given under PESTICIDE DISPOSAL. In case of fire or other emergency, report at once by toll-free telephone to 800-424-9300.

DISPOSAL

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedure approved by state and local authorities.

WARRANTY - CONDITION OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall Drexel or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The forgoing is a condition of sale by Drexel Chemical Company and is accepted as such by the Buyer.

