19713 -		_	27-200				ι
SEPA	Un Environmental	ited States		Form Approv	Registra Amenda	tion	O. Approval expires 2-28-5 OPP Identifier Number
	Α	pplication	for Pestici	de - Section	n I		
1. Company/Product Number 19713-330	or .		ſ	Product Manage YN MAUTZ	· · · · · · · · · · · · · · · · · · ·	3. Pr	oposed Classification None Restricted
4. Company/Product (Name Drexel 50% Malathion			PM# Insecti	cide-Rodentic	ide Branch		
5. Name and Address of Ap Drexel Chemical Co MEMPHIS, TN 381	ompany, P.O. Box		(b)(i), n to:		imilar or identi		FIFRA Section 3(c)(3) mposition and labeling
Check if thi	s is a new address		Produ	ct Name			
 	 		Section -	1			
Amendment - Explai				Final printed lat	Detel	TONOT	FICATION
· <u></u>	Resubmission in response to Agency letter dated Notification - Explain below.			"Me Too" Application. Other - Explain below.		DEC	2 7 2000
			Section - I	11			
1. Material This Product Wi	Be Packaged In:						
Child-Resistant Packaging Yes No	Unit Packaging Yes No		Water Soluble P Yes No	ackaging	2. Type of	Container Metal Plastic Glass	
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Peckage wgt	No. per container		Paper Other (S	Specify)
3. Location of Net Contents	Information 4	l. Size(s) Retail	Container	5.	Location of Lab	el Directio	ons
6. Manner in Which Label is	Affixed to Product	Lithogra Paper glo Stenciled	ph ued d	Other			
			Section - I'	V			
1. Contact Point (Complete	items directly below for	identification	of individual to b	e contacted, if n	ecessary, to pre	ocess this	application.)
Name LUZ G PIWONKA		1	itle REGISTRATION	MANAGER		Telephon (901) 774	e No. (Include Area Code) -4370
· ·	ments I have made on t ny knowlinglly false or m law.		l attachments the			•	6. Date Application Received (Stamped)
2. Signature Cuz G	. Piworlea		Title REGISTRATION M	IANAGER			
4. Typed Name -LUZ G PIWONKA		5.	Date 12/6	6/2000			• • • • • • • • • • • • • • • • • • • •



NOTIFICATION DEC 27 2000

Malathion 50%

Emulsifiable

Deodorized insecticide/Miticide

A 50% Malathion spray concentrate for residual control of flies, including resistant flies and fly maggots on the outside of premises.

ACTIVE INGREDIENT:

Malathion*	50.0%
OTHER INGREDIENTS**:	
TOTAL:	100.0%

* O.O Dimethyl Dithiophosphate of diethyl mercaptosuccinate

** Contains Aromatic Petroleum Derivative Solvent

CAUTION

See First Aid Below SHAKE WELL BEFORE USING

EPA Reg. No. 19713-330 EPA Est. No. 19713-GA-1

ì

Net Contents:

FIRST AID

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites or gelatin solution, or if these are not available, large quantities of water. Avoid alcohol. Do not induce vomiting as it may cause aspiration pneumonia.

IF IN EYES: Immediately flush eyes with plenty of water and get medical attention.

IF ON SKIN: Immediately remove contaminated clothing, INCLUDING SHOES and wash skin with soap and plenty of water. If irritation develops, send for a physician.

NOTE TO PHYSICIAN: Malathion may cause cholinesterase inhibition. Atropine (1/100 grain tablets) is antidotal.

MALATHION IS AN ORGANOPHOSPHATE INSECTICIDE/MITICIDE

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Some materials that are chemically-resistant to this product are listed below. If you want more options, follow the instructions for category "G" on an EPA Chemical resistant category selection chart.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear: Long-sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate or viton, and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: (1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. (2) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates and aquatic life stages of amphibians. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms forests nurseries, greenhouses and handlers of agricultural pesticides it contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), restricted entry interval (REI), and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is. Coveralls, chemical-resistant gloves, such as parrier laminate or viton, and shoes plus socks

AS A RESIDUAL SPRAY: For control of flies around the outside of farm-buildings, mix with water only according to chart below, and apply as follows. Spray surfaces where flies gather. Wet thoroughly to point of runoff. TO KILL FLY MAGGOTS: Drench around garbage cans and adjacent areas. One quart of finished spray will cover approximately 200 square feet. Repeat applications as necessary.

Amount of This Product	Amount of Water		
3 Tablespoons	3 Pints		
8 Fluid Ounces	3 Gallons		
1 Pint	6 Gallons		

NOTE: Manure and other waste material should be removed from fly breeding areas at frequent intervals.

AGRICULTURAL DIRECTIONS

Make thorough, full-coverage spray applications. Consult local agricultural authorities for proper timing.

BEANS: To control Mexican bean beetles, make two or more applications as needed, of a spray containing 1½ pints per 100 gallons of water

To control Spider mites, make two or more applications as needed, of a spray containing 1 to 1½ pints per 100 gallons of water. Do not apply within 10 days of harvest. Do not graze treated fields or feed treated forage or hay 10 livestock.



**** \$330SP-1098 MALATHION 50% Page 1 of 2 BROCCOLI, CABBAGE, KALE, MUSTARD AND TURNIPS: To control Aphids, Imported cabbageworms and Cabbage loopers, apply 1 to 2 pints in 100 gallons of water. Make full-coverage applications, repeated as necessary. Do not apply within 10 days of harvest.

POTATOES: To control Aphids, make one or more applications, as needed, of spray containing 1 pint per 100 gallons of water. Do not apply within 10 days of harvest

CUCUMBERS AND SQUASH: To control Aphids and Spider mites, use 1½ pints per 100 gallons of water. Repeat applications as necessary. Apply ONLY when plants are dry. Do not apply within 10 days of harvest.

COTTON: To control Aphids and Spider mites, make two or more applications, as needed, of spray containing 1 to 1½ pints per acre. Do not apply within 7 days of picking.

SEED ALFALFA: To control Pacific mites. Two-spotted mites and Aphids, use 1½ to 2 pints in 50 to 100 gallons water per acre by ground sprayer or in 10 gallons of water per acre by aircraft. Do not apply within 21 days of harvest.

TOMATOES: To control Spider mites, make one or more applications, as needed, of a spray containing 1½ pints per 100 gallons of water. To control Aphids make one application of spray containing 1 pint per 100 gallons of water. Do not apply within 10 days of harvest.

PEAS: To control Pea aphids, make one or more applications, as needed, of a spray containing 1½ pints per acre. Do not apply within 14 days of harvest. Do not graze treated fields or feed treated forage or hay to livestock.

ORNAMENTALS: Make thorough, full-coverage sprays with repeated applications as necessary. For Scales, apply when crawlers have settled on foliage. Injury may occur on certain Ferns, including Boston, Maidenhair, and Pteris ferns, as well as some species of Crassuta.

Apply 1 pint per 100 gailons of water to control Lacebugs and Oyster shell scale. Apply 1% pints per 100 gailons of water to control Aphids, Spider mites, Whiteflies, Mealybugs, Thrips, Japanese beetle adults, Four-lined leaf bugs, Tarnished plant bugs, Rose leafhoppers, Potato leafhoppers, European pine shoot moths, Scurfy scale and Euonymus scale.

Apply 2 pints per 100 gallons of water to control Bagworms, Tent caterpillars, Birch leaf miners. Boxwood leaf miners. Oak kermes, Juniper scale, Fletcher scale, Florida red scale, Azalea scale, Magnolia scale and Pine needle scale. Apply 2½ pints per 100 gallons of water to control Soft brown scale, Monterey pine scale and Black scale crawiers.

Apply 4 pints per 100 gallons of water to control Pine needle scale.

PEACHES: To control Oriental fruit moths and Plum curculios, use 2 pints per 100 gallons of water. Repeat applications as necessary. Do not apply within 14 days of harvest.

CHERRIES: To control Black cherry aphids and Fruit tree leaf rollers, use 1½ pints per 100 gallons of water. Repeat applications if necessary. Injury may occur on certain varieties of sweet cherries, particularly in the Northwest. Do not apply within 20 days of harves:

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE INSTRUCTIONS

Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in a cool, dry area away from any heat or ignition source. Avoid storage at high temperatures. Do not stack over 2 pallets high. Do not move containers from one area to another unless they are securely sealed. Keep container tightly sealed when not in use. Keep away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Store in original containers only. If the contents are leaking or material is spilled, follow these steps:

- 1. Collect and place in suitable containers for disposal.
- 2. Wash area with soap and water to remove remaining pesticide.
- 3. Follow washing with clean water rinse.
- 4. Do not allow runoff to enter sewer or contaminate water supplies.
- 5. Dispose of waste as indicated below:

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

WARRANTY-CONDITION OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

