

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Luz G. Chan Product Registration Drexel Chemical Company P.O. Box 13327 Memphis, TN 38113-9327

JAN 1 4 2010

Subject: Label Notification for Pesticide Registration Notice 2007-4

(Storage & Disposal Changes)

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated October 28, 2009 for:

EPA Reg. 19713-354 "DREXEL DDVP 1%"

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN 2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Ploaso	read	instr	uction	on	/0V0/30	before	comp

for	m

Form Approved. MB No. 2070-0060. Approval expires 2-28-95

Registration
Amendmen
Other

United States			_			Registratio			1	
\$EPA	ion Agency 1460			⊣``	Amendment					
			·				ther			
		Application	on for f	esticide -			i			
1. Company/Product Number 19713-354				2. EPA Product Manager Kimberly Nesci				3. Proposed Classification ✓ None Restricted		
4. Company/Product (Name) DREXEL DDVP 1%			PM# 11/Insecticide Branch							
5. Name and Address of App Drexel Chemical Company P.O. Box 13327 Memphis, TN 38113-0327	de)	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.								
Check if this	is a new address		_	Product N	ame					
			Sec	tion - II						
Amendment - Explain below. Resubmission in response to Agency letter dated				Final printed labels in repsonse to 3/25/2009 Agency letter dated "Me Too" Application. Other - Explain below. JAN 1 4 2010						
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Submission of revised label (354SP-0709*) incorporating EPA's comments and revision on the container disposal statement per PR Notice 2007-4. Thank you.										
			Sect	ion - III						
1. Material This Product Will	Be Packaged In:	* ****						·	<u> </u>	
Child-Resistant Packaging Yes ✓ No * Certification must Unit Packaging ✓ Yes ✓ No If "Yes" Unit Packaging wgt. No. per Unit Packaging wgt.			Water Soluble Packaging Yes ✓ No If "Yes" No. per Package wgt container			2. Type of C	Metal Plastic Glass Paper Other (Specify)			
be submitted										
3. Location of Net Contents Label C	Information ontainer		tail Container 5. Location of La 5, 10, 15, 30, 55, 265 GAL.			on the co				
6. Manner in Which Label is Affixed to Product Litho Papel Steny				ogreph Other						
				ion - IV						
1. Contact Point (Complete	items directly below for	or identification	on of indivi	idual to be con	tacted, if n	eces:	sary, to pro	cess this	apolication.)	
Name LUZ G CHAN			Title REGISTRATION MANAGER				Telephone No. (Include Area Code) (901) 774-4370			
i certify that the state i acknowledge that an both under applicable	y knowlinglly false or a		d all attach						6. Data Application Peceived (Stamped)	
2. Signature Cuz Cham 2009.10.28 13:39:06 -05'00'				3. Title REGISTRATION MANAGER						
4. Typed Name LUZ G CHAN			5. Date	Octobe	er 28 20	กด				



October 28, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Rm S-4900, One Potomac Yard
2777 S Crystal Drive
Arlington, VA 22202

Re: Submission of Label per EPA Stamped Accepted Label dd. March 25, 2009 DREXEL DDVP 1% (EPA Reg. No. 19713-354)

Herewith:

- 1. Completed EPA Form 8570-1
- 2. One (1) copy of the label revised according to the comments by EPA on March 25, 2009.

Also, in the container disposal under the refillable container, "this product" was changed to "pesticide".

I highlighted the changes for easy reference.

3. Certification Statements

If you have questions/clarification regarding this submission, I can be reached at (901) 774-4370 or e-mail Lchan@drexchem.com.

Thank you.

Respectfully yours, FOR DREXEL CHEMICAL COMPANY

Luz G Chan
Registration Mar

Registration Manager



October 28, 2009

Submission of Revised Label per PR Notice 2007-4 DREXEL DDVP 1% (EPA Reg. No. 19713-354)

This notification is consistent with the guidance of PR Notice 2007-4 and the requirements of EPA Regulations at 40 CFR 156.10, 156.140, 156.144, 156.146 and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, and 156.146 and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

FOR DREXEL CHEMICAL COMPANY

Registration Manager



NOTIFICATION JAN 1 4 2010

DDVP 1%

For Commercial/Agricultural Use Only.

Ready to use.

Contains 1% dichlorvos (DDVP). For lactating dairy cattle, beef cattle and barns.

ACTIVE INGREDIENTS:

Dichlorvos (2,2-dichlorovinyl	
dimethyl phosphate)	0.98%
Related Compounds	
OTHER INGREDIENTS**:	
TOTAL:	100.00%

^{*}Equivalent to 1% Dichlorvos.

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See FIRST AID Below

EPA Reg. No. 19713-354 EPA Est. No. 19713-XX-XXX

Net Content:

FIRST AID ORGANOPHOSPHATE

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Do not give any liquid to the person.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious or convulsing person.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- · Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING:

- · Take off contaminated clothing.
- · Rinse skin immediately with plenty of water for 15 to 20 minutes.
- Call a poison control center or doctor for treatment advice.

IF INHALED:

- · Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.
 Have the product container or label with you when calling poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

(Continued)

(Continued)

NOTE TO PHYSICIAN: Contains an organophosphate that inhibits cholinesterase. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

POISONING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive, pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Pralidoxime chloride (2-PAM) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion in 250 cc of saline over a 15 to 30 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5 percent solution in water over not less than two minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children, the dose of 2-PAM is 0.25 gram. Morphine is an improper treatment.

Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained, as determined by blood test.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: May be fatal if swallowed, inhaled or absorbed through the skin or eyes. Causes moderate eye irritation and skin irritation. Do not breathe vapors or spray mist. Do not get in eyes, on skin or on clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are butyl (> 14 mils) or nitrile rubber. If you want more options, follow the instructions for category C on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear: Long-sleeve shirt and long pants, shoes plus socks, and chemical-resistant gloves.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. 2) Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. 3) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

^{**}Contains petroleum distillates.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

USE INFORMATION

DDVP 1% is a very effective fog or surface spray and will provide fast knockdown and kill of Flies, Mosquitoes and other small flying insects. It is a multi-purpose formulation designed for use as an animal spray to protect Dairy Cows and Beef Cattle from Face flies, Stable flies, House flies, Horn flies, Gnats and Mosquitoes.

Apply this product as a mist spray with hand or automatic sprayer for control of Face flies, Stable flies, House flies, Horn flies, Gnats and Mosquitoes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only handlers wearing specified PPE may be in the area during application.

Prohibitions:

Use in handheld fogger or handheld smoke generator equipment is prohibited.

Use in residential sites is prohibited.

Use on lawns, turf or ornamentals is prohibited.

USE AS A BARN FOG: This product can be used in barn fogging equipment without dilution. One pint will fog 8,000 cubic feet of enclosure. Fog for one (1) to five (5) seconds per 1,000 cubic feet, but use no more than one gallon per 64,000 cubic feet. Before applying, reduce air movement as much as possible by closing doors, windows and other openings. Do not contaminate water, feed or foodstuffs, milk, or milking utensils. Eliminate ignition sources such as pilot lights, fires, and open flames. Do not use this solution for fogging purposes in areas where animals have received direct application within 8 hours. Do not allow unprotected workers to enter barns during treatment. Do not allow reentry to treated areas for at least 2 hours. Open doors and window and ventilate thoroughly for at least 1 hour before allowing reentry. Apply as necessary, but not more often than once per day.

ANIMAL BUILDINGS (Dairy barns, Horse barns and Shelter sheds), MILK SHEDS, OUTDOOR AREAS: Dilute this product with equal amounts of deodorized kerosene or fuel oil. Apply this diluted mixture as a coarse wet spray at the rate of one pint per 1,000 square feet to walls, ceilings, stalls, feed storage rooms, alleyways, pig pens, milk sheds, loafing areas. Do not contaminate water, feed or foodstuffs, milk, or milking utensils. In poultry houses, apply to manure, window sills, and outside of penned enclosures. For fly and maggot control in breeding areas such as dumps and manure piles, apply at the rate of one quart per 1,000 sq. feet to treat loading docks, parking areas, refuse areas around service stations, open air drive-ins, garbage collection and disposal areas. Apply as necessary but not more than once per day.

USE AS AN ANIMAL SPRAY: On Dairy Cows and Beef Cattle, apply 2 fluid ounces of this product to each animal each day. This mist spray should be applied with a good hand or automatic sprayer. Spray to wet hair. Apply thoroughly as a mist to animals, but do not wet skin. Special care should be used to assure coverage of the legs, belly, shoulders and head. Do not make direct application to livestock more frequently than once per day. USE PRECAUTIONS: Do not apply regularly to calves under 6 months of age. Brahman and Brahman cross cattle should not be treated, as they may show hypersensitivity to organophosphates. Keep unprotected persons out of operating area. In complete fly control program this spray should be used in conjunction with dichlorvos (DDVP) building, fog or surface spray and sanitary measures. Do not use this solution for fogging purposes in areas where animals have direct application of dichlorvos or other organophosphate chemicals within 8 hours.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Store product in its original labeled container in a cool, dry, locked place out of reach of children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Nonrefillable Container (rigid material; less than 5 gallons): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container one-fourth full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable Container (rigid material; 5 gallons or greater):

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container one-fourth full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Refillable Containers:

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

WARRANTY—CONDITIONS OF SALE

THE DIRECTIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop condition, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

