

PM 04 19713-369

10/20/98

Page 101



ACCEPTED
OCT 20 1998
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 19713-369

Carbaryl 50%

Manufacturing Concentrate

ACTIVE INGREDIENT:

Carbaryl (1-1-Naphthyl-N-methylcarbamate) ... 50.0%
OTHER INGREDIENTS: 50.0%
TOTAL: 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See FIRST AID Below

EPA Reg. No. 19713-369

EPA Est. No. 19713-GA-1

Net Contents: _____

FIRST AID

IF SWALLOWED: If patient is conscious and alert, give 2 to 3 glasses of water or milk to drink. If available, give one tablespoon of Syrup of Ipecac to induce vomiting. If vomiting has not occurred in 20 minutes, the same dose of Syrup of Ipecac may be repeated one additional time. Alternatively, induce vomiting by touching back of throat with finger. Do not make an unconscious person vomit. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Move from contaminated atmosphere and call a physician.

ANTIDOTE STATEMENT: Atropine sulfate is highly effective as an antidote. See "Notes To Physician" below.

GENERAL: Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and show a copy of this label to the physician.

NOTE TO PHYSICIAN: Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible. Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent over-atropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 1-minute until full atropinized, then intramuscularly every 30 to 60 minutes to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from over-exposure is to be expected within 24 hours. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: May be fatal if swallowed. Avoid breathing of dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean highwater mark. Do not discharge into lakes, streams, ponds, or public waters except in accordance with NPDES (National Pollution Discharge Elimination System) permit. For further guidance, contact the nearest EPA Regional Office.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label before using this product.

Only for formulation into an insecticide for the following uses:

Alfalfa	Cucumber	Olives	Rutabagas
Almonds	Dandelion	Oyster beds	Salsify
Apples	Dewberries	Parsley	Sorghum
Apricots	Eggplant	Parsnips	Soybeans
Asparagus	Endive	Pasture grass	Spinach
Beans, succulent and dry	Filberts	Peaches	Squash,
Bedding plants (outdoor only)	Flax	Peanuts	Summer and
Birdsfoot Trefoil	Foliage plants (outdoor only)	Peas, succulent and dry	Winter
Blackberries	Forested areas	Pecans	Strawberries
Blueberries	Garden beet	Peppers	Sugarbeets
Boysenberries	Grapes	Pest control around buildings	Sunflower
Broccoli	Hanover salad	Pets	Sweet potato
Brussels sprouts	Horseradish	Pistachios	Swiss chard
Cabbage	Imported Fire	Plums	Tobacco
Carrots	Ants	Pome fruits	Tomato
Cauliflower	(outdoor only)	Potato	Trees and
Celery	Kale	Poultry	ornamentals
Cherries	Kohlrabi	Prickly pear cactus	Turfgrass
Chestnuts	Lentils	Proso millet	Turnips
Chinese cabbage	Lettuce	Prunes	Vegetable
Citrus fruits	(Head and Leaf)	Pumpkin	transplants
Clovers	Loganberries	Radish	(outdoors only)
Collards	Melons	Rangeland	Walnuts
Corn (field, pop, sweet)	Mustard greens	Raspberries	Wastelands
Cotton	Nectarines	Rice	Ditchbanks
Cranberries	Nursery stock (outdoor only)		Hedgerows
			Rights-of-Way
			Roadsides
			Wheat

Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and uses for experimental purposes that are in compliance with USEPA requirements.

STORAGE AND DISPOSAL

STORAGE INSTRUCTIONS: Store unused product in original container, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100° F. In case of minor spills, clean up immediately. Sweep up and dispose of wastes on site or in a landfill approved for pesticide use.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into manufacturing equipment. Then dispose of empty bag in a sanitary landfill or, if allowed by Government regulations, by burning or incineration. If bag is burned, stay out of smoke.

WARRANTY—CONDITION OF SALE

Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purposes referred to in the directions for use. Manufacturer makes no other warranties, express or implied, including FITNESS or MERCHANTABILITY. In no case shall Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale and is accepted as such by the Buyer.



Manufactured By:
Drexel Chemical Company

P.O. BOX 13327, MEMPHIS, TN 38113-0327

SINCE 1972