

ACCEPTED
DEC 16 1999
 Under the Federal Insecticide, Fungicide, and Herbicide Act, as amended, for the pesticide registered under EPA Reg. No. 19713-369



Carbaryl 50%

Manufacturing Concentrate

ACTIVE INGREDIENT:

Carbaryl (1-1-Naphthyl-N-methylcarbamate) . . . 50.0%

OTHER INGREDIENTS: 50.0%

TOTAL: 100.0%

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

See **FIRST AID** Below

EPA Reg. No. 19713-369

EPA Est. No. 19713-GA-1

Net Contents: _____

FIRST AID

IF SWALLOWED: If patient is conscious and alert, give 2 to 3 glasses of water or milk to drink. If available, give one tablespoon of Syrup of Ipecac to induce vomiting. If vomiting has not occurred in 20 minutes, the same dose of Syrup of Ipecac may be repeated one additional time. Alternatively, induce vomiting by touching back of throat with finger. Do not make an unconscious person vomit. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Move from contaminated atmosphere and call a physician.

ANTIDOTE STATEMENT: Atropine sulfate is highly effective as an antidote. See "Note To Physician" below.

GENERAL: Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and show a copy of this label to the physician.

NOTE TO PHYSICIAN: Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible. Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent over-atropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 1-minute until full atropinized, then intramuscularly every 30 to 60 minutes to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from over-exposure is to be expected within 24 hours. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: May be fatal if swallowed. Avoid breathing of dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean highwater mark. Do not discharge into lakes, streams, ponds, or public waters except in accordance with NPDES (National Pollution Discharge Elimination System) permit. For further guidance, contact the nearest EPA Regional Office.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label before using this product.

Only for formulation into an insecticide for the following uses:

Alfalfa	Cucumber	Olives	Rutabagas
Almonds	Dandelion	Oyster beds	Salsify
Apples	Dewberries	Parsley	Sorghum
Apricots	Eggplant	Parsnips	Soybeans
Asparagus	Endive	Pasture grass	Spinach
Beans, succulent	Fiberts	Peaches	Squash,
and dry	Flax	Peanuts	Summer and
Bedding plants	Foliage plants	Peas, succulent	Winter
(outdoor only)	(outdoor only)	and dry	Strawberries
Birdsfoot Trefoil	Forested areas	Pecans	Sugarbeets
Blackberries	Garden beet	Peppers	Sunflower
Blueberries	Grapes	Pest control	Sweet potato
Boysenberries	Hanover salad	around buildings	Swiss chard
Broccoli	Horseradish	Pets	Tobacco
Brussels sprouts	Imported Fire	Pistachios	Tomato
Cabbage	Ants	Plums	Trees and
Carrots	(outdoor only)	Pome fruits	ornamentals
Cauliflower	Kale	Potato	Turfgrass
Celery	Kohlrabi	Poultry	Turnips
Cherries	Lentils	Prickly pear	Vegetable
Chestnuts	Lettuce	cactus	transplants
Chinese cabbage	(Head and Leaf)	Proso millet	(outdoors only)
Citrus fruits	Loganberries	Prunes	Walnuts
Clovers	Melons	Pumpkin	Wastelands
Collards	Mustard greens	Radish	Ditchbanks
Corn (field, pop, sweet)	Nectarines	Rangeland	Hedgerows
	Nursery stock	Raspberries	Rights-of-Way
	(outdoor only)	Rice	Roadsides
Cranberries			Wheat

Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and uses for experimental purposes that are in compliance with USEPA requirements.

STORAGE AND DISPOSAL

STORAGE INSTRUCTIONS: Store unused product in original container, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100° F. In case of minor spills, clean up immediately. Sweep up and dispose of wastes on site or in a landfill approved for pesticide use.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into manufacturing equipment. Then dispose of empty bag in a sanitary landfill or, if allowed by Government regulations, by burning or incineration. If bag is burned, stay out of smoke.

WARRANTY—CONDITION OF SALE

Manufacturer warrants that this product conforms to its chemical description and is reasonably fit for the purposes referred to in the directions for use. Manufacturer makes no other warranties, express or implied, including FITNESS or MERCHANTABILITY. In no case shall Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale and is accepted as such by the Buyer.



Drexel Chemical Company

P.O. BOX 13327, MEMPHIS, TN 38113-0227

SINCE 1972

-369SP, 10/99/ending