

19713-371

3/2/2011


1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Luz Chan
Drexel Chemical Company
1700 Channel Avenue
P.O. Box 13327
Memphis, Tennessee 38113



Subject: Label Notification for Pesticide Registration Notices 98-10 and 2007-4
Submission date: 1/20/11
Product Name: Drexel Sucker-Stuff 80 EG
EPA Reg. No.: 19713-371
EPA Decision No.: 445024

Dear Ms. Chan,


The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notices (PRN) 98-10 and 2007-4. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and 2007-4 and finds that the label changes requested fall within the scope of both PRN 98-10 and 2007-4.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Shaunta Hill via telephone at 703-347-8961 or via email at hill.shaunta@epa.gov or you may reach me at 703-308-3194 or via email at joyner.shaja@epa.gov.

Sincerely,


Shaja Brothets Joyner, PM 20
Fungicide Branch
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
 Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 19713-371	2. EPA Product Manager Tony Kish <i>Shaja Jagan</i>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) DREXEL SUCKER-STUFF 80 EG	PM# 20 22-1 Fungicide Branch	
5. Name and Address of Applicant (Include ZIP Code) Drexel Chemical Company P.O. Box 13327 Memphis, TN 38113-0327 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION

MAR 02 2011

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Submission of revised label per PR Notices 98-10 and 2007-4. Details are in the cover letter accompanying this submission.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input checked="" type="checkbox"/> Paper
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container	<input checked="" type="checkbox"/> Other (Specify) polywoven bag
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container less than 50 pounds; 50 pounds and more		5. Location of Label Directions <input type="checkbox"/> On the label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name LUZ G CHAN	Title REGISTRATION MANAGER	Telephone No. (Include Area Code) (901) 774-4270
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Luza Chan</i>	3. Title REGISTRATION MANAGER	
4. Typed Name LUZ G CHAN	5. Date January 20, 2011	



Drexel Chemical Company

C S 889 828 3/8
Pr. cz

January 20, 2011

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Rm S-4900, One Potomac Yard
2777 S Crystal Drive
Arlington, VA 22202

**Re: Submission of Revised Label by Notification per PR Notices 98-10 and 2007-4
DREXEL SUCKER-STUFF 80 EG (EPA Reg. No. 19713-371)**

Herewith:

1. Completed EPA Form 8570-1
2. Two copies (marked and unmarked) of the label (371ASP-0111*) with the following updates:
 - Under the ingredient statement, the footnote was revised to read "*Contains 60% maleic hydrazide." and the asterisk was added after "80%".
 - In the First Aid box, "Call a poison control center...." at the bottom of the box was moved to each routes of exposure (except "If Swallowed").
 - On page 3, "recommended" was changed to "specified".
 - Under Container disposal, the 2nd statement for refillable container was changed from "with this product only" to "with pesticide only".

The above changes were highlighted for easy reference.


3. Certification Statements

If you have questions/clarification regarding this submission, I can be reached at (901) 774-4370 or e-mail Lchan@drexchem.com.

Thank you.

Respectfully yours,
FOR DREXEL CHEMICAL COMPANY

Luz Chan
Luz Chan
Registration Manager





Drexel Chemical Company

January 20, 2011

Submission of Revised Label by Notification per PR Notice 98-10
DREXEL SUCKER-STUFF 80 EG (EPA Reg. No. 19713-371)

This notification is consistent with the Provisions of PR Notice 98-10 and EPA Regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

FOR DREXEL CHEMICAL COMPANY

LUZ G CHAN

Registration Manager

5/8

NOTIFICATION

MAR 02 2011



Sucker-Stuff® 80 EG

Growth Retardant

A water-soluble growth retardant for the control of suckers in Tobacco. Its systemic activity controls sucker growth by keeping suckers from growing rather than by killing them.

ACTIVE INGREDIENT:

Potassium salt of 6-hydroxy-3-(2H) pyridazinone 80.0%*

OTHER INGREDIENTS: 20.0%

TOTAL: 100.0%

*Contains 60% maleic hydrazide by weight.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See FIRST AID Below

EPA Reg. No. 19713-371

EPA Est. No. 19713-XX-XXX

Net Content: _____

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious or convulsing person.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.</p>	



Manufactured By:
Drexel Chemical Company
P.O. BOX 13327, MEMPHIS, TN 38113-0327
SINCE 1972

SUCKER-STUFF and the DREXEL logo are registered trademarks of Drexel Chemical Company.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through skin. Causes moderate eye injury. Harmful if swallowed. Avoid breathing dust or spray mist.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear: Long-sleeved shirt and long pants, chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. 2) Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. 3) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

SURFACE WATER ADVISORY

Under some conditions, maleic hydrazide may have a significant potential for runoff into surface water (primarily via dissolution in runoff water) for several days post-application. Conditions favoring runoff include poorly drained soils or wet soils with readily visible slopes, frequently flooded areas, areas where an intense or sustained rainfall is forecast to occur within 48 hours, areas overlying extremely shallow ground-water and areas overlying tiles drainage systems that flow to surface water.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the WPS.

Do not enter or allow worker entry into treated areas during the REI of 12 hours.

PPE required for early entry to treated areas that is permitted under the WPS and that involves contact with anything that has been treated, such as plants, soil or water is: Coveralls, chemical-resistant gloves made of any waterproof material and shoes plus socks.

MIXING INSTRUCTIONS

Pour specified amount of this product into nearly filled spray tank. Add balance of water. Maintain agitation during filling and spraying operations.

TOBACCO

To Prevent Sucker Development on Flue-Cured, Burley, Dark-Fire, Maryland and Cigar (PA and WI) Tobacco. Since maleic hydrazide is absorbed and moves inside the Tobacco plant, spraying the whole plant is not necessary. Best results can be obtained by spraying the upper one-third to one-half of the plant. It is very important to apply equal amounts of this product to each plant at the correct time to obtain satisfactory control.

When to Spray: Flue-Cured, Burley, Dark-Fire and Maryland Tobacco

1. If all plants flower at about the same time, proceed as follows:

As soon as the plants are in full flower, top, pull all suckers and spray this product uniformly on the entire field within 24 hours after topping (see "Notes" 1-8).

- If there is a wide range in the time of flowering, the following procedures should be used: a) Go through field and top the few early-flowering plants. b) Wait until the remaining plants are in full flower and top them. Remove all suckers from the entire field and apply this product within 24 hours (see "Notes" 1-8). Tip leaves should be at least 6 inches long at time of spraying.

When to Spray: Pennsylvania Cigar Tobacco

- If your field flowers uniformly: a) Top when about 25% to 50% of your plants show one or more open flowers on each head. b) Wait 3 days after topping. c) Spray this product. For best results, this product should be sprayed on dry or nearly dry leaves. Avoid spraying on leaves with dew.
- If your field does not flower uniformly: a) When flowering in your field is particularly uneven, you should top when 50% to 60% of the plants show one or more open flowers per head. b) Wait 3 days after topping and remove by hand all suckers. c) Spray this product over your entire field.

When to Spray: Wisconsin Cigar Tobacco

- Top field when most of the plants in your field are in full flower.
- Remove by hand all suckers.
- Spray within 24 hours after topping and removal of suckers.

How to Spray: This product may be applied with either a tractor-drawn conventional sprayer or with a compressed air shoulder sprayer.

Tractor-Drawn Sprayer: Any number of nozzles may be used (see "Note" 5). This product can be applied in the same manner as insecticides, spraying one or more rows at a time, wetting the upper one-third to one-half of the plant.

Compressed Air Shoulder Sprayer: Spray one side of each Tobacco row while walking at a constant rate. Use an up and down motion of spray nozzle to moisten the upper one-third to one-half of each plant. Apply equal amount of spray to each plant. The spray solution can be premixed in such a way that this product is dissolved in the equivalent of 15 to 25 gallons of water (one-half acre of treatment). First, dissolve 1.875 pounds of this product in 5 gallons of water. Then transfer a portion of this premix solution and further dilute with fresh water as follows:

For Equivalent One-half Acre of Solution	Amount of Pre-Mix to Add to Spray Tank	Dilute Further To
15 Gallons	1 Gallon	3 Gallons
25 Gallons	0.5 Gallon	2.5 Gallons

Amount of Spray to Use: Apply the specified amount of this product in 30 to 50 gallons of water per acre. DO NOT USE less than 30 gallons of water per acre.

APPLICATION RATES

For Flue-Cured, Burley, Cigar (PA or WI) and MD Tobacco: Use 3.75 pounds of this product per acre.

For Dark Tobacco: Use 7.5 pounds of this product per acre.

Notes:

- To control Tobacco suckers, apply this product at the proper time. Spraying too early may prevent normal development of top leaves. Spraying too late will allow some sucker growth. "Full Flower" is the stage when 90% of your plants have begun to shed their first flowers.
- Rain occurring within 6 hours after spraying Tobacco may reduce effectiveness. Should wash-off occur within 6 hours of application to Tobacco, a single repeat application may be made.
- Follow specified dosage carefully, spray field uniformly and do not use less than the minimum amount of water specified per acre on Tobacco.
- Do not use on Tobacco plants grown for seed production.
- Do not spray Tobacco on hot, dry days when leaves are severely wilted or when crop is under stress. For best results, spray during early morning, all day on cloudy days, avoiding late afternoon or night applications. (Use a nozzle delivering a fine mist spray. Do not use a broad jet type spray).
- Closely hand-suckered or Tobacco treated with this product will not ripen as rapidly as poorly suckered Tobacco. Also, under some conditions, tips treated with this product have a tendency to turn yellow prematurely. This is not harmful and does not mean that your Tobacco is ripe. Therefore, do not harvest Tobacco treated with this product by using time and the color of the leaves as your only guide to ripeness. Use other characteristics indicative of ripeness such as fading of color from midrib and change in apparent leaf texture.
- If Tobacco plants have been grown under drought conditions, absorption of this product will be slow and results may be less satisfactory than plants grown under more favorable moisture conditions.
- Too little of this product will result in less than desired control. Too much is wasteful; it may cause burning of leaves and may reduce quality of tips.
- This product is not corrosive to spray equipment.
- Rinse spray equipment with water after application. Do not contaminate water supplies by cleaning of equipment or disposal of wastes.
- Use only one application of this product on Tobacco per season.
- Allow at least 7 days after application before harvest of Tobacco.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Storage should be under lock and key in a ventilated room and secure from access by unauthorized persons and children. Storage should be in a cool, dry area away from heat or ignition source. Store in original containers only. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Keep away from any puncture source. Do not put concentrate or dilute material into food or drink containers. Do not move containers from one area to another unless they are securely sealed. If the contents are leaking or material is spilled, follow these steps:

1. Contain spill. Absorb with a material such as sawdust, clay granules or dirt. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.
2. Wash area with soap and water to remove remaining pesticides.
3. Follow washing with clean water rinse.
4. Do not allow runoff to enter sewer or contaminate water supplies.
5. Dispose of waste.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Nonrefillable Container (flexible-bag-all weights): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable Container (rigid-fifty lbs. or less): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container one-fourth full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable Container (rigid-greater than fifty lbs.): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container one-fourth full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Refillable Container: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

WARRANTY—CONDITIONS OF SALE

OUR DIRECTIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.