page 173

BEST AVAILABLE COPY

DREXEL ATRAZINE TECHNICAL II A Herbicide For Manufacturing Only

ACTIVE INGREDIENTS:

Atrazine: (2-chloro-4-ethylamino-

6-isopropylamino-s-triazine)......92.15%

INERT INGREDIENTS:.....3.00%

TOTAL:....

KEEP OUT OF REACH OF CHILDREN CAUTION

EPA Reg. No. 19713-375 EPA Est. No. 19713-MS-1 Under the Federal Imposición.
Under the Federal Imposición Act.
Os inconden for the posicide
registated under Canal Jac.

ACCEPTED

STATEMENT OF PRACTICAL TREATMENT LEPA E.g. No.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

NOTE TO PHYSICIAN: There is no specific antidote for atrazine. If this product is ingested, induce emesis or lavage stomach. The use of an aqueous slurry of activated charcoal may be considered.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through skin. Do not breathe dust. Avoid contact with eyes, skin or clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. For terrestrial uses, do not apply directly to water or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office.

IMPORTANT: Read the entire Directions for Use and the Walranty -- Conditions of Sale before using this product. If terms are not acceptable, return the unopened product container at once.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Formulators are responsible for obtaining EPA registration for their end use product(s).

This product can only be used to formulate products with agricultural weed control directions if the labeling for such end use product contains a restricted use classification and the following information and/or revised use directions. This product may not be used to formulate into end-use products for non-selective weed control on non-crop land.

If this product is used to formulate lawn care or turf products the following restrictions do not apply.

- Users are required to wear long-sleeved shirts and long pants or equivalent, chemical-resistant gloves, and boots (waterproofed). In addition, persons involved mixing/loading operations are required to use heavy-duty chemical-resistant gloves or neoprene gloves and a face shield or goggles.
- 2. RESTRICTED USE PESTICIDE (GROUND AND SURFACE WATER CONCERNS):

FOR RETAIL TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR SUPERVISION, AND ONLY FOR THOSE USES COVERED BY THEIR CERTIFIED APPLICATOR'S CERTIFICATION.

THIS PRODUCT IS A RESTRICTED USE HERBICIDE DUE TO GROUND AND SURFACE WATER CONCERNS. USERS MUST READ AND FOLLOW ALL PRECAUTIONARY STATEMENTS AND INSTRUCTIONS FOR USE IN ORDER TO MINIMIZE POTENTIAL FOR ATRAZINE TO REACH GROUND AND SURFACE WATER.

- 3. Ground water contamination may be reduce by diking and flooring of permanent liquid bulk storage sites with an impermeable material.
- 4. This product may not be mixed/loaded or used within 50 feet of all wells, including abandoned wells, drainage wells, and sink holes. This product may not be mixed or loaded within 50 feet of intermittent streams and rivers, natural or impounded lakes and reservoirs. This product may not be applied aerially or by ground within 66 feet of the points where field surface water runoff enters perennial or intermittent streams and rivers or within 200 ft. around natural or impounded lakes and reservoirs. If this product is applied to highly erodible land, the 66 foot buffer or setback from runoff entry points must be planted to crop, seeded with grass or other suitable crop.
- 5. Postemergence application to corn and sorghum must be made before corn and sorghum reaches 12 inches in height.
- 6. Applications for quackgrass suppression in corn and sorghum are restricted to a spring application only. No fall applications are permitted.
- 7. A. For soil applications prior to crop emergence (i.e., early preplant, preplant incorporated, preplant surface, at planting or preemergence).
 - i. On highly erodible soils (as defined by Scil Conservation Service (SCS), if conservation tillage is utilized [≥30% plant residue] the maximum rate is 2 pounds a.i./A. if plant residue is <30%, the maximum rate is 1.6 pourds a.i./A.
 - ii. In soils not highly erodible, the maximum rate is 2 pounds a.i./A.
 - B. For postemergence applications, if there has been no previous soil application for that crop, the maximum rate is 2. founds a.i./A. If there has been a previous soil application to that crop, do not exceed a total of 2.5 pounds a.i/A/calendar year.

- 8. Do not apply this product through any type of irrigation system.
- 9. Where there are state/local requirements regarding atrazine use (including lower maximum rates and/or set-backs) which are different from the label, the more restrictive/protective requirements must be followed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE:

Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in a cool, dry area away from any heat or ignition source. May be ignited by heat or open flame. Do not stack over 2 pallets high. Move bags carefully so as not to tear or puncture. Do not move containers from one area to another unless they are securely sealed. Keep container tightly sealed when not in use. Do not allow material to become wet or store in a damp, humid area. Keep away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Store in original container only. If the contents are leaking or material is spilled, follow these steps:

- 1. Collect and place in suitable containers for disposal.
- 2. Wash area with water and soap to remove remaining pesticide.
- 3. Follow washing with clean water rinse.
- 4. Do not allow runoff to enter sewer or contaminate water supplies.
- 5. Dispose of waste as indicated below:

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

BAGS: Completely empty bags into formulation equipment. Then dispose of empty bags in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

FIBER DRUMS WITH LINERS: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into formulation equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

WARRANTY -- CONDITION OF SALE

Drexel warrants that this product conforms to its chemical description and is reasonably fit for the purposes referred to in the Directions For Use. Drexel makes no other warranties, express or implied. I including FITNESS OR MERCHANTABILITY. In no case shall Drexel or the Seller be liable for consequential, special or indirect damages resulting from the use/and or handling of this product. The foregoing is a condition of sale by Drexel Chemical Company is accepted as such by the Buyer.

