

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Luz G. Chan Registration Manager Drexel Chemical Company P. O. Box 13327 Memphis, TN 38113-0327

JUNN226620077

SUBJECT: Applications for Pesticide Notification – Update Warranty, First Aid, User Safety

Recommendations, Trademark, and Other Minor Labeling Changes

Drexel DrexarTM 530; Application Dated April 30, 2007

Drexel Atrazine 4L; Application Dated May 1, 2007

Drexel Leven-38®; Application Dated May 1, 2007

Drexel Diuron Technical, Application Dated May 4, 2007

Drexel Defol 5®; Application Dated May 7, 2007

Drexel TrizmetTM II; Application Dated May 7, 2007

Drexel Super Sucker-Stuff®; App. Dated May 10, 2007

EPA Reg. No. 19713- 40

EPA Reg. No. 19713- 11

EPA Reg. No. 19713- 66

EPA Reg. No. 19713- 547

EPA Reg. No. 19713- 388

Dear Ms. Chan:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a review of these requests for their applicability under PRN 98-10. The Registration Division (RD) has conducted a review of these requests for their applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

May 7, 2007

NOTIFICATION

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
One Potomac yard
2777 S. Crystal Drive
Arlington, VA 22202
(Tel. 703 305-6470)

JUN 2 6 2007

Re: Submission of Revised Label by Notification per PR Notice 98-10 DREXEL DEFOL 5 (EPA Reg. No. 19713-388)

Herewith:

- 1. Completed EPA Form 8570-1
- 2. One (1) copy of the label (388SP-0507) with the following revisions:
 - i) Under 'User Safety Recommendations', 'clothing' was changed to 'clothing/PPE'
 - ii) The warranty statement was updated to add "To the extent consistent with applicable laws" before "Buyer assumes...." and "In no case....."

I highlighted all the changes for easy reference.

3: Certification Statement

If you have questions/clarification regarding this submission, I can be reached at (901) 774-4370 or e-mail Lchan@drexchem.com.

Thank you.

Respectfully yours,

FOR DREXEL CHEMICAL COMPANY

Luz G Chan

Registration Manager

1700 Channel Avenue • Post Office Box 13327 • Memphis, Tennessee 38113-0327 ୁ ି ପ୍ର Phone: (901) 774-4370 • Fax: (901) 774-4666 • E-Mail: info@drexchem.com • www.DrexChem.com 0000 0000 0000

\$EPA	Environmental	nited States Protectio l ngton, DC 2046		✓	Registration Amendme Other		OPP Identifier Number
		Application	n for Pestici	de - Section	ì		
. Company/Product Number 19713-388			1	Product Manager OMPKINS			osed Classification
I. Company/Product (Name) DREXEL DEFOL 5			PM# 25/HE	RBICIDE BRAI	NCH		,
Drexel Chemical Company P.O. Box 13327 Memphis, TN 38113-0327 Check if this	licant (Include ZIP Co.	de)	(b)(i), n to: EPA F				IFRA Section 3(c)(3) position and labeling
			Section -				
Amendment - Explain Resubmission in responsion Notification - Explain I Explanation: Use additional Submission of final label (388) Thank you.	below. al page(s) if necessar	y. (For section		Final printed labe Agency letter da "Me Too" Applic Other - Explain b	ation.	aron NUL	FICATION 2 6 2007 is submitted.
	•		Section - I	11			
1. Material This Product Will Child-Resistant Packaging Yes No Certification must be submitted	Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble P Yes No If "Yes" Package wgt	No. per container	P	ntainer fetal lastic ilass aper ither (Sp	ecify)
3. Location of Net Contents I	nformation	4. Size(s) Reta	il Container	5. Lo	cation of Label (Direction	8
	ontainer Affixed to Product	Lithogra	ph _	Other			
o. Manner in Which Label Is .	•	Lithogra Paper g Stencile	ad ad				

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

Digitally signed by Luz chan DN: cn=Luz chan, c=US, o=Drexel Chemical Co. Date: 2007.05.07 11:02:13 -05'00'

3. Title

Title

Certification

REGISTRATION MANAGER

REGISTRATION MANAGER

4. Typed Name

2. Signature

Name

LUZ G CHAN

LUZ G CHAN

5. Date May 7, 2007

Telephone No. (Include Area Code)

Received

6. Date Application

(Stamped)

(901) 774-4370



NOTIFICATION JUN 2 6 2007

Defol® 5

Defoliant/Desiccant with Fire Retardant

ACTIVE INGREDIENT:	
Sodium chlorate	42.3%
OTHER INGREDIENTS:	57.7%
TOTAL:	100.0%

This product contains 5 pounds of Sodium chlorate per gallon.

KEEP OUT OF REACH OF CHILDREN **WARNING / AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

See FIRST AID Below SHAKE WELL BEFORE USING

EPA Reg. No. 19713-388 EPA Est. No. 19713-TN-001

Net Contents:

FIRST AID

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- · Have person sip a glass of water if able to swallow
- . Do not induce vomiting unless told to do so by a poison control center or
- · Do not give anything by mouth to an unconscious or convulsing person.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options follow the instructions for category A on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear: Coveralls over shortsleeved shirt and short pants, chemical-resistant gloves such as polyethylene or polyvinyl chloride, chemical-resistant footwear plus socks, protective eyewear, chemical-resistant headgear for overhead exposure, chemical-resistant apron when cleaning equipment, mixing or loading and dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C), or a NIOSH approved respirator with any R, P or HE filter.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

(Continued)

PRECAUTIONARY STATEMENTS (Con't.)

When handlers use closed systems, enclosed cabs or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. 2) Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. 3) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean cloth-

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the WPS.

Do not enter or allow worker entry into treated areas during the REI of 12 hours.

PPE required for early entry to treated areas that is permitted under the WPS and that involves contact with anything that has been treated, such as plants, soil or water is: Coveralls over shortsleeved shirt and short pants, chemical-resistant gloves such as polyethylene or polyvinyl chloride, chemical-resistant footwear plus socks, protective eyewear and chemical-resistant headgear for overhead exposure.

> Manufactured By: **Drexel Chemical Company** P.O. BOX 13327, MFMRHIS, TN 38113-0327

SINCE 1972

APPLICATION

DEFOL 5 may be applied by aircraft or ground equipment. It is essential that the foliage be thoroughly covered. The specified dilution rates should be carefully observed. A non-ionic surfactant such as Surf-Ac® 820 or an emulsifiable crop oil such as Peptoil® may enhance the results. This product should not be mixed with insecticides or other organic materials, unless specifically recommended, because a fire or explosion may result.

Precautions should be taken to avoid having spray or spray drift contact adjacent crops or desirable vegetation, or they may be defoliated. Equipment should be washed before and after use and care should be taken so that product does not dry in tank or on spray nozzles. Washwater should not be allowed to contact desirable vegetation.

When using this product under dry land conditions, injury may occur to rotational crops.

DEFOLIATION

Ideally, defoliation is favored on clear, calm, sunny days with high temperatures and high humidity. If rain is anticipated within 24 hours, application should be delayed whenever possible. Defoliation may be slowed when daytime temperatures are below about 60°F and with some crops, especially with vigorous varieties, regrowth can occur. In order to obtain acceptable defoliation results, the crop must be fully mature. In most cases, the signs of maturity include:

- 1. A slight discoloration of the foliage is apparent, often with a yellowish or reddish tinge.
- 2. Vegetative growth has slowed or ceased with little or no secondary growth.
- 3. A slight downward pull on a leaf gives a clean break from the stalk. Adequate fertility, ample soil moisture, good insect control and good weed control also favor defoliation. Plants which have been under stress as from drought or insect pressure give less reliable results because tough, wilted or damaged leaves do not permit the proper uptake of the chemical and tend to inhibit the formation of an abscission layer. Typically, under such circumstances, the leaves are desiccated but do not drop, which in turn, often causes problems with excessive trash during harvesting.

For crops where there is a heavy canopy of foliage, obtaining thorough coverage is sometimes difficult. Whenever practical, the use of ground equipment should be considered. The higher dilution rates should be used and any other available methods employed which will assure that the plants are completely covered all the way to the bottom leaves. If coverage is incomplete, a second application may be necessary in order to defoliate the lower leaves and to prevent secondary growth.

DESICCATION

When the objective is to reduce moisture of the crop or to desiccate weeds prior to harvest, most of the points discussed under "DEFO-LIATION" are applicable. Incomplete coverage will give erratic results, especially with vines such as Morningglory where the slender stems may be sheltered from the spray by the crop canopy, leaving the vines succulent and tough so they will become entangled in the harvesting machinery. Once again, larger spray volume will encourage more complete coverage and more reliable desiccation.

Crop	Rate per Acre	Water
Chili peppers	4 to 10 qts.	Air: 5 to 15 gals. Ground: 20 to 40 gals.
	DNS: Apply 10 days before ing only. When grown for p	e harvest. To be used on processor or occessing, consult a processor
Com	4.8 qts.	Air: 5 to 7 gals.
		I to desiccate trashy weeds in
date. Use the low (5 canopy is fairly open	gal.) dilution rates when w . Desiccation of Morninggl ze treated fields or feed fo	ays before anticipated harvest eeds are small and the crop lory and other vines may be dder, forage or residual grain

water to make 4 to 10 gals, total solution per acre. Use the lower rate when plants and weather conditions are ideal for defoliation. Swath width should not exceed wingspread. Altitude and speed of aircraft should be regulated to give sufficient spray coverage. DO NOT apply during periods of excessive winds as spray may drift and cause defoliation of adjoining Cotton or injury to other crops. DO NOT apply during the very high temperatures found in some areas at midday. Ground Application - Apply this product in sufficient water to make 15 to 30 gals, total solution per acre. Cotton defoliants should be applied when 70% of the bolls are open. Poor defoliation often occurs under unfavorable weather, soil moisture, fertility and plant conditions. Uniform defoliation within a field may sometimes be difficult to obtain because of irregular plant maturity. Satisfactory defoliation within a field may not be obtained when Cotton plants are suffering from lack of moisture or when plant growth is retarded by cold weather. DO NOT graze treated areas or feed gin waste to livestock. Flush out equipment with water after each day's work.

Crop	Rate per Acre	Water	
Cucurbits (Grown for Seed)	4.8 qts.	Air: 5 to 10 gals. Ground: 20 to 30 gals.	
SPECIFIC DIRECTION NOT graze treated field	NS: Use to facilitate harv ds.	est by drying out the vines. DC	

to 10 days before anticipated harvest, longer if temperatures are cool. DO NOT graze treated fields or feed treated fodder or forage to livestock.

Flax	4.8 qts.	Air: 5 gals. (minimum)
İ		Ground: 10 gals. (minimum)

SPECIFIC DIRECTIONS: Use as a harvest aid to desiccate trashy weeds and to reduce moisture in the mature crop. Apply 7 to 10 days before anticipated harvest date. Thorough coverage is essential. Activity of the spray will be enhanced by the addition of a good, non-ionic surfactant at the rate of 1 qt. per 100 gals, of spray. DO NOT graze treated fields or feed treated Flax foliage and fodder for 14 days after application.

Grain sorghum	3.6 to 4.8 qts.	Air: 4 to 10 gals.
		Ground: 10 to 20 gals.

SPECIFIC DIRECTIONS: To reduce the moisture content of the grain while the crop is standing, apply 7 to 10 days before harvest. Thorough coverage is essential. Use the lower rates when grain moisture is low and the weather is clear and dry. Use the higher rate when conditions for desiccation are poor.

Guar beans	4.8 qts.	Air: 5 to 10 gals.
	ľ	Ground: 10 to 20 gals.

SPECIFIC DIRECTIONS: Make application 7 to 10 days before anticipated harvest date. DO NOT graze treated fields or feed treated fodder or forage to

Potatoes	4.8 qts.	Air: 5 to 10 gals.
,	1	Ground: 10 to 20 gale

SPECIFIC DIRECTIONS: Use to defoliate plants and facilitate harvest. Provide thorough coverage. Apply 10 days before harvest, DO NOT apply under conditions of extreme heat during the middle of the day.

Rice	3.6 to 4.8 qts.	Air: 5 or more gals.
------	-----------------	----------------------

SPECIFIC DIRECTIONS: Use to facilitate harvest and reduce moisture in the fully mature seed heads and to desiccate immature Red rice in mature White rice. Use the lower rate when crop conditions and weather are right to enhance rapid drying. Apply 7 to 10 days before anticipated harvest. To avoid drift, do not apply during windy weather. Thorough coverage of the crop is essential to achieve good results. DO NOT graze treated fields or feed treated straw or crop residues within 14 days of application.

Safflowers	4.8 qts.	Air: 5 to 10 gals.
	i i	Ground: 20 to 30 gals.

SPECIFIC DIRECTIONS: Use to facilitate harvest and reduce moisture in the fully mature seed heads. Apply 7 or more days before normal harvest when Safflower heads are fully mature. DO NOT graze treated areas or feed treated forage.

Southern peas	4.8 qts.	Air: 5 to 10 gals.
		Ground: 10 to 20 gals.

SPECIFIC DIRECTIONS: Make application 7 to 10 days before anticipated harvest, longer if temperatures are cool. Thorough coverage is essential, DO NOT graze treated fields or feed treated fodder or forage to livestock.

Soybeans	4.8 qts.	Air: 5 gals. (minimum)
1		Ground: 20 gals (minimum)

SPECIFIC DIRECTIONS: Use as a harvest aid to dry weeds in early maturing Soybeans and to facilitate the harvest. Make application 7 to 10 days before anticipated harvest date when Beans are mature and ready for harvest, DO NOT graze treated fields or feed treated foliage.

Sunflowers	4.8 qts.	Air: 5 to 10 gals.
İ	1	Ground: 20 to 30 gals

SPECIFIC DIRECTIONS: Use to facilitate harvest and reduce moisture in the fully mature seed heads. When using ground application, use a high clearance sprayer. Make application 7 or more days before normal harvest when Sunflower heads are fully mature. DO NOT apply later than 7 days before harvest. DO NOT graze treated fields or feed treated forage within 14 days of application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. PESTICIDE STORAGE: Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in a cool, dry area away from any heat or ignition source. Do not stack plastic containers over 2 pallets high. Move containers by handles or cases. Do not move containers from one area to another unless they are securely sealed. Keep container tightly sealed when not in use. Keep away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Store in original containers only. Unloading, storage and work areas must be as clean as possible to prevent contamination if spilled. If concentrate or spray solution is allowed to dry on flammable objects, the chlorate component can act as an oxidizer. If the contents are leaking or material is spilled, follow these steps:

- Contain spill. Absorb with a material such as sawdust, clay granules or dirt
- 2. Collect and place in suitable containers for disposal.
- 3. Wash area with soap and water to remove remaining pesticide.
- 4. Follow washing with clean water rinse.
- Clothing contaminated with chlorate solution must be removed at once before solution dries. Dried contaminated clothes can be ignited easily. Wash contaminated clothing immediately.
- 6. Do not allow runoff to enter sewer or contaminate water supplies.
- 7. Dispose of waste as indicated below:

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

WARRANTY—CONDITIONS OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. To the extent consistent with applicable laws, Buyer assumes all risks of use, storage, and handling of this material not in strict accordance with directions given herewith.

To the extent consistent with applicable laws, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

DEFOLE Fage 3 of 3



May 7, 2007

Submission of Revised Label per PR Notice 98-10 DREXEL DEFOL 5 (EPA Reg. No. 19713-388)

NOTIFICATION
JUN 2 6 2007

This notification is consistent with the Provisions of PR Notice 98-10 and EPA Regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

FOR DREXEL CHEMICAL COMPANY

LUZ G CHAN

Registration Manager