

PM 19

19713-389

1/6



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:

19713-389

Date of Issuance:

APR 24 1996

NOTICE OF PESTICIDE:  
  X   Registration  
       Reregistration

Term of Issuance: Until Reregistration

Name of Pesticide Product:

Drexel Slug and Snail Bait

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Drexel Chemical Company  
1700 Channel Avenue  
P.O. Box 13327  
Memphis, TN 38113-0327

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistration under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.

2. Add the phrase EPA Registration No. "19713-389" to your label before you release the product for shipment.

Signature of Approving Official:

*DHE*  
Dennis H. Edwards, JR Product Manager (19)  
Insecticide Branch Rodenticide Branch  
Registration Division (H7505C)

Date:

APR 24 1996

3. Change the signal word "WARNING" to "CAUTION" wherever it appears on the labeling. Revise the child hazard statement in the following order and add the pet warning statement to the front panel.

**CAUTION  
KEEP OUT OF REACH OF CHILDREN**

**THIS PESTICIDE MAY BE FATAL TO DOGS OR OTHERS PETS IF EATEN. KEEP PETS OUT OF TREATED AREA.**

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

DHE

Dennis H. Edwards, Jr.  
Product Manager 19  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

Enclosure

3/6

DREXEL SLUG AND SNAIL BAIT

ACTIVE INGREDIENT:		
	Methaldehyde (2,3,6,8-Tetramethyl-1,3,5,7-Tetraoxycyclo-octane).....	4%
INERT INGREDIENTS:	.....	96%
	TOTAL:.....	100%

KEEP OUT OF REACH OF CHILDREN

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que a la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

<p><b>STATEMENT OF PRACTICAL TREATMENT</b>  <b>IF SWALLOWED:</b> Drink 1 to 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.  <b>IF IN EYES:</b> Flush eyes with plenty of water for at least 15 minutes and get medical attention immediately.  <b>IF ON SKIN:</b> Wash thoroughly with soap and water.</p>
---

EPA REG. NO.: 19713-  
EPA EST. NO.: 19713-GA-1

NET CONTENTS:

MANUFACTURED BY:  
DREXEL CHEMICAL COMPANY  
P.O. BOX 13327  
MEMPHIS, TN 38113-0327


NEW SUBMISSION 04/10/96

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

APR 24 1996

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

19713-389



**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**WARNING:** Harmful if swallowed. Avoid breathing dust. May cause eye irritation. Avoid contact with skin, eyes or clothing. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated areas.

**PERSONAL PROTECTIVE EQUIPMENT**

**Applicators and other handlers must wear:**

- Coveralls
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

**USER SAFETY RECOMMENDATIONS**

**Users should:** Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then thoroughly wash and put on clean clothing.

**ENVIRONMENTAL HAZARDS**

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

**GENERAL INFORMATION**

- EFFECTIVE:** SLUG AND SNAIL BAIT excels at attracting and destroying slugs and snails.
- LONG LASTING:** Remains effective after rain and watering. SLUG AND SNAIL BAIT is not easily dissipated by water.
- NOTE:** This package is filled to proper weight but variation in product density may result in varying full levels in the box.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state and tribe, consult the agency responsible for pesticide regulations.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is:

- Coveralls
- Waterproof gloves
- Shoes plus socks



5/6

**NON AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated area.

Apply as a soil surface treatment. May be broadcast by air or ground equipment unless specified, otherwise in this label. Use a band treatment between the rows after formation of edible parts. Do not contaminate edible portions of the plant. May be applied to the following crops to protect from slugs and snails.

**FIELD CROPS:** Cereal grains, corn, legumes, mint: Apply 10 to 40 lbs. per acre.

**SEED CROPS:** Sugar beets, flowers, grasses, vegetable and legume crops grown for seed: Apply 10 to 40 lbs. per acre.

**VEGETABLES:** Asparagus, beans, beets, black-eyed peas, broccoli, Brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, collards, corn, cowpeas, cucumbers, eggplants, endive, ginseng, horseradish, kale, kohlrabi, leeks, legumes, lettuce, melons, mustard greens, okra, onions, parsnips, peas, peppers, pimentos, potatoes, pumpkins, radishes, rhubarb, rutabagas, salsify, shallots, spinach, squash, sweet potatoes, swiss chard, tomatoes, turnips, watermelons: Apply 20 to 40 lbs. per acre.

**Artichokes:** By air or ground application before tight bud stage, apply 25 to 70 lbs. per acre. After tight bud stage, apply by ground application only.

**TREE CROPS:** Citrus: Apply 20 to 40 lbs. per acre to give even distribution. Avocado, cherries, peaches, apricots, apples, pears: Apply 20 to 40 lbs. per acre.

**SMALL FRUIT:** Blackberries, blueberries, Boysenberries, canneries, loganberries, raspberries, strawberries, grapes: Apply 10 to 40 lbs. per acre.

**TURF AND ORNAMENTALS:** Ornamental greenhouses, ornamental planting, commercial ornamental nurseries, ground covers, turfgrass areas and grasses grown for sod; dichondra; and around home and building foundations: Normally apply 1/2 to 2 lbs. per 1,000 square feet. Repeat treatment as necessary to maintain control.

For best results, apply in evening. Especially beneficial, if applied following rain or watering. Apply every 3 to 4 weeks during growing season, or as needed.

**DO NOT APPLY DIRECTLY TO EDIBLE PORTION OF THE PLANT.**

**HOME AND GARDEN USE**

Protects Vegetables, Flowers, and Lawns

-Remains effective after rain and watering.

-Goes further; last longer.

If ground is dry, thoroughly water areas to be treated. For best results, apply in the evening. Scatter SLUG AND SNAIL BAIT around flowers, ornamental plants and lawn areas. Do not place SLUG AND SNAIL BAIT in piles. Apply one pound of SLUG AND SNAIL BAIT to each 1,250 square feet. Apply only to the soil surface around plants. Do not apply directly to forage or other plant parts. See below for directions for use around fruits, berries, and vegetables.

Bait areas likely to be infested at the beginning of the spring planting season before damage occurs. Treat every 3 to 4 weeks during the growing season, or as needed. During periods of high rainfall or frequent watering, it may be necessary to treat more often.

SLUG AND SNAIL BAIT is specifically formulated to attract and control snails and slugs. SLUG AND SNAIL BAIT is easy to use, clean to handle, and economical. One pound will bait 1,250 square feet.



The presence of snails and slugs can be detected by the shiny, mucous-like trail left by the slugs and snails. They are night feeders and prefer damp cool places in the ornamental garden, flowers, under boards or flower pots or piles of leaves, and around fences, rocks, hedges and bushes.

**FRUITS, BERRIES AND VEGETABLES:** To control snails and slugs around the following fruits, berries and vegetables, apply to the soil surface around the plants. Do not contaminate edible parts. Thoroughly wash all parts used for food before eating.

**TREE FRUITS:** Citrus, avocado, cherries, peaches, apricots, apples, pears.

**BERRIES:** Strawberries, blackberries, boysenberries, caneberries, loganberries, raspberries.

**VEGETABLES:** Artichokes, asparagus, beans, beets, black-eyed peas, broccoli, Brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, collards, corn, cowpeas, cucumbers, eggplants, endive, garlic, ginseng, horseradish, kale, kohlrabi, leeks, legumes, lettuce, melons, mustard greens, okra, onions, parsnips, peas, peppers, pimentos, potatoes, pumpkins, radishes, rhubarb, rutabagas, salsify, shallots, spinach, squash, sweet potatoes, swiss chard, tomatoes, turnips, watermelons.

**FLOWERS AND ORNAMENTALS:** Apply to soil surface around the following plants: Azaleas, begonias, carnations, chrysanthemums, daffodils, daisies, geraniums, honeysuckle, hydrangeas, ice plants, impatiens, iris, marigolds, pansies, petunias, rhododendrons, roses, snapdragons, sweet peas, tulips.

**NOTE:** When setting out transplants, sprinkle a small amount of SLUG AND SNAIL BAIT around each plant after watering. These new soft, succulent plants are very tempting to foraging snails and slugs for the first few weeks after planting.

**STORAGE AND DISPOSAL**

**STORAGE:** Do not contaminate water, food, or feed by storage or disposal. Use product only from original container and keep in locked storage area away from children and pets. Do not store near food, feed, fertilizers, or other pesticides or seeds.

**PESTICIDE DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**WARRANTY - CONDITION OF SALE**

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. In no case shall Drexel of the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by Drexel Chemical Company and is accepted as such by the Buyer.

