15-51



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Luz Chan Drexel Chemical Company 1700 Channel Drive PO Box 13327 Memphis, TN 38113-0327

MAR - 8 2010

Subject: Label Amendment – Adding New Use on Tomatoes Product Name: Me-Too-Lachlor Herbicide EPA Registration Number: 19713-548 Decision Number: 422991

The label amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you make the following change to the product labeling:

• Only one post-emergent application of this product is permitted per year. This restriction must be clarified on the label and clearly cited as a restriction. For the purposes of clarity, replace "NOTE" with "RESTRICTIONS" and add the clarifying language in bold for the statement to read:

RESTRICTIONS: To avoid possible illegal residues: Do not apply this product within 90 days of tomato harvest. 2) Do not exceed the maximum label rate for the soil texture per year. 3) Apply by ground application only. 4) Do not apply more than 1 post emergence application per year.

One copy of the label stamped "Accepted with Comments" is enclosed for your records. Submit one copy of the final printed label before the product is released for shipment. If you have any questions, please contact Michael Walsh by phone at (703) 308-2972 or via email at walsh.michael@epa.gov.


Sincerely,

attry V.N

Kathryn V. Montague Product Manager (23) Herbicide Branch Registration Division (7505P)

enclosure

SUPPLEMENTAL LABELING







(EPA Reg. No. 19713-548)

FOR USE IN TOMATOES

READ THE ENTIRE DREXEL ME-TOO-LACHLOR HERBICIDE LABEL BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABEL

KEEP OUT OF REACH OF CHILDREN

CAUTION

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This labeling and the EPA registered labeling must be in the possession of the user at time of pesticide application. All applicable directions, restrictions and use precautions on Drexel ME-TOO-LACHLOR HERBICIDE label(s) are to be followed. This labeling contains supplemental instructions and restrictions for use of this product which may not appear on the Drexel ME-TOO-LACHLOR HERBICIDE label. Follow the instructions carefully.

SEEDED TOMATOES

This product may be applied postdirected to direct seeded Tomatoes. Plants must be at least 4 inches tall at the time of application and the product must be applied in a minimum of 20 gallons of water per acre. Minimize spray contact with plants. This product will not control emerged weeds.

TRANSPLANTED TOMATOES ONLY

This product may be applied preplant incorporated or preplant before transplanting. If the latter method is used, keep soil disturbance to a minimum during transplanting. Application may also be made postdirected to transplants after the first settling rain or irrigation. When an application is made postdirected, apply in a minimum of 20 gallons of water per acre and minimum contact with tomato plants. This product will not control emerged weeds. In bedded transplanted Tomatoes, apply this product preplant nonincorporated to the top of the pressed bed, as the last step, prior to laying plastic. This product may also be used to treat row-middles in bedded tomatoes, as long as the total amount of this product does not exceed the maximum allowed per crop.

USE RATE

Type of Soil	Organic Matter Content (%)	This Product Per Acre (pts.)
Coarse	< 3	1.0 to 1.33
	> 3	1.33
Medium	- 1	1.33 to 1.67
Fine	< 3	1.33 to 1.67
	> 3	1.67 to 2.0

USE PRECAUTIONS

- Do not apply to varieties or cultivars with unknown tolerance to this product.
- This product may damage transplants that have been weakened by any cause. To prevent damage, plant only healthy transplants. Do not plant when wet, cool, or unfavorable growing conditions exist.
- In transplanted tomatoes, if this product is applied preplant incorporated, incorporate to a depth less than the depth of transplanting, and use the lower end of the rate range for the given soil type, or damage may occur.
- For row middle applications where plants are grown on sandy soils and where high soil moisture conditions can exist (i.e. 56% bih/Ging and high evaporation conditions) as may be found in the states of Florida, Georgia, Maryland, and Virginih, this resk of this type of injury in the form of leaf epinasty. This risk of this type of injury can be reduced by: a) incorporating this product immediately following application (tomato only), b) applying this product seven or more days before transplanting (but only after the beds have been formed), c) minimizing the application of this product onto the plastic of the bed, or d) any combination of the above.

NOTE: To avoid possible illegal residues: 1) Do not apply this bitout within 90 days of tomato harvest. 2) Do not exceed the maximum label rate for the soil texture per year. 3) Apply by ground application for the soil texture per year.



Me-Too-Lachlor is a trademark of Drexel Chamical Company