19713-567			11/18/2005		1/5
	Environmenta	United States	on Agency	Registration Amendmer ✓ Other	
		Applicati	on for Pesticide - Sect	ion I	
1. Company/Product Numbe 19713-567 4. Company/Product (Name) DREXEL ATRAZINE 4)		2. EPA Product Mana JIM TOMPKINS PM# 25/Herbicide Bra		3. Proposed Classification
5. Name and Address of App Drexel Chemical Company P.O. Box 13327 Memphis, TN 38113-0327	······································	odej	6. Expedited Rev (b)(i), my product is to:	eiw. In accordance	with FIFRA Section 3(c)(3) in composition and labeling CATION
Check if this	s is a new address		Product Name _	<u>NOV 1</u>	8 2005
			Section - II		
Notification - Explain Explanation: Use addition	bonse to Agency letter below. nal page(s) if necessar 1005) with pennywort (c on. The required certific I Be Packaged In: Unit Packaging Yes No If "Yes"	y. (For section dollarweed) ad cation letter is a	Agency lette Me Too" A Other - Expl on I and Section II.) ded into the list of weeds controlled submitted. Section - III Water Soluble Packaging Yea No If "Yes" No. per	pplication. ain below.	tainer etal estic ess per
be submitted 3. Location of Net Contents	Unit Packaging wgt. Information		Package wgt container tail Container	5. Location of Lebel Di	her (Specify) rections
6. Manner in Which Label is	Affixed to Product	Litho Paper Stand	graph Dther glued iled		
			Section - IV		
1. Contact Point (Complete	items directly below I	for identificati	on of individual to be contacted, i	f necessary, to proces	s this application.)
Name LUZ G CHAN			Title REGISTRATION MANAGER		phone Nu: (If dlude Area Code) 1) 774-4370
	y knowlinglly false or lew.	misicading st uz chan =US. o=Drexel	ation I all attachments thereto are true, atement may be punishable by fin 3. Title REGISTRATION MANAGER		6. Date Application Received
4. Typed Name LUZ G CHAN EPA Form 8570-1 (Rev. 3-94			5. Dete October 19, 2	2005 • - EPA File Copy (prin	



October 19, 2005

Submission of Revised Label by Notification per PR Notice 98-10 DREXEL ATRAZINE 4% (EPA Reg. No. 19713-567)

This notification is consistent with the Provisions of PR Notice 98-10 and EPA Regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

FOR DREXEL CHEMICAL COMPANY

a. Chan

۰.

LUZ G CHAN Registration Manager

1700 Channel Avenue • Post Office Box 13327 • Memphis, Tennessee 38113-0327 Phone: (901) 774-4370 • Fax: (901) 774-4666 • E-Mail: info@drexchem.com • www.DrexChem.com

Drexel

NOTIFICATION NOV 1 8 2005

A trazine 4% St. Augustine Weed Killer

For the control of both emerged weeds and weeds from seeds in St. Augustinegrass and Centipedegrass, use 1.5 tablespoonfuls per 100 square feet.

ACTIVE INGREDIENTS:

Atrazine	4.00%
Related compounds	0.08%
OTHER INGREDIENTS:	95.92%
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION See FIRST AID Below

SHAKE WELL BEFORE USING

EPA Reg. No. 19713-567

EPA Est. No. 19713-MS-1

-1 Net Contents:

IF SWALLOWED:

· Call a poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious or convulsing person.
- IF ON SKIN OR CLOTHING:
- Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15 to 20 minutes.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

NOTE TO PHYSICIAN: There is no specific articote for Atrazine. If this product is ingested, induce emesis or lavage stomach. The use of an aqueous slurry of activated charcoal may be considered.

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating drinking, chewing gum or using tobacco. Remové and wash contaminated clothing before re-use.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Wear long-sleeved shirt, long pants, chemical-resistant gloves and shoes plus socks.

USER SAFETY RECOMMENDATIONS

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. 2) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter groundwater which may be used as drinking water. Atrazine has been found in ground-water. Users are advised not to apply atrazine to Sand and Loarny sand soils where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e., well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COM-MERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES.

GENERAL PRECAUTIONS AND RESTRICTION; Do not apply this product in a way that will contact any persons or pet, either directly or through drift. Keep people and pets out of the area during application.

Do not allow people or pets to enter the treated area until sprays have dried.

IMPORTANT: Read the entire Directions for Use, all precautions, and the Conditions of Sale and Warranty before using this product.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR WEED CONTROL, CROP IN-JURY, ILLEGAL RESIDUES, OR PERSONAL INJURY.

APPLICATION PROCEDURES

- Do not use near adjacent desirable plants or in greenhouse, or injury may occur.
- · To avoid spray drift, apply with a coarse low pressure spray.
- Do not apply under windy conditions.
- Avoid spray overlap.
- This product is to be mixed with water only. Combinations with other chemicals in the application mixture are not recommended.
- Do not apply when temperatures exceed 90°F.
- Use only on healthy turfgrass which is not under heat or drought stress and reasonably free of infestations of insects, nematodes, and diseases.
- Applications during the summer should be limited to spot treatment only.
- · Do not use on muck or alkaline soils,
- Do not use over rooting area of trees, ornamentals, vegetables or other desirable plants other than the indicated turfgrasses.
- Do not apply to areas where the natural drainage would carry the atrazine to adjacent desirable plants.
- Do not replant treated areas (accept with listed turfgrass) within 12 months, after treatment or injury may result.
- · Do not overseed turf areas within 6 months after treatment.
- Sprigging of listed turfgrass is allowed in treated areas, some yellowing or stunting may occur.

Drexel Chemical Company

P.O. BOX 13327, MEMPHIS, TN 38113-0327

SINCE 1972

8 . . .

Application should be made only with a conventional compressed air garden sprayer equipped with a flat fan spray tip. Correct calibration of the sprayer is essential. Overdosing will cause severe plant injury and or death or the desired turl. Insufficient application may not give anticipated weed control. Hose-end type sprayers are not recommended because of difficulty with precise calibration and application.

APPLICATION RESTRICTIONS

Maximum rate per application on Turfgrass (including lawns) is 8.6 fluid ounces per 1,000 square feet. Maximum of two applications per year is permitted.

USE DIRECTIONS

ć

Weeds Controlled or Suppressed:

Annual Bluegrass (*Poa annua*). Chickweed (Common and Mouseear), Crabgrass (suppression only), Cransbill, Cudweed, Dichondra, Florida Betony, Henbit, Knotweed, Lespedeza, Moneywort, Mustards, Narrowleaf Vetch, Parsley-Piert, Pennywort (Dollarweed), Sandspur, Smutgrass, Spurge, Spurweed, Swinecrest, Woodsorrel and various annual clovers.

Established St. Augustinegrass and Centipedegrass:

This product may be applied during both dormant and growing seasons. Best results are usually obtained when applied in early Spring or dormant periods when weeds are small or have not emerged. Do not apply more than two treatments per year.

This product controls Spurweed, Florida Betony, Annual Bluegrass and many other problem weeds in St. Augustinegrass and Centipedegrass turfs.

This product will control both emerged weeds and weeds from seeds. Rain or water within 2 or 3 days of application may decrease the effectiveness on emerged weeds. However, for the control of weeds from seeds, rainfall or watering is necessary within 7 to 10 days after treatment.

Spurweed:

Control of Spurweed can best be obtained by applying when Spurweed has newly emerged (December and January.)

Florida Betony:

This weed emerges in the Fall. Apply this product in mid to late October followed by a second application in mid to late February.

Dichondra, Moneywort:

Apply this product in early April followed by a second application in July. Note: Applications for Spurweed or Florida Betony generally will give control or suppression of the other listed weeds. However, as a general rule, this product will give best control when applied to young tender weeds or just prior to weed emergence.

RATE OF APPLICATION" FOR ST. AUGUSTINEGRASS and CENTIPEDEGRASS				
Areas To Be Treated	Amount of This Product	Suggested Amount of Water		
100 sq. ft.	1.7 tbsps.	1 qt.		
500 sq. ft.	4.3 fl. czs.	1 gai.		
2,000 sq. ft.	1.1 pt	4 gais.		

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. **PESTICIDE STORAGE:** Store pesticide in the original container in a locked storage area.

PESTICIDE DISPOSAL: If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

WARRANTY-CONDITIONS OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

In no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

Additional Statements that may be used on or attached to the label:

*For St. Augustine Grass

*Atrazine 4% will control (followed by any or all of this list) Annual Bluegrass (*Poa Annua*), Chickweed (Common and Mouseear), Cudweed, Dichondra, Florida Betony, Henbit, Knotweed, Lespedeza, Moneywort, Pennywort (Dollarweed), Mustards, Narrowleaf Vetch, Parsley-Piert, Smutgrass, Spurge, Spurweed, Swinecrest, Woodsorrel and various annual clovers. Atrazine 4% supresses Crabgrass

*Controls Tough Weeds

*Controls both emerged weeds and weeds from seeds


*One pint covers 1,852 sq. ft.

*One Quart covers 3,704 sq. ft.

*0.5 Gallon covers 7,408.2 sq. ft.

*One Gallon covers 14,816.3 sq. ft.

*Kills Tough Weeds





Drexel Chemical Company

October 19, 2005

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504C) U.S. Environmental Protection Agency Rm. 266A, Crystal Mall 2 1801 South Bell Street Arlington, VA 22202

Re: Submission of Revised Label by Notification DREXEL ATRAZINE 4% (EPA Reg. No. 19713-567)

Herewith:

1. Completed EPA Form 8570-1

2. One (1) copy of the label (567SP-1005).

esta esta d

+ 1 4 2 : 19

701, Q

Pennywort (Dollarweed) was added to the list of weeds controlled or suppressed. Also, under "Additional Statements that may be used on or attached to the label", "Pennywort" was inserted before"(Dollarweed)".

Drexel has published information from various Universities that Atrazine provides excellent control of Pennywort. This claim does not in any way change the recommended dosage, frequency, concentration or method of application, or increase the exposure of pesticide to humans or the environment.

I highlighted the revisions for easy reference.

3. Certification Statement

The second s

If you have questions/clarification regarding this submission, I can be reached at (901) 774-4370 or e-mail Lchan@drexchem.com.

Thank you.

Respectfully yours, FOR DREXEL CHEMICAL COMPANY

Luz & Chan Registration Manager