

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

MAY 6 2009

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Luz G. Chan
Registration Manager
Drexel Chemical Company
P.O. Box 13327
Memphis, TN 38113-0327

RE:

Product Name: Drexel Soydorm Oil

EPA Reg. No: 19713-605

Application for Label Notification Dated February 3, 2009 to Add Optional

Statement: Recirculate Contents Before Reuse

Dear Mr. Chan:

This letter is to rescind the Agency letter dated April 23, 2009, also correct the EPA registration number.

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under Pesticides Registration Notice (PRN) 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PRN 98-10 and it has been determined that the action(s) requested falls within the scope of PRN 98-10. Our records have been duly noted, and the letter submitted with this application has been stamped "Notification, received and reviewed" and will be placed accordingly in our records.

For any question you may have concerning this action, please contact Ms. Diana Hudson at (703) 308-8713 or email at https://doi.org/10.2016/j.jupa.2016.2016.2016.

Sincerely,

Linda Hollis, Chief

Biochemical Pesticides Branch

Biopesticides and Pollution Prevention

Division (7511P)

286

Please read instructions on reverse before company form. United States Environmental Protection Ager			on Agency	Form App	roved	. OMB No. Registra	tion	O. Approvel expires 2-28- OPP Identifier Number	
		ngton, DC 20	•			Other	116116		
·		Application	on for Pestici	de - Sect	tion)			
1. Company/Product Number 19713-605			2. EPA Product Manager Linda Hollis, Chief				3. Pr	oposed Classification	
4. Company/Product (Name) DREXEL SOYDORM C		PM# 9(BPPD							
5. Name and Address of App Drexel Chemical Com P.O. Box 13327 Memphis, TN 38113-0	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.								
Check if this	is a new address		Produ	ct Name _				•	
			Section -	ll .					
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.				Final printed labels in repsons OTIFICATION Agency letter dated "Me Too" Application. Date Reviewed: 5 - 6 - 0 9 Other - Explain below. Reviewed By D. Hudson					
Explanation: Use addition						Hevie	Med Ri	y. W. Horano IC	
			Castian I	11					
1. Material This Product Will	Re Packaged In:		Section - I	11			· · · · · · · · · · · · · · · · · · ·		
Child-Resistant Packaging Yes No	Unit Packaging Yes No		Water Soluble F Yes ✓ No	ackaging		2. Type of	Container Metal Plastic Glass		
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container	,		Paper Other (S	Specify)	
3. Location of Net Contents Information 4. Size(s) Re			tail Container	ontainer 5. Location of Label Directions					
✓ Label Container 1, 2.5, 5,			30, 55 gal, Mini bulk, Bulk On the c				ontainer		
6. Manner in Which Label is Affixed to Product Lithog Paper Stend			graph glued siled	oph Other					
· · · · · · · · · · · · · · · · · · ·			Section - I	V					
1. Contact Point (Complete	items directly below fo	or identification	on of individual to b	e contacted,	if nec	essary, to pi	osess this	applicatio.า.)	
Name LUZ G CHAN			Title REGISTRATION MANAGER				Telephone No. (Include Area Code) (901) 774-4370		
I certify that the stater I acknowledge that an both under applicable I	y knowlinglly false or i		d all attachments th					6. Date Application Received (Stamped)	
2. Signature Cuzia. Ch	2009.02.03 11:13:36 -06'0	00'	3. Title REGISTRATION N	MANAGER			. –		

5. Date ,

2/3/2009

4. Typed Name

LUZ G CHAN



-M-91

February 3, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Rm S-4900, One Potomac Yard
2777 S Crystal Drive
Arlington, VA 22202

Re: Submission of a Revised Label by Notification DREXEL SOYDORM OIL (EPA Reg. No. 19713-605)

In support of the above, herewith:

- 1. Completed EPA Form 8570-1
- Five (5) copies of the label (605SP-0209) to add the optional statement "Recirculate Contents
 Before Reuse". This statement will be used in place of the statement "Shake Well Before
 Using" on container labels more than 2½ gallons in size.
- 3. Certification Statement

If you have questions/clarification regarding this submission, I can be reached at (901) 774-4370 or e-mail lchan@drexchem.com.

Thank you.

Respectfully yours, Drexel Chemical Company

Gr. Chan

Luz G Chan

Registration Manager



NOTIFICATION

Date Reviewed: 5-6-09

Reviewed By: D. Hu

Soydorm™ Oil

Dormant & Summer Spray Oil

ACTIVE INGREDIENT:

Soybean oil (food grade)	98.0%
OTHER INGREDIENTS:	2.0%
TOTAL:	100.0%

CAUTION

See FIRST AID Below SHAKE WELL BEFORE USING

[Optional Statement: Recirculate Contents Before Use]

EPA Reg. No. 19713-605 EPA Est. No. 19713-TN-001

Net Contents:

FIRST AID

IF SWALLOWED:

- · Call a poison control center or doctor immediately for treatment advice.
- · Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious or convulsing person.

F IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- · Rinse skin immediately with plenty of water for 15 to 20 minutes.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents, call the National Pesticide Information Center at 1-800-858-7378.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing of spray. Do not take internally, Avoid contact with skin and eyes, Causes moderate eye irritation.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear: Long-sleeved shirt and long pants, chemical-resistant gloves such as Barrier Laminate, Nitrile Rubber, Neoprene Rubber or Viton and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. 2) Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. 3) Remove PPE immediately after handling this product. Wash the outside gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Toxic to fish. For terrestrial uses only. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwater or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

GENERAL INFORMATION

SOYDORM OIL is an especially refined phytonomic oil contact insecticide. It is for use on plants in foliage or the dormant stage. This product may be applied in conventional hydraulic sprayers, concentrate application equipment, ground applicators or aerial. The rates are recommended on a per 100 gallons of dilute spray, except where indicated. DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State-or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard (WPS), 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the WPS.

Do not enter or allow worker entry into treated areas during the REI of 4 hours.

PPE required for early entry to treated areas that is permitted under the WPS and that involves contact with anything that has been treated, such as plants, soil or water is: Coveralls, chemical-resistant gloves such as Barrier Laminate, Nitrile Rubber, Neoprene Rubber or Viton and shoes plus socks.



MIXING INSTRUCTIONS:

1) Add enough water to mix tank to begin agitation. 2) Add micronutrients and other desired pesticide. If dry pesticide products are used, pre-mix the materials with water thoroughly and add to mix tank. DO NOT add this product before uniform mixture of pesticide and water is obtained. 3) Maintain agitation until the spray is applied. Flush any spray mixture remaining in the hoses back into the tank if the solution stands for more than 20 minutes.

TANK MIXING:

Tank-mix only with products registered for use on the specific crop to be treated. When using this product in combination with other pesticides as directed on this label, observe the most restrictive rates. tank-mixing prohibitions, precautionary statements and limitations listed on the product labels involved

Before tank mixing with other labeled products, check for tankmix compatibility. A jar test prior to tankmixing this product with other pesticides or liquid fertilizer will ensure compatibility. Use a clear glass quart jar with lid and mix the tankmix ingredients in their relative proportions? Invert the jar containing the mixture several times and observe the mixture for approximately one-half hour. If components of the mixture separate readily, a compatibility agent will be helpful in maintaining the stability of the spray mixture. If the mixture balls-up, forms flakes, sludges, jells, oily films or layers or other precipitates, the components of the mixture are not compatible. AIR APPLICATION:

Apply the quantity of product indicated in sufficient water to make a minimum of 20 gallons of spray per acre except where indicated otherwise. Air application is recommended only if growing and/or soil conditions indicate a ground application to be unfeasible.

GENERAL INSTRUCTIONS AND USE PRECAUTIONS:

DO NOT USE THIS PRODUCT in combination with or immediately preceding or following applications of chloropropylate, captan, dyrene, dikar, dichlone, folpet, karathane, morestan, morocide, sulfur compounds, propargite and carbaryl.

For foliage application, the spray tank must be free of any sulfur residue before using this product. Do not combine sulfur sprays with this product on foliage and do not follow a previous application of sulfur or apply sulfur following this product until sufficient time has elapsed for safety (at least 30 days) except in the Northwest (OR and WA). In OR and WA, it may be used in combination on Pears as a post-harvest (after all fruit is off the tree), dormant and delayeddormant (before scales slip, or at or prior to bud swell) treatment. Do not use this product when temperatures are above 90°F. When temperatures drop below 32°F (usually nighttime lows), do not spray trees and vine crops until daytime temperatures have warmed to a point above 32°F and are free from moisture due to melting frost or heavy dews. Application to trees weakened by disease, drought, drying winds or high nitrogen applications may result in oil injury.

USE INSTRUCTIONS:

Dilute this product with water before use.

Amounts given are for 100 gallons of diluted spray solution unless otherwise noted.

ALFALFA Seed Crop Only: Use 1 quart per acre in 20 to 30 gallons of spray solution by ground application or 10 to 15 gallons by air when used in combination and at the recommended label rates with Malathion 5EC (an emulsifiable concentrate containing 5 pounds of malathion per gallon) for control of the pests listed on the label. Spider mites: Use 1 quart per acre at the dilutions noted above

ALMONDS, APRICOTS, CHERRIES, NECTARINES, PEACHES, PLUMS, PRUNES Dormant or Delayed-Dormant: Black scales, Brown apricot scales, European fruit lecaniums, Frosted scales, Italian pear scales, Oleander scales, Olive scales (Parlatoria scales), Parlatoria, Putnam scales, Red spider mites, San Jose scales, Soft brown scales, certain other Scale insects, eggs of Aphids-Apply 1.5 to 2 gallons.

Summer Use: Red spider mites-Apply 3 to 4 quarts. Summer stages of Brown apricot scales, San Jose scales-Apply 1 gallon.

APPLES Delayed-Dormant: Rust mites-Apply 1.5.to 2 gallons. Summer Use: Apply 1 to 1.5 gallons.

APPLES, PEARS Dormant or Delayed-Dormant: Eggs of Aphids, Italian pear scales, Red spider mites, San Jose scales-Apply 1.5 to 2 gallons.

Summer Use: Red spider mites—Apply 3 to 4 quarts.

Concentrated Sprayers: Pears (CA only)-Apply 4 to 6 gallons in 90 to 120 gallons of spray solution per acre. Summer forms of Italian pear scales and San Jose scales-Apply 1 to 1.5 gallons.

CHRISTMAS TREES: Winter Use-Aphids, Adelgids, Scales (soft and hard), Spider mites Apply 2 to 4 gallons.

Summer Use: Apply 1 to 3 gallons.

FIGS Dormant or Delayed-Dormant: Fig scales-Use 3 gallons of this product

FLOWER AND FOLIAGE PLANTS: Aphids, Adelgids, Bugs (immature), certain Caterpillars, Eriophyid mites, Gall mites, Lace bugs, Leaf beetle larvae, Leafminers, Mealybugs, Psyllids (immature), Sawfly larvae, Scales (immature), Spider mites, Whiteflies (immature). Apply 2 to 3 gailons at Winter/Dormant as needed. Apply 1 to 2 gallons as foliar or cover at Summer as needed.

GRAPES Dormant: Mealybugs-Apply 4 to 6 gallons, in 200 to 300 gallons of spray solution per acre.

LEMONS, GRAPEFRUIT: Black scales, Purple scales, Red scales, Red spider mites, Yellow scales-Apply 1 to 1.5 gallons of this product, plus 1 pound of a Malathion 25 Wettable. For best results, spray during Winter and Spring months when Red scales are more easily controlled and trees are generally less reactive to oil sprays. Do not use within 8 weeks of harvest on Lemons.

OLIVES: Black scales, Oleander scales, Parlatoria scales, Spider mites-Apply 1.5 gallons of this product per 100 gallons of spray solution per acre. Apply in pre-bloom or in post-bloom up to buckshot.

NAVEL ORANGES: Black scales, Purple scales, Red scales, Red spider mites, Yellow scales-Apply 3 quarts of this product, plus 1 pound of a Malathion 25 Wettable. Do not use on Navel oranges after September 1

VALENCIA ORANGES: Black scales, Purple scales, Red scales, Red spider mites, Yellow scales-Apply 1 gallon not later than September 1; or 3 quarts of this product plus 1 pound of a Malathion 25 Wettable, applied not later than September 15.

PEARS Delayed-Dormant: Pear psyllas-Apply 2 gallons.

Summer Use: Apply 1 to 1.5 gallons.

Blister mites—Delayed-Dormant and Fall Spray—2 gallons.

ORNAMENTALS AND SHADE TREES (Apple, Birch, Conifers [See "Plant Restrictions"], Dogwood, Flowering cherry, Flowering peach, Hawthorne, Holly, Magnolia, Maple, Oak, Privet, Pyracantha, Sycamore): Aphids, Adelgids, Black scales, Brown apricot scales, certain Caterpillars, Gall mites, Lace bugs, Leaf beetle larvae, Mealybugs, Plantbugs (immature), Psyllids (immature), Oyster shell scales, Red spider mites and eggs, San Jose scales, Sawfly larvae, Soft brown scales, Whiteflies (immature).

On all varieties when in leaf - Apply 1 gallon per 100 gallons of spray solution per acre.

Dormant Spray on Deciduous Varieties: Apply 2 gallons per 100 gallons of spray solution.

Dormant Spray on Evergreen Varieties: Apply 1 gallon per 100 gallons of spray solution.

Plant Restrictions: Oil removes the glaucous (blue) bloom from such Evergreens as Colorado blue spruce and Koster spruce. Do not spray on Walnut foliage. Always use lower dosage or test spray oil sensitive plants such as Chamaecypris, Cryptomeria, Japanese holly, Juniper, Smoke tree and Spruce. Tendency toward sensitivity: Red cedar and Douglas fir. Use with caution and reduced dosage for dormant application on Sugar maple and Red bud. Do not spray when buds have fully opened and shoot elongation is occurring.

Do not use on Conifers or Ferns not tolerant to oil sprays. Keep sprays away from open blooms; bleaching and spotting has been observed with the open blooms of certain plants.

WALNUTS Late Spring to Mid-Summer Only: Summer stages of European fruit scales, Frosted scales, Red spider mites, San Jose and other Soft-shelled scales—Apply 2 to 4 quarts. Do not apply after husk splits.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal and cleaning of equipment.

PESTICIDE STORAGE: Storage should be under lock and key in a ventilated room and secure from access by unauthorized persons and children. Storage should be in a cool, dry area away from any heat or ignition source. Do not stack over 2 pallets high. Move containers by handles or cases. Do not move containers from one area to another unless they are securely sealed. Keep container tightly sealed when not in use. Keep away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Store in original containers only. If the contents are leaking or material is spilled, follow these steps:

1. Contain spill. Absorb with a material such as sawdust, clay

- granules or dirt.
- Collect and place in suitable containers for disposal.
- Wash area with soap and water to remove remaining pesticide.
- Follow washing with clean water rinse.
- Place a leaking container in a plastic (ub and transfer contents, as soon as possible, to an empty, original container.
- Do not allow runoff to enter sewer or containinate water supplies.
- Dispose of waste as indicated below-

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Inen offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

WARRANTY — CONDITIONS OF SALE
OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith.

To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.