

19713-607

11/21/2007

113



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

19713-607

Date of Issuance:

11-21-07

Term of Issuance: Conditional

Name of Pesticide Product:

Glyphosate 2% RTU

Name and Address of Registrant (include ZIP Code):

Drexel Chemical Company
P.O. Box 13327
Memphis, TN 38113

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(a) provided you agree in writing to:

1. To the label add the correct EPA Registration Number and EPA Establishment Number.
2. Delete "Wash thoroughly after handling and before eating drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse" from the Hazards to Humans and Domestic Animals statements.
3. To the label add "Physical or Chemical Hazards. Combustible Do not store or use near heat or open flame".
4. You must submit the results of the one year storage stability and corrosion characteristics test within 18 months of the date of this registration.

Signature of Approving Official:

James Tompkins, Product Manager (25)
Herbicide Branch, Registration Division (7505P)

Date:

11-21-07

EPA Form 8570-6

You will submit one copy of your final printed labeling before you release the product for shipment. A stamped copy of labeling is enclosed for your records. If you have any questions please contact Erik Kraft at 703-308-9358.

ACCEPTED
with COMMENT
in EPA Letter Data

11-21-07

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

19713-607

Drexel

2/3

Glyphosate 2% RTU

Weed and Grass Killer

For Outdoor Residential Use Only

ACTIVE INGREDIENT:

Glyphosate, isopropylamine salt 2.0%

OTHER INGREDIENTS: 98.0%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See FIRST AID Below
SHAKE WELL BEFORE USING

EPA Reg. No. 19713-

EPA Est. No. 19713-

Net Contents: _____

FIRST AID

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious or convulsing person.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

PRECAUTIONARY STATEMENTS

Hazards To Humans And Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin or swallowed. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Wear long-sleeved shirt, long pants, chemical-resistant gloves and shoes plus socks.

USER SAFETY RECOMMENDATIONS

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. 2) Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. 3) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

GENERAL INFORMATION

GLYPHOSATE 2% RTU is a nonselective systemic herbicide that is absorbed by the plants through its leaves and moves down to the roots killing the plant. Plants yellow and wilt within hours and killed in 1 to 2 weeks period.

This product is strongly bound by the soil and is readily degraded by soil microorganisms, thus, has no soil residual activity.

This product will kill weeds, unwanted grass, vines, brush, and stumps. It controls even difficult-to-kill weeds like Blackberry, Poison ivy, and Poison oak. This product can be applied around fences, trees and shrubs. It can be used on flower beds, mulch or gravel beds, vegetable and herb gardens, on and around driveways, walkways, patios, foundations, and other areas in the yard.

WEEDS KILLED

Alder	Dogfennel	Mayweed	Spotted Spurge
Artichoke,	Elderberry	Milkweed	Sprangletop
Jerusalem	Elm	Mock Orange	Spurge
Bahiagrass	Evening Primrose	Mouseear	Sumac
Barberry	Fall Panicum	Chickweed	Sunflower
Baryardgrass	False Dandelion	Multiflora Rose	St. Augustinegrass
Beggarweed	Fennel	Nimblewill	Tansy Mustard
Bentgrass	Fescue Grass	Nutsedge	Tansy Ragwort
Bermudagrass	Fiddleneck	Oak	Texas Panicum
Bittercress	Field Bindweed	Oleander	Thistle
Blackberry	Field Pennycress	Orchardgrass	Timothy
Black Medic	Field Sandbur	Oxalis	Toadflax
Bluegrass	Filaree	Pampasgrass	Torpedograss
Broadleaf Plantain	Florida Pusley	Paspalum spp.	Trailing Lantana
Bromegrass	Foxtail	Pennsylvania	Trumpet creeper
Buckhorn Plantain	Garden Spurge	Smartweed	Tumble Mustard
Buffalograss	Goosegrass	Pennywort	Vaseygrass
Bull Thistle	Green Foxtail	Pigweed	Velvetleaf
Burclover	Guineagrass	Pine	Virginia-creeper
Buttercup	Hemp Sesbania	Plantain	Western Red
Canada Thistle	Henbit	Poison Hemlock	Cedar
Canarygrass	Hickory	Poison Ivy	White Clover
Carpetgrass	Honeysuckle	Poison Oak	Whiteweed
Ceanothus spp.	Horsenettle	Prickly Lettuce	Wild Barley
Cherry	Horseradish	Primrose	Wild Blackberry
Chickweed	Horsetail	Prostrate Spurge	Wild Carrot
Clover	Iceplant	Puncturevine	Wild Geranium
Cocklebur	Ironweed	Purple Cudweed	Wild Morningglory
Cogongrass	Johnsongrass	Purslane	Wild Mustard
Common Groundsel	Kikuyugrass	Quack Grass	Wild Oats
Common Mullien	Knapweed	Quaking Aspen	Wild Sweet Potato
Common Ragweed	Knawel	Ragweed	Willow
Coral-bead	Knotweed	Raspberry	Witchgrass
Coyotebrush	Kudzu	Red Clover	Yarrow
Crabgrass	Lambsquarters	Redroot Pigweed	Yellow Oxalis
Creeping	Lantana	Red Sorrel	Yellow Starthistle
Beggarweed	London Rocket	Ryegrass	Zoysiagrass or
Creeping Charlie	Lovegrass	Shepherd spurge	Japanese Lawn-
Curly Dock	Mallow	Smartweed	grass and many
Dallisgrass	Manzanita	Smooth Catsear	other weeds
Dandelion	Maple	Sowthistle	
Dewberry			

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL USE PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a way that will contact any persons or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.

IMPORTANT: Read the entire Directions for Use, all precautions, and the Conditions of Sale and Warranty before using this product.

Manufactured By:

Drexel Chemical Company

P.O. BOX 13327, MEMPHIS, TN 38113-0327

SINCE 1972

3/3

This product will kill or injure all green plants and trees because injury or destruction may result. Do not spray desirable plants or grasses. If desirable plant is accidentally sprayed with this product, immediately rinse off with plenty of water. Apply when wind is calm. This product is not recommended for use as spot weed control in Lawns.

The following crops may be planted one day after application of this product: Artichoke (Jerusalem), Beans (all types), Beet (green), Blackberry, Blueberry, Boysenberry, Broccoli, Brussel sprout, Cabbage (all types), Carrot, Cauliflower, Celery, Chard (Swiss), Chickory, Collards, Currants, Dewberries, Elderberry, Endive, Gooseberry, Horseradish, Huckleberry, Kale, Kohlrabi, Leek, Lentil, Lettuce, Loganberry, Mustard green, Okra, Olanieberry, Onion, Parsley, Parsnip, Potato, Radish, Rape greens, Raspberry (black, red), Rhubarb, Rutebaga, Spinach, Sweet potato, Turnip, Yam. (Note: If this product is used for controlling weeds around Berries, do not harvest Berries within 14 days of last application.)

The following crops may be planted 3 days after application: Corn, Cucumber, Eggplant, Garlic, Gourd, Melons (all types), Peas (all types), Pepper (all types), Pumpkin, Squash (summer, winter); Tomatillo, Tomato (by seed), Watercress.

Other plants not listed above including transplanted Tomatoes may be planted 30 days after application of this product.

APPLICATION PROCEDURES

For best results, apply this product on a sunny day with daytime temperatures above 60°F and when weeds are actively growing.

Use a coarse spray when applying this product.

To avoid contact of this product on desirable plants, shield the plants with a plastic sheet plastic or cardboard.

To kill Vines growing on non-living objects such as fence, poles, tree trunks with mature bark, cut the vines to a height of 3 to 4 feet and spray thoroughly. For vines growing up shrubs or trees with green bark, cut the vines at their base and spray thoroughly.

To kill Brush, cut to the ground if taller than 5 feet and then, spray regrowth.

To kill Stumps, cut the living stump close to the ground. Spray thoroughly immediately all remaining surfaces.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal.

PESTICIDE STORAGE: Store pesticide in original container in a cool, dry place preferably in a locked storage cabinet out of reach of children. Protect from freezing.

PESTICIDE DISPOSAL: If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

WARRANTY CONDITIONS OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller to the extent consistent with applicable laws. To the extent consistent with applicable laws, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. To the extent consistent with applicable laws, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

Additional statements that may be used on or attached to the label:

- Ready to use – no mixing
- For non-selective Postemergent Weed Control
- Contains Glyphosate, the same active ingredient used in Roundup®
- Fast acting formula – Starts to work in hours
- Kills weeds and grasses down to the roots
- Rainproof in hours
- Ideal for Vegetable Garden Weed Control
- For use around flower beds, Tree, Shrubs, Fences, Walks, Mulch Beds, Gravel and Driveways
- Single application controls (kills) most weeds
- Ideal for spot treatments on driveways, sidewalks and patios
- Kills grass and weeds around flower beds, trees, shrubs and sidewalks
- Kills over 185 types of weeds (as listed on the label)

Roundup® is a registered trademark of Monsanto.