

19713-629

04/07/2011

1/12



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number: 19713-629
Date of Issuance: 4-7-11

Term of Issuance: Unconditional

Name of Pesticide Product:
Imitator 18% Concentrate

NOTICE OF PESTICIDE:
 Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Drexel Chemical Company
P.O. Box 13327
Memphis, TN 38113-0327

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered in accordance with FIFRA section 3(c)(5) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration /registration review of your product when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Kable Bo Davis
Product Manager 25
Herbicide Branch
Registration Division (7505P)

Date:

4-7-11

2/12


Master Label For EPA Reg. No. 19713-XXX

For the following Brand Names:

- Imitator 18% Concentrate
- Imitator LG Concentrate
- Imitator Concentrate Grass & Weed Killer

Editorial Notes: Bracketed text [] is for internal use or serves as a placeholder for graphics.

Text in parenthesis () denotes optional wordings.



3/12



IMITATOR® 18% Concentrate

ACTIVE INGREDIENT: Glyphosate in the form of its isopropylamine salt.....	18.0%
OTHER INGREDIENTS:	82.0%
TOTAL:.....	100.0%

EPA Reg. No. 19713-XXX
EPA Est. No. 19713-XX-XXX

Net Content: _____

KEEP OUT OF REACH OF CHILDREN CAUTION

See First Aid Below

FIRST AID
<p>If In Eyes:</p> <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>Have the container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.</p>

Manufactured By:
Drexel Chemical Company
P.O. Box 13327
Memphis, TN 38113-0327

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION: Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes or clothing.
PERSONAL PROTECTIVE EQUIPMENT (PPE)
 Applicators and other handlers must wear long-sleeved shirt and long pants and shoes plus socks.
 Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface water. Applying this product in calm weather when rain is not predicted for 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage system.

PRODUCT INFORMATION

This product is a nonselective systemic herbicide that will kill almost all annual and perennial weeds, grasses, vines, brush, stumps, and other unwanted plants, even difficult-to-kill weeds. It is absorbed by the plants through its leaves and moves down to the roots killing the plant. This product has no soil residual activity.

Mix this product with water and use to control weeds around buildings, vacant lots, storage and recreational areas, gravel or ground bark mulch, flower beds, ornamentals and shrubs, shade trees; along fences, sidewalks, driveways or walkways, patios, and other areas in your yard. This product can also be used for large jobs such as lawn renovation/restoration and garden/ornamental plot preparation.

Kills:	<ul style="list-style-type: none"> • Weeds and grasses
For Use:	<ul style="list-style-type: none"> • On driveways or walkways; patios • Around flowers, shrubs or trees (including fruit trees), vegetables • Along fences • Around structures
In Large Areas:	<ul style="list-style-type: none"> • For lawn replacement / renovation • For garden/ornamental replacement / plot preparation

WEEDS CONTROLLED

INCLUDES: Bahiagrass, Barnyardgrass, Bermudagrass, Canada thistle, Chickweed, Common ragweed, Crabgrass, Dandelion, Fescues, Field bindweed, Field sandbur, Foxtail, Johnsongrass, Kentucky bluegrass, Kudzu, Lambsquarters, Orchardgrass, Perennial ryegrass, Poison ivy, Poison oak, Quackgrass, Red-clover, Sheperdspurse, Smooth-bromegrass, Sowthistle, White-clover, and Yellow nutsedge.

[OR ALTERNATE TEXT]

WEEDS CONTROLLED

Controls weeds and grasses including:

GENERAL WEED CONTROL (ANNUALS)			
Annual bluegrass	Diffuse lovegrass	Lambsquarters	Prostate spurge
Barnyardgrass	Dogfennel	Little bitter cress	Puncturevine
Beggarweed	Evening primrose	Lettuce (prickly)	Ragweed (common)
Black medic	Fall panicum	London rocket	Ryegrass (annual)
Blue toadflax	Fiddleneck	Maiden cane	Sandbur (field)
Brassbuttons	Filaree	Mallow	Sheperdspurse
Bromegrass	Florida pusley	Mayweed	Smooth cat's ear
Burclover	Foxtail	Mouseear chickweed	Sowthistle
Buttercup	Garden spurge	Mustard (blue, tansy, tumble, wild)	Spotted spurge
Creeping beggarweed	Goosegrass	Pennycress (field)	Sprangletop
Chickweed	Henbit	Pennsylvania smartweed	Tansy ragwort
Common groundsel	Horseweed/Marestail	Pigweed (redroot, smooth)	Teaweed
Common plantain	Knotweed		Texas panicum
Crabgrass			Witchgrass
TOUGH WEED CONTROL (BRUSH, PERENNIALS, AND WOODY PLANTS)			
Alder	Dallisgrass	Nimbleweed	Sumac
Ash	Dandelion	Nutsedge (purple, yellow)	Sweetgum
Aspen	Dewberry	Oak species	Thistle (artichoke, Canada)
Bahiagrass	Elderberry	Oldenlandia	Thimbleberry
Bentgrass	Elm	Orchardgrass	Timothy
Bermudagrass	Eucalyptus	Oxalis	Torpedograss
Bindweed (field)	False dandelion	Pampasgrass	Tree tobacco
Blackberries	Fescue species	Pennywort	Trumpetcreeper
Bluegrass (Kentucky)	Field bindweed (wild morningglory)	Persimmon	Vaseygrass
Broadleaf plantain	Guineagrass	Poison hemlock	Virginia creeper
Broom (French, Scotch)	Hawthorne	Poison ivy	White clover
Bromegrass (smooth)	Hazel	Poison oak	White top
Buckwheat	Honeysuckle	Poplar	Wild barley
Cattail	Horsenettle	Primrose	Wild oats
Ceanothus	Horseradish	Quackgrass	Wild sweet potato
Chamise	Iceplant	Quacking Aspen	Willow
Cherry species	Johnsongrass	Ragweed	Yellow starthistle
Clover (red, white)	Kikuyugrass	Raspberry	Zoyzia
Cocklebur	Knapweed	Red clover	
Cogongrass	Kudzu	Rose (multiflora)	
Common mullein	Lantana	Ryegrass (perennial)	
Common ragweed	Locust	Sage	
Coyote brush	Maple	Sagebrush	
Creeping bentgrass	Milkweed	Salmonberry	
Creeping Charlie	Nightshade, silverleaf	Sassafras	
Curly dock		Smooth bentgrass	
		St. Augustine grass	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

KEEP PEOPLE AND PETS OFF TREATED AREAS UNTIL SPRAY HAS DRIED.

NOTICE: ALL VEGETATION CONTACTED BY THIS PRODUCT CAN BE INJURED OR DESTROYED. Make sure this product does not contact desirable lawn, grasses, flowers, vegetables, shrubs or trees and other desirable plants. Do not contact green bark of trees or shrubs. If necessary, use cardboard or plastic to shield plants. If desirable plant is contacted, immediately rinse with water.

WHEN TO USE

- Anytime weeds are actively growing. (Initial symptoms on most treated weeds usually show within 1 week (in 2 to 4 days) and complete kill in 1 to 2 weeks. Larger more weeds may take up to 4 weeks for complete kill.)
- For best results, apply on a warm, sunny day when daytime temperature is more than 60°F and no rain forecast for 24 hours. Reapply if rain occurs within 6 hours (2 hours) after application. (Rainfall or watering 6 (2) hours after application will not wash away effectiveness.) Hard-to-control weeds (such as Bermudagrass) may require a repeat application, if they regrow.
- When air is calm.

WHERE TO USE

	Use Instructions
Weed Control: Along fences, paths, sidewalks, driveways, patios, around ornamental plantings, flower beds, shrubs, trees, around buildings/structures, and in brick and gravel walkways.	Use to trim and edge landscape areas. DO NOT use for spot weed control in lawns since this product kills all green plants including lawn grass.
Spot Spraying / Trim and Edge: In and around ornamental trees, flower beds, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways.	DO NOT use for spot weed control in lawns since this product kills all green plants including lawn grass. Allow 21 days before eating the fruits or nuts.
Landscaping: For preparing areas for planting ornamentals, shrubs, trees, desert landscapes, rock gardens, flower beds or similar plantings	Treated areas can be planted/replanted 1 day after application of this product.
Lawn Renovation: Replacement of worn out lawns	<ul style="list-style-type: none"> • Under dry conditions, water lawn every other day for a week before using this product. • For best results, apply in the Spring or Fall when daytime temperatures are at least 60°F. • Do not mow for 7 days before and after application. • After 7 days, prepare the soil for planting by raking or rototilling the lawn. Rake up and remove loosened thatch or debris. Mix in starter fertilizer and other amendments, if needed. Apply seed according to directions in the seed package or install sod. Grass seed must have good contact with soil to germinate.

	Use Instructions
For Lawn Replacement	<p>Use this product to kill lawn and weeds before planting new lawn.</p> <ul style="list-style-type: none"> • Skip one mowing before spraying.
	<ul style="list-style-type: none"> • If soil is dry, water before application and 2 to 3 days after application. • Reapply if green patches remain after 7 days. • Wait 7 days after last application to rake, till or replant with seed or sod. <p>[Alternate text]</p> <ul style="list-style-type: none"> • Wait 7 days for lawn and weeds to die. Repeat if necessary. • Rake or till to prepare area for planting seed or sod.
Garden / Ornamental Bed Preparation for Planting: Berries and small fruits, Flowers, Shrubs and Trees, Vegetables	See "WHEN TO RESEED OR REPLANT SPRAYED AREAS" section of the label for listing of ornamentals, vegetables, berries and small fruits that may be planted after spraying this product.
Brush Control	<p>Use when brush is green and growing. If plants are more than 5 feet tall, cut back and spray regrowth. Brush sprayed in the Fall may not be fully controlled after the following season. A second application may be required for hard-to-control species.</p>
<p>Stump Treatment: This treatment will control or suppress many types of woody brush and trees such as Alder, Bluegum, Eucalyptus, Giant reed, Madrone, oak, Saltcedar, Sweet gum, and Tan oak.</p>	<p>Stumps can be treated to prevent regrowth. For best results, treat when vegetation is actively growing and within 5 minutes of being cut down. Cut the stump close to the soil surface. Drive 4 to 5 nail holes into the stump. Flood the stump with undiluted product.</p>
Vine Kill	<ul style="list-style-type: none"> • Cut vine to 3 to 4 feet high if vine is growing up a pole, fence or mature tree trunk and spray to thoroughly cover remaining vine. • Cut vine at the base, if vine is climbing a shrub and green bark and spray its regrowth. Shield shrub and green bark from spray with cardboard or plastic. • For Kudzu: Apply this product in mid to late summer when vines are mature and actively growing for best results. A second application may be required. • For Wild Blackberry: Spray actively growing plants anytime. Dead canes should be cut down and removed. Reapplication is often needed to kill deep roots. • For Poison Ivy and Poison Oak: Contact with these plants anytime of the year can cause allergic reactions. Spray actively growing plants anytime, but at least 4 weeks prior to first killing frost in the Fall. Reapply if new growth appears. Wear rubber gloves to handle dead plants. Dispose of plants and rubber gloves in tightly sealed garbage bags.

HOW TO USE

Spray to evenly wet the weed. To apply, use:

- Plastic, aluminum, fiberglass, plastic-lined steel, or stainless steel tank sprayer
- Hand-trigger sprayer
- Ortho Dial N Spray®
- Ortho Spray-ette®
- Other hose-end sprayer recommended for weed killers

Important: Do not use or store solutions of this product in galvanized steel or unlined steel sprayers, or apply through any type of irrigation system or with sprinkler can.

Rinse sprayer and flush all sprayer components with water 3 times after use. Spray rinse water on bare soil or gravel. Sprayer may be used to apply other products after very thorough cleaning.

To determine the amount of this product to be used, use the following table:

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT
Tank Sprayer	Use 6 fl. ozs. (12 tbsp.) in 1 gallon of water.	Covers 300 sq. ft. (30 ft. x 10 ft.)
Hand-trigger sprayers	Use 2 tbsp. in 24 ozs. of water.	Use for spot treatments or single weeds.
Ortho Dial N Spray	Add 6 fl. ozs. (12 tbsp.) to sprayer jar. DO NOT add water. Set dial to 6 fl. ozs. and spray.	Covers 300 sq. ft. (30 ft. x 10 ft.)
Ortho Spray-ette	Add 24 fl. ozs. to sprayer jar. Fill to the 4 gallon mark and spray.	Covers 1200 sq. ft. (30 ft. x 40 ft.)
Note: For easy to kill weeds such as seedlings, use 3 fl. ozs. (6 tbsp.) to 1 gallon of water. 1 fl. ozs. = 2 tablespoons (tbsp.)		

Close cap tightly after use.

[Alternate Mixing Instructions for Measuring Cap Container]

Measuring Cap: To open, squeeze cap sides at the points indicated while unscrewing. The measuring cap has four levels indicated inside. The following table and the measuring cap should be used to determine the amount of this product needed. Close cap tightly after use. No need to rinse.

- Level 1 = 1 teaspoon (tsp.)
- Level 2 = 1 tablespoon (tbsp.) = 3 tsp.
- Level 3 = 1 fl. oz. (2 tbsp.)
- Level 4 = 2 fl. ozs. (4 tbsp.)

APPLICATOR	MIXING INSTRUCTIONS	AREA TO TREAT
Tank Sprayer	Fill cap to Level 4 three times (12 tbsp.). Add to 1 gallon of water.	For lawn renovation, covers 300 sq. ft. (30 ft. x 10 ft.)
Hand-trigger sprayers	Fill cap to Level 3 and add to 24 ozs. of water.	Use for spot treatments or single weeds.
Ortho Dial N Spray	Fill cap to level 4 three times (12 tbsp.) and add to sprayer jar. DO NOT add water. Set dial to 6 fl. ozs. and spray.	For lawn renovation, covers 300 sq. ft. (30 ft. x 10 ft.)
Ortho Spray-ette	Fill cap to Level 4 twelve times (24 fl. ozs.) and add to sprayer jar. Fill to the 4 gallon mark and spray.	For lawn renovation, covers 1200 sq. ft. (30 ft. x 40 ft.)
Note: For easy to kill weeds such as seedlings, use 3 fl. ozs. (6 tbsp.) to 1 gallon of water.		

WHEN TO RESEED OR REPLANT SPRAYED AREAS

- All ornamental flowers, trees and shrubs may be planted **1 day** after application.
- The following berries may be planted **1 day** after application: Blackberry, Blueberry, Boysenberry, Cranberry, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Ollalieberry and Raspberry (black & red).
- The following fruits, herbs and vegetables may be planted **1 day** after application: Artichoke (Jerusalem), Beans (all), Beet greens, Broccoli, Brussels sprouts, Cabbage (all), Carrots, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Endive, Horseradish, Kale, Kohlrabi, Leeks, Lentils, Lettuce, Mustard greens, Okra, Onions, Parsley, Parsnips, Potatoes, Rape greens, Turnip, Yams.
- The following fruits, herbs and vegetables may be planted **3 days** after application: Corn, Cucumber, Eggplant, Garlic, Gourds, Melons (all), Peas (all), Peppers (all), Pumpkins, Squash (summer & winter), Tomatillo, Tomato (by seed), Watercress.
- Lawn grasses may be planted **7 days** after application.
- Tomatoes from transplants and unlisted fruits, herbs and vegetables may be planted **30 days** after application.

APPLICATIONS IN UNCULTIVATED AREAS (Forestry, Utility Rights-of-way, Roadsides, Airports, Railroads, Ditchbanks, Lumberyards, Manufacturing sites, Municipal sites, Residential areas, Substations, Petroleum tank farms and pumping installations, Warehouse areas, Schools, Sports complexes, Office complexes, Recreational areas, Parks, Parking areas, Storage areas, Commercial sites, Wildlife management areas, CRP areas, Industrial Sites)

TREE INJECTION APPLICATIONS:

Apply the equivalent of 2 mL of this product for each 2 inches of trunk diameter. This is best achieved by applying this product either to a continuous frill around the tree or to cuts spaced evenly around the tree below all branches. As tree diameter increases in size, better results are achieved by applying to a continuous frill or more closely spaced cuttings.

Avoid application techniques that allow runoff to occur from frill or cut areas in species that freely exude sap after frilling or cutting. In species like this, make frill or cut at an oblique angle so as to produce a cupping effect. Use undiluted product. For best results, applications should be made during periods of active growth and after full leaf expansion.

CUT STUMP APPLICATIONS:

Woody vegetation may be controlled by treating freshly cut stumps of trees and resprouts with this product using suitable equipment to ensure thorough coverage of the entire cambium. Apply this product undiluted immediately after cutting trees. Delay in applying this product may result in reduced performance. For best results, trees should be cut during periods of active growth and full leaf expansion.

Cut vegetation close to the soil surface. Avoid wash off of product from treated stumps by rainfall or other means within 6 hours of application.

WOODY BRUSH AND TREES CONTROLLED:

When applied as directed under the conditions described, this product will control or partially control most woody brush and tree species, some of which are listed below:

Alder (<i>Alnus</i> spp.)	Maple (<i>Acer</i> spp.)	Sweetgum (<i>Liquidambar styraciflua</i>)
Coyote brush (<i>Baccharis consanguinea</i>)	Oak (<i>Quercus</i> spp.)	Sycamore (<i>Platanus occidentalis</i>)
Dogwood (<i>Cornus</i> spp.)	Poplar (<i>Populus</i> spp.)	Tan oak (<i>Lithocarpus densiflorus</i>)
Eucalyptus (<i>Eucalyptus</i> spp.)	Saltcedar (<i>Tamarix</i> spp.)	Willow (<i>Salix</i> spp.)
Madrone (<i>Arbutus menziesii</i>)		

APPLICATION IN WETLAND SITES

This product may be applied as directed around water and in wetland areas including land adjacent to and surrounding domestic water supply reservoirs, supply streams, lakes and ponds.

Consult local public water control authorities before applying this product around public water. Permits may be required to treat in such areas.

DO NOT apply this product directly to water.

11/12

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

PESTICIDE STORAGE: Keep container closed to prevent spills and contamination. Store in original container in cool, dry place.

CONTAINER DISPOSAL:

Nonrefillable Containers (rigid material; less than 5 gallons):

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container one-fourth full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable Containers (rigid material; 5 gallons or greater):

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container one-fourth full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Refillable Containers:

Refillable container. Refill this container with this pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

For Residential and Home & Garden Use:

PESTICIDE DISPOSAL:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. **If empty**, place in trash or offer for recycling if available. **If partially filled**, call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY – CONDITIONS OF SALE

Our directions for use of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically directed, and other influencing factors in the use of this product are beyond the control of the Seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with the directions given herewith. To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with the directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

Optional Marketing Statements:

- Lawn & Garden Formulation for the Control of Labeled Weeds and Grasses
- Grass and [&] Weed Killer
- Weed & Grass Killer
- Brush Killer

- Kills Brush Roots and All With No Soil Activity
- Kills unwanted labeled grasses and weeds systemically – Roots and All
- Kills weeds roots and all with no soil activity
- Does not have soil activity
- Suitable for use around flower beds, trees, shrubs, fences and driveways
- Use to prepare garden sites
- One application kills most weeds
- Built-in measuring cap
- Can be used over the root zone of trees, shrubs, or desirable plants
- Can reseed or sod lawns 7 days after treatment
- Completely kills even the toughest weeds and grasses
- Concentrated for extra value
- Controls existing weeds, is not preemergent
- Covers up to 300 sq. ft. per gallon of spray, 75 sq. ft. per quart, 55 sq. ft. per 24 fl. ozs.
- Dead weeds guaranteed
- Economical – mix 12 tablespoons (6 fl. ozs.) per gallon
- Effects within one week (initial symptoms in 2 to 4 days) with complete kill in 2 to 4 weeks (1 to 2 weeks)
- Eliminates roots and weeds
- For weed control – Kills weeds and grasses in 2 to 4 weeks – Roots and (&) All
- Results in one application
- Ideal for tough weeds in flower beds and vegetable gardens
- Kills the roots (so weeds won't grow back)
- Kills roots and all
- Kills weeds, roots and all
- Kills over 175 types of weeds (as listed)
- Kills grass and weeds around flower beds, trees, shrubs, and sidewalks
- Kills tough and hard-to-kill weeds!
- Kills weeds in flower beds and around fences, trees, driveways, walkways, and shrubs, in and around fences, patios, paths, sidewalks, sidewalk cracks, walkways
- Kills weeds and grasses (down to the roots)
- Kills annual perennial weeds (as listed)
- Kills annual, perennial and tough weeds (as listed)
- Water-based formula
- Dead root. No Weed. No problem.
- Easy to measure and pour.
- Easy to use (apply).
- Ornamental gardens can be reseeded or planted 1 day after treatment.
- Rainproof in 6 (or 2) hours
- Rainfast (rainproof) in hours
- Use for stump treatment
- Visible results in 7 days
- Starts working in 24 hours
- Use in or around vegetable gardens (flower beds, trees, shrubs)
- For preparing sites for large plantings, (for flower beds), (for fruit trees), (for ornamentals), (for vegetables), (for garden sites), (to renovate lawns)
- Use (apply) with Big Shot™ Multi-purpose sprayer or other tank sprayer(s), Ortho Dial N Spray, Ortho Spray-ette, or other (Ortho) hose-end sprayers

Imitator is a registered trademark of Drexel Chemical Company. All other brand names, product names, or trademarks belong to their respective holders.