



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505P)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:

19713-716

Date of Issuance:

5/19/21

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Drexel Glyphosate Diquat

Name and Address of Registrant (include ZIP Code):

Mandy Styles  
Registration Manager  
Drexel Chemical Company  
P.O. Box 13327  
Memphis, TN 38113-0327

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.

Signature of Approving Official:

Emily Schmid, Product Manager 25  
Herbicide Branch, Registration Division (7505P)

Date:

5/19/21

3. Make the following label changes before you release the product for shipment:
  - Revise the EPA Registration Number to read, “EPA Reg. No. 19713-716.”
4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 08/31/2020

If you have any questions, please contact Aleah Holt at 703-347-0482 or by email at [holt.aleah@epa.gov](mailto:holt.aleah@epa.gov).

Enclosure

[Editorial Notes: Bracketed text [ ] is for internal use or serves as a 'place holder' for graphics. Parenthetical text ( ) denotes optional wording.]

**Drexel**

# GLYPHOSATE + DIQUAT

**ACTIVE INGREDIENTS:**

Glyphosate isopropylamine salt*.....	18.00%
Diquat dibromide .....	0.73%

**OTHER INGREDIENTS:** ..... 81.27%

**TOTAL:**..... 100.00%

\*This product contains 1.19 pounds of Glyphosate acid per gallon.

## KEEP OUT OF REACH OF CHILDREN CAUTION

(See FIRST AID Below)

(See Side Panel for FIRST AID); (See Back Panel for FIRST AID)

(See Page \_\_\_ for FIRST AID)

(See Attached Booklet (Labeling) for Complete Directions for Use)

(Please read the) (See) (inner label) (inner peel-back label) (booklet) for (FIRST AID) (Precautionary Statements) (Storage and Disposal) (Directions for Use)

**(SHAKE WELL BEFORE USING)  
(RECIRCULATE CONTENTS BEFORE USE)**

EPA Reg. No. 19713-TRA

EPA Est. No. 19713-XX-XXX

Net Content: \_\_\_\_\_

### FIRST AID

**IF IN EYES:**

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call CHEMTREC at 800-424-9300 for emergency medical treatment information.

Manufactured By:

**Drexel Chemical Company**

P.O. BOX 13327, MEMPHIS, TN 38113-0327

**SINCE 1972**



**ACCEPTED**

**5/19/2021**

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 19713-716

## **PRECAUTIONARY STATEMENTS**

### **Hazards to Humans and Domestic Animals**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Remove and wash contaminated clothing before reuse.

## **ENVIRONMENTAL HAZARDS**

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface water. Applying this product in calm weather when rain is not predicted for 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage system.

This product is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DO NOT MIX OR ALLOW CONTACT WITH AN OXIDIZING AGENT. A HAZARDOUS CHEMICAL REACTION MAY OCCUR.**

## **WHERE TO USE**

- On patios, walkways, driveways, gravel or mulch beds
- Around flowers (flower beds), shrubs or trees
- On driveways & walkways
- Along fences
- In large areas - For lawn replacement, for garden plot preparation\*

\*IMPORTANT: While this product may be used to prepare a vegetable garden for planting, **DO NOT USE** for spot weed treatment after planting (any) fruits or vegetables.

## **Tank (Pump-Up) Sprayer:**

### **Amount To Use**

For best results:

- Add 3 to 6 fl. ozs. (12 tbsp.) per gallon of water (use the higher rate for larger weeds).
- Apply on warm days in bright sunlight.
- For easy to kill weeds such as (small) seedlings, add 3 fl. ozs. (6 tbsp.) (per gallon) (to 1 gallon) of water.

Use plastic, fiberglass, plastic-lined steel or stainless steel sprayer. Do not mix, store or apply in (with) a galvanized or unlined steel sprayer (container).

For tough established weeds and for best results, add (measure) 6 fl. ozs. (12 tbsp.) to (per) (1) gallon of water. Spot treat or spray evenly over 300 square feet.

## Hose-End Sprayer:

For large areas, consider using the Ortho® Dial 'n Spray® with the dial set to 4 to 6 fl. ozs.

To sprayer jar, add 4 to 6 fl. ozs. (8 to 12 tbsp.) for each 300 square feet. DO NOT add water. Spray evenly over measured area.

After spraying, unused product can be poured back into its original container.

## HOW TO CLEAN SPRAYER

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

## HOW IT WORKS

This product ([Name of Product]) is absorbed by the weed's leaves. It moves through the weed to the root, stopping the function of an essential enzyme found in plants (but not humans or animals). Weeds die, roots and all, so weeds don't grow back. Kills only what you spray. Any product not absorbed by the plant will be deactivated after it hits the soil. (Weeds usually yellow and wilt within hours with complete kill in 1 to 2 weeks.)

### *[ALTERNATE TEXT*

*This product ([Name of Product]) enters the plant through foliage and moves systemically to the roots, killing weeds by stopping the function of a substance found in plants (but not humans or animals). Any product not absorbed by plants will be deactivated after it hits the soil. Weeds usually yellow and wilt within hours with complete kill in 1 to 2 weeks.]*

- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet (piece) of cardboard or plastic.
- If desirable plants are accidentally sprayed, rinse off immediately with water (or cut off treated area).

**IMPORTANT:** Do not spray plants or grasses you like - they will die. Not recommended for spot weed control in lawns since this product ([Name of Product]) kills lawn grasses.

## WHEN TO APPLY

Apply when weeds are actively growing. (Use anytime weeds and grasses are actively growing.)

For best (fastest visual) results, apply during warm, sunny weather (above 60°F) (to accelerate systemic movement from foliage to roots.)

Apply when air is calm to prevent drift to desirable plants.

**RAINPROOF Protection:** Rain or watering 30 minutes after application will NOT wash away effectiveness.

*[OPTIONAL TEXT] Apply when weeds are small and before seeds form. Established (Hard to kill) weeds may require a repeat application.*

## **USE RESTRICTIONS**

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only the person applying this product may be in the area during application.
- Do not allow people and pets to enter treated areas until spray has dried.
- Do not (mix, store or) apply with (in) a galvanized or unlined steel (except stainless steel) sprayer or apply through any irrigation system.
- Do not use for spot weed treatment after planting (any) fruits or vegetables.

## **WHEN TO REPLANT**

- All ornamental flowers, trees and shrubs may be planted 1 day after application.
- Lawn grasses, herbs, vegetables (all), and fruits may be planted 3 days after application.

## **ADDITIONAL USES**

### **To Kill Vines**

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly with spray solution of 6 fl oz (12 Tbs) per gallon of water.
- If vines are climbing shrubs or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and tree trunks from spray drift with a sheet (piece) of cardboard or plastic.

### **To Kill Stumps**

- Cut living stump close to ground.
- Drive (drill) 4 to 5 holes into freshly cut stump and immediately pour undiluted product into holes.
- For smaller stumps, apply undiluted product with a paintbrush immediately to the entire freshly cut stump, including the cut surface, remaining trunk & exposed roots. Do not reuse paintbrush. Wrap the paintbrush in newspaper and put in trash.

IMPORTANT: Some trees may share the same root system. Adjacent trees having a similar age, height and spacing may signal a shared roots system. Injury may occur to non-treated trees when one or more trees sharing common roots are treated.

### **To Kill Kudzu**

- For best results, apply in mid to late summer when vines are mature and actively growing.
- Use 6 fl oz (12 Tbs) per gallon of water.
- Spray vines thoroughly.

### **To Kill Wild Blackberry**

- Use 6 fl oz (12 Tbs) per gallon of water.
- Spray until thoroughly wet when plants are actively growing.
- Reapplication is often required to kill deep roots. Dead canes should be cut down and removed.

### **To Kill Poison Ivy & Poison Oak**

- Use 6 fl oz (12 Tbs) per gallon of water.
- Spray until thoroughly wet when plants are actively growing, but at least 4 weeks before the first killing frost in the fall.
- Reapply if new growth appears.
- Contact with these plants anytime of the year can cause an allergic reaction.
- Handle dead plants with rubber gloves.
- Dispose of plants and rubber gloves in tightly sealed garbage bags.

## For Lawn Replacement

[Use [this product/Insert Brand Name] to kill [an existing] lawn and [its] weeds before planting a new lawn [or prior to laying a patio, sidewalk or driveway].]

**Alternative Text:** [For lawn replacement use [this product/ Insert Brand Name] to kill lawn and weeds before planting new lawn.]

- [Skip one mowing before spraying.] [If soil is dry, water the day before application and 2 to 3 days after application.]
- [Use 6 fl oz (12 Tbs) per gallon of water for each 300 sq ft. Apply evenly over treatment area.]
- [If green patches remain after 7 days, reapply.]
- [Wait [at least] 3 days after last application to prepare the soil by raking or rototilling the lawn. Rake up and remove loosened thatch or debris.]
- [Apply seed according to directions on seed package or install sod. Grass seed must have a good contact with soil to germinate and grow. Keep area moist for 2 weeks to establish new lawn, then water as needed.] Use this product to kill a (an old) (an unwanted) lawn and (its) weeds before planting a new lawn (OR prior to laying a patio, sidewalk, or driveway).

## For (Flowerbed and) Garden (Plot) Preparation

Use [this product ([Name of Product])] to kill weeds, grasses (brush) before planting flowers, fruits, vegetables, trees or shrubs.

- [If soil is dry, water the day before application and 2 to 3 days after application.]
- [Use 6 fl oz (12 Tbs) per gallon of water for each 300 sq ft. Apply evenly over treatment area.]
- [Wait 1 to 3 days after last application before planning garden [flowers, trees, and shrubs].] [See **When To Replant** section for details.]

## [Optional Weed List] KILLS ALL TYPES OF WEEDS & GRASSES

*Weeds (including): Artichoke thistle, Beggarweed, Black medic, Blue mustard, Blue toadflax, Brassbuttons, Broadleaf plantain, Burclover, Buttercup, Canada thistle, Cattail, Chickweed, Cocklebur, Common groundsel, Common mullein, Common plantain, Common ragweed, Creeping beggarweed, Creeping-charlie, Curly dock, Dandelion, Dog fennel, Evening primrose, False dandelion, Fiddleneck, Field bindweed (Wild morningglory), Field pennycress, Filaree, Florida pusley, Garden spurge, Henbit, Horsenettle, Horseradish, Horseweed/Marestail, Iceplant, Knapweed, Knotweed, Lambsquarters, Lantana, Little bittercress, London rocket, Mallow, Mayweed, Milkweed, Mouseear chickweed, Narrowleaf (Buckhorn) plantain, Nightshade (Silverleaf), Oldenlandia, Oxalis, Pennsylvania smartweed, Pennywort, Poison hemlock, Prickly lettuce, Primrose, Prostrate spurge, Puncturevine, Ragweed, Red clover, Redroot pigweed, Shepherdspurge, Smooth catsear, Smooth pigweed, Sowthistle, Spotted spurge, Tansy ragwort, Tansymustard, Teaweed, Trumpet creeper, Tumble mustard, Virginia creeper, White clover, Whitetop, Wild barley, Wild mustard, Wild oats, Wild sweet potato, Yellow starthistle and other broadleaf weeds.*

*Grasses (including): Annual bluegrass, Annual ryegrass, Bahiagrass, Barnyardgrass, Bentgrass, Bermudagrass, Bromegrass, Cogongrass, Crabgrass, Creeping bentgrass, Dallisgrass, Fall panicum, Fescue, Field sandbur, Foxtail, Goosegrass, Guineagrass, Johnsongrass, Kentucky bluegrass, Kikuyugrass, Lovegrass, Maidencane, Nimblewill, Orchardgrass, Pampas grass, Perennial ryegrass, Quackgrass, Sandspur, Smooth bromegrass, Sprangletop, St. Augustinegrass, Tall fescue, Texas panicum, Timothy, Torpedograss, Vaseygrass, Witchgrass, Zoysia and other grassy weeds.*

*Sedge (including): Nutsedge (including Purple, Yellow)*

*Brush (Tough Weeds), Unwanted Trees, Shrubs & Vines (including): Alder, ash, (Quacking) aspen, Blackberry, Bluegum eucalyptus, Broom (French, Scotch), Buckwheat, Ceanothus, Chamise, Cherry, Coyote brush, Dewberry, Elderberry, Elm, Eucalyptus, Giant reed, Hawthorn, Hazel, Honeysuckle, Kudzu, Locust, Madrone, Maple, Oak, Persimmon, Poison oak, Poison ivy, Poplar, Raspberry, Sage, Sagebrush,*

Salmonberry, Saltcedar, Sassafras, Sumac, Sweetgum, Tan oak, Thimbleberry, Tree tobacco, Wild rose (Multiflora), Willow and other tough weeds.

### **STORAGE AND DISPOSAL**

**PESTICIDE STORAGE:** Store this product in its original container away from direct sunlight. Keep in a secure storage area out of reach of children and domestic animals.

**PESTICIDE DISPOSAL:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If empty**, place in trash or offer for recycling if available. **If partially filled**, call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### **WARRANTY – CONDITIONS OF SALE**

OUR DIRECTIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically directed, and other influencing factors in the use of this product are beyond the control of the Seller. To the extent consistent with applicable law, Buyer assumes all risks of use, storage and handling of this material not in strict accordance with the directions given herewith. To the extent consistent with applicable law, in no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with the directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.

#### **[ALTERNATIVE STATEMENTS]**

*To the extent consistent with applicable law, Buyer assumes all responsibility for safety and use not in accordance with directions.*

*([Company Name]) guarantees this product to the extent of the purchase price, only when used according to directions on the label. To the extent consistent with applicable law, Buyer assumes all responsibility for safety and use not in accordance with this label.*

The Drexel logo is a registered trademark of Drexel Chemical Company. All other brand names, product names or trademarks belong to their respective holders.



## OPTIONAL MARKETING STATEMENTS

*[Editorial Notes: Bracketed text [ ] is for internal use or serves as a 'place holder' for graphics. Parenthetical text () denotes optional wording.]*

- Absorbed into both broadleaf and grassy weeds
- Absorbs on contact, starts working immediately
- Also use for large jobs lawn renovation and vegetable and flower garden preparation
- Approved for most (many) lawn and garden uses
- Before [weed graphics] / After [weed graphics]
- Begins absorbing on contact
- Can be used for habitat restoration, controlling exotic vegetation, and for site preparation of wildlife food plots
- Can reseed or sod lawns 7 days after treatment
- Clock [graphic/image]
- Concentrated for extra value
- Concentrated formula
- CONSUMER GUARANTEE: If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will replace the product or refund the purchase price.
- Dead Weeds Guaranteed (or Your Money Back)
- Dead (weeds) in a day
- Deactivates in soil
- Did you Know?
- Does not have soil activity
- Down arrow [graphic/image/illustration]
- Economical
- Economical concentrate formula
- Easy to apply with an Ortho Dial 'n Spray®, hose-end, tank or (hand held) trigger sprayer
- Eliminates roots and weeds
- Eliminates unwanted vegetation quickly
- Even if it rains - This product ([Name of Product]) won't lose its effectiveness
- Fast-acting (formula)
- Fast-acting formula
- Fast-acting formula absorbs to root quickly
- Fast-acting for visible results in 6 hours
- For control that doesn't (won't) wash away
- For general weed control, kills weeds and grasses in 1 to 2 weeks - roots and all
- For weeds that are dead in a (one) day
- Formula (technology) that kills to the root so weeds don't come back
- Glyphosate targets an enzyme found in plants but not in people or pets
- Great quality. Great Price. Guaranteed. \*Our guarantee is a promise that you'll be fully satisfied with the quality of every (Product Brand Name) product. If for any reason you aren't happy, we'll replace it or return your money – whichever you prefer. All you need to do is return the, empty packaging. It's that simple. Guaranteed. Guaranteed within 1 year of the date of purchase.
- Guaranteed same effective results even if it rains within hours
- Guaranteed effective: Kills over 200 types of weeds and grasses, roots and all, with just one application
- Guaranteed (we guarantee it)
- Guaranteed Satisfaction.
- Guaranteed Satisfaction. Open booklet for details.\*
- Ideal for killing unwanted weeds and grasses throughout your yard. Use along fences; in cracks of walks, drives and patios; and around flower beds, trees and shrubs

- Kills almost all (annual and perennial) weeds, grasses and other unwanted plants
- Kills existing weeds only, no residual activity in soil
- Kills more weeds in more places.
- Kills (to) the root(s)! (Guaranteed!)\*
- Kills (the toughest weeds and grasses) the root(s) so weeds (they) don't (won't) come back
- Kills the roots of (both) broadleaf and grassy weeds
- Kills the root(s) so (treated) weeds don't (won't) come (grow) back [Illustration of Weed showing the roots and Zap arrow illustration]
- Kills the weed you see and the root you don't
- Kills the weed you see and the root others leave behind
- Kills unwanted weeds and grasses, roots and all
- Kills weeds and grasses in - Patios - Driveways - Sidewalks - Ornamental Gardens and other non-lawn areas
- Kills weeds in flowerbeds, around trees, shrubs and fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard
- Kills weeds, roots and all
- Lawns and gardens can be reseeded or planted soon after treatment
- Make only what you need
- Mix into tank sprayer
- Money Back Guarantee. See back panel for details\*
- Multipurpose grass and broadleaf weed control
- NEW! [This claim is valid for 6 months of product launch]
- Next day (this weekend) results: Begins killing on contact, visible results in 6 hours
- No odor
- No root. No weed. No problem.
- NOW! [This claim is valid for 6 months of product launch]
- \*Open booklet for details,
- Once it enters the plant, it won't wash off
- One application kills over 200 types of weeds and grasses, roots and all (maximum effectiveness)
- (Name of Product) effectiveness (formula) won't be washed away by rain or watering (10, 30 minutes=after treatment
- OPEN (ABRA)
- Proven performance: Only works the first time, every time - and has for (many) ([10]) years
- Provides maximum control: Kills weeds to the root so they don't (won't) ever come back
- Questions or comments? Call [Tel. No.]
- Quick-action formula lets you see results
- Ornamental gardens can be reseeded or planted 1 day after treatment
- RainFast in hours (10, 30,) - enters the plant on contact
- **RAINPROOF**
- RAINPROOF in (10, 30, minutes) (for control that won't wash away)
- Replant (lawn grasses; herbs, vegetables (all), and fruits) 3 days after application
- [Insert Brand Name] can be used to control weeds and grasses in [paver] patios, walkways, and driveways; along fences; in landscaping beds; or around flowers, shrubs and trees
- Results in 6 hours
- Results in (24) (12) (6) Hours!
- Satisfaction guaranteed or we will gladly refund purchase price
- Satisfaction guaranteed or your money back with proof of purchase
- (See) (visible) results in [*insert number between 1 and 24*] hours (overnight) (1 day) (days))
- Single application controls (kills) most weeds
- Spray the (weed) leaves to kill the root(!)
- Spray weeds until thoroughly wet
- Spray weeds (Use) in flowerbeds, around trees, shrubs and around fences, and on patios, paths,

sidewalks, sidewalk cracks, walkways; driveways, and other areas in your yard

- Starts to kill in *[insert number between 1 and 24]* hours
- Starts to work immediately
- Starts working immediately (in hours)
- This formula targets an enzyme found in plants, but not in people or pets
- This formula speeds to the root to kill even tough weeds
- (This product) (**Name of Product**) can be used (almost) anywhere weeds and grasses
- (Trusted Results for) Guaranteed Satisfaction.\* (Open booklet for details\*) *[qualify guarantee]*
- (Use) For Brush Control
- (Use) For General Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, and in brick and gravel walkways.
- Use for large jobs like garden plot preparation and lawn replacement (renovation)
- (Use) For Lawn Renovation
- Use to trim and edge landscape areas.
- (Use) For Spot Spraying: Use in and around flowerbeds, ornamental trees, shrubs, fences, driveways and walkways
- (Use) For Stumps
- (Use in) Apply with a Big Shot™ Multi-Purpose Sprayer or other tank sprayer; or a (hand held) trigger sprayer
- Use to prepare sites: for large plantings, for planting flowerbeds, fruit trees, ornamentals, vegetables and gardens, and for renovating lawns
- Visible effects are gradual wilting and yellowing advancing to complete browning and root destruction.
- Visible results in *[insert value between 1 to 24]* hours
- (Provides) Visible (See) results in *[insert value between 1 to 24 hours]* (days)
- Water based formula
- Weed Eliminator
- Weed Killer
- Where it Works
- What to Know
- Won't wash off (away)
- Works first time, every time
- Works in *[insert value between 1 to 24]* hours
- Works overnight
- Works only when absorbed by the foliage of weeds
- Zap arrow [illustration]

*[Promotional options]*

- Save up to \$[x] on (your) next purchase
- [X]% Free (More)
- Great Value
- Bonus size
- Free weed guide inside
- Free [ ] with this purchase of Roundup concentrate quart
- FREE REFILL
- FREE SAMPLE
- SAMPLE NOT FOR SALE
- (Pump 'N Go) Refill
- Refill Size

## **APPENDIX 2 - Packaging Related Claims**

NET xx fl. oz(s). (Qt. or Gal.) (xx ml or L)

6 fl. ozs. (177 ml)  
8 fl. ozs. (237ml)  
16 fl. ozs. (1 Pt.) (473 ml)  
32 fl. ozs. (1 Qt.) (946 ml)  
36.8 fl. ozs. (15% more than 1 quart size)  
40 fl. ozs. (1.18 L) (25% more than 1 quart size)  
53.7 fl. ozs. (0.42 Gal.) (1.5 L)  
64 fl. ozs. (1/2 Gal.) (1.89 L)  
128 fl. ozs. (1 Gal.) (3.79 L)

*[Net content]* Makes up to 'X' gallons  
Makes between 'X - Y' gallons ( $X = \text{net content}/3$ ) ( $Y = \text{net content}/6$ )  
Mix with water to make 'X' gallons of spray solution  
Treats (covers) up to 'X' sq. ft. (approximate size of XX tennis court)  
Mix with water to cover up to 'X' sq. ft.

*[Pint]* Makes up to 5 gallons  
Makes between 2½ (2.5) - (to) 5 gallons  
Mix with water to make 5 gallons of spray solution  
Covers up to 1,500 sq ft  
Mix with water to cover up to 1,500 sq. ft.  
Treats up to 1,500 sq. ft.

*[Quart]* Makes up to 10 gallons  
Makes between 5 – (to) 10 gallons  
Mix with water to make 10 gallons of spray solution  
Covers up to 3,000 sq. ft.  
Mix with water to cover up to 3,000 sq. ft.  
Treats up to 3,000 sq. ft.

[36.8 fl. ozs.] Makes up to 12 Gallons  
Makes between [            ] gallons  
Mix with water to make 12 gallons  
Mix with water to cover up to 3,600 sq. ft.  
Treats up to 3,000 sq. ft.

[40 fl. ozs.] Makes up to 13 Gallons  
Makes between [            ] gallons  
Mix with water to make 13 gallons  
Mix with water to cover up to 3,900 sq. ft.  
Treats up to 3,900 sq. ft.

[0.42 Gallon]	<p>Makes up to 18 gallons          Makes between 9 – (to) 18 gallons          Mix with water to make 18 gallons of spray solution. Covers up to 5,400 sq. ft.          Mix with water to cover up to 5,400 sq. ft.</p>
[Half Gallon]	<p>Makes up to 21 gallons          Makes between 10 – (to) 21 gallons          Mix with water to make 21 gallons of spray solution. Covers up to 6,300 sq. ft.          Mix with water to cover up to 6,300 sq. ft.</p>
[Gallon]	<p>Makes up to 42 gallons          Makes between 21 – (to) 42 gallons          Mix with water to make 42 gallons of spray solution. Covers up to 12,600 sq. ft.          Mix with water to cover up to 12,600 sq. ft.</p>

**BONUS SIZE [ ]% MORE!**

- Close tightly while pushing down to turn.
- Drain-Back (cup) cap
- Easy-Measure (cup) cap
- Includes Measuring Cup (Cap)
- Measuring cup (cap) included
- New! [This claim is valid for 6 months of product launch]
- Covers up to [ ] sq ft
- VALUE SIZE
- Pour Spout
- Press Tabs. Twist cap to open.
- With (the convenient) measuring cup (cap).
- VALUE TWIN PAK Measuring Cup (Cap) Included