TREAT & GROW

"SJL" SEED PROTECTANT

CAPTAN 30

CAUTION KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid inhalation of dust. Wear respirator. Avoid contact with skin. Wash with soap and water after handling.

Do not allow treated seed or grain to be used for food, feed, or oil purposes.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Container should be disposed of by crushing and burying with wastes. The Federal Food and Drug Administration has set official tolerances for certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates.

ACTIVE INGREDIENT:

Captan N-(trichloromethyl)
thio-4-cyclohexene-1,
2-dicarboximide 30%
INERT_INGRED!ENTS: 70%

100%

U.S. Patent No. 2,957,803 EPA Reg. No. 19752-1

NET CONTENTS: 5 U.S. Gallons

DIRECTIONS FOR USE

"TREAT & GROW" Captan 30 seed Protectant is especially formulated for treatment of seeds for the control of seed and soilborne diseases, including damping-off and seed decay organisms, and seedling blights.

"SJL" Seed Protectant mixes readily with any tap water.

This product is to be used in liquid or slurry treaters similar to Panomatic, Mist-O-Matic or Calkins. Protect this product from heat. Store in a cool, dry place.

L. H. HASLAM CO. makes no warranty, express or implied, including the warranties of merchantability and/or fitness for any particular purpose, concerning this material, except those which are contained on L. H. HASLAM CO.'s label.

Manufactured for:

L. H. HASLAM CO., Twin Falls, Idaho 83301

By: Crop King Co., Marsing, Idaho — Yakima, Wash.

SEED

Application rates per 100 lbs. of seed of diluted product.

255D	diluted	produc	t.
Dilute 1 gal. with 5 gals. water		Treat follov	t on
CORN — Field Sweet WHEAT* OATS* BARLEY* FLAX PEAS CUCUMBER, CANTALOPE, TOMATO SQUASH, PUMPKIN, WATERMELON, and MUSKM COTTON — Acid Delinted Reginned CABBAGE, CAULIFLOWER, BROCCOLI BRUSSELS SPROUTS, COLLARDS KALE, MUSTARD, TURNIP PEPPERS (Calif. Wonder) COWPEAS RICE RYE*	IELON	570 270 420 530 530 420 420 630 210 210 420 420 420 420 420 420	
*For Seed and Seedling Rots, not for Bunt Smut. Dilute 1 gal. with 3 gals. water		Trea follov	-
BEANS (except Lima Beans) SOYBEANS SORGHUM — Hulled (Kernel Smut) SUGAR BEETS — West SPINACH		240 420 570	CC CC

SUGAR BEETS — West	570 cc
Dilute 1 gal. with 2 gals. water	Treat or followin
CLOVER, ALFALFA, LESPEDEZA TREFOIL BEETS, SWISS CHARD, SUGAR BEETS — East	850 cc

