

ACCEPTED
 NOV 5 1974
 UNDER THE FEDERAL INSECTICIDE,
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTER-
 ED UNDER NO. 100-100000 SUBJECT
 TO ATTACHED COMMENTS.

TRACO ARSENIC ACID

(For Cotton Defoliation)

ACTIVE INGREDIENT
 Arsenic Acid 75
 INERT INGREDIENTS 2500
 Total weight of active ingredient
 expressed as metal 29.81
 Weight of metal per gallon of 10.5 lb. per



**DANGER
 POISON**



KEEP OUT OF REACH OF CHILDREN

Traco Arsenic Acid is a registered trademark containing Arsenic Acid and is effective as a cotton defoliant. Traco Arsenic Acid is recommended particularly for use on cotton which is to be stripped. Cotton which has been properly defoliated with Traco Arsenic Acid is suitable for mechanical picking and stripping as normally done with the assistance of picker leaves with little or no help with

DIRECTIONS FOR USE: Apply Traco Arsenic Acid at the rate of 1 1/2 quarts per acre using sufficient water to make 4-10 gallons of spray. For best results, thorough uniform coverage is necessary. Application should be made when air is calm and weather is clear and hot. Apply after the crop has matured, as earlier application may reduce yield. Do not apply within 4 days of harvest. Do not apply more than 1 1/2 quarts per acre to avoid excessive residue of Arsenic Acid on raw cotton seed.

**DANGER
 POISONOUS IF SWALLOWED, OR
 ABSORBED THROUGH SKIN**

Avoid contact with skin, eyes or clothing. Do not use spray mist, wear eye protectors. Wash thoroughly after use and before stepping on or going into kitchen, petting stock, and petting areas, hot treated areas. Avoid contamination of food and water by contamination of hands and articles of personal use. Do not use Traco Arsenic Acid on or near food plants, ornamentals, lawns, lawns. Since Traco Arsenic Acid is highly toxic to aquatic life, avoid contact with streams, ponds, lakes, and other water bodies. Special precautions should be taken to protect fish and other areas and to dispose of any residue in a safe manner.

**ANTIDOTE
 CALL A PHYSICIAN IMMEDIATELY!**

INTERNAL: Give a tablespoonful of salt in a glass of warm

CAUTION: Traco Arsenic Acid is a highly toxic material and reacts with fabric, galvanized metal, brass and certain other metals. Any contamination of metal used in application of Traco Arsenic Acid should be made of stainless steel as there is little or no reaction with this metal at field strength. Do not use Traco Arsenic Acid in metal containers or spraying equipment. Do not use Traco Arsenic Acid in gas cylinders or in any other type of container. Do not use Traco Arsenic Acid in any type of equipment including automobiles which have been in contact with or exposed to Traco Arsenic Acid. Traco Arsenic Acid should be thoroughly washed from the skin after use. Traco Arsenic Acid should not be used in any type of metal container. Do not use Traco Arsenic Acid at excessive pressure or velocity to avoid excessive residue. Do not tamper with Traco Arsenic Acid containers. Do not use Traco Arsenic Acid

DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY PERFORATING OR CRUSHING. BURY OR DISCARD IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

To avoid contamination of water supplies, streams, ponds, lakes, and other water bodies, do not use Traco Arsenic Acid in any type of container. Do not use Traco Arsenic Acid in any type of equipment including automobiles which have been in contact with or exposed to Traco Arsenic Acid. Traco Arsenic Acid should be thoroughly washed from the skin after use. Traco Arsenic Acid should not be used in any type of metal container. Do not use Traco Arsenic Acid at excessive pressure or velocity to avoid excessive residue. Do not tamper with Traco Arsenic Acid containers. Do not use Traco Arsenic Acid

NOTICE

Traco Arsenic Acid is a highly toxic material and reacts with fabric, galvanized metal, brass and certain other metals. Any contamination of metal used in application of Traco Arsenic Acid should be made of stainless steel as there is little or no reaction with this metal at field strength. Do not use Traco Arsenic Acid in metal containers or spraying equipment. Do not use Traco Arsenic Acid in gas cylinders or in any other type of container. Do not use Traco Arsenic Acid in any type of equipment including automobiles which have been in contact with or exposed to Traco Arsenic Acid. Traco Arsenic Acid should be thoroughly washed from the skin after use. Traco Arsenic Acid should not be used in any type of metal container. Do not use Traco Arsenic Acid at excessive pressure or velocity to avoid excessive residue. Do not tamper with Traco Arsenic Acid containers. Do not use Traco Arsenic Acid

Traco Arsenic Acid is a liquid concentrate containing Arsenic Acid and is effective as a cotton desiccant. Traco Arsenic Acid is recommended particularly for use on cotton which is to be stripped. Cotton which has been properly desiccated with Traco Arsenic Acid is suitable for machine picking or stripping as normally there will be an absence of green leaves with little or no regrowth.

DIRECTIONS FOR USE: Apply Traco Arsenic Acid at the rate of 1 1/2 quarts per acre with sufficient water to make 4-10 gallons of spray for best results. Thorough coverage is necessary. Application should be made when air is calm and weather is clear and hot. Apply after the crop has matured, as earlier application may reduce yield. Do not apply within 4 days of harvest. Do not apply more than 1 1/2 quarts per acre to avoid excessive residue of Arsenic Acid on raw cottonseed.

**DANGER
POISONOUS IF SWALLOWED, OR
ABSORBED THROUGH SKIN**

Avoid contact with skin, eyes or clothing. Do not breathe spray mist; wear respirator. Wash thoroughly after using and before eating or smoking. Keep children, pets, livestock, and poultry away from treated areas. Avoid contamination of food and water to be consumed by humans and animals. Do not graze areas treated with Traco Arsenic Acid or use treated plants or grass trails for feed or forage. Since Traco Arsenic Acid is injurious to all plant foliage, avoid contact with or drift to desirable plants or crops. Special precautions should be taken to avoid air drift to areas and buildings occupied by humans, animals or poultry.

**ANTIDOTE
CALL A PHYSICIAN IMMEDIATELY!**

INTERNAL: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Then take tablespoonfuls of Epsom salt or 2 1/2 oz. of Magnesia in water and plenty of milk and water. If symptoms persist, call a physician.

EXTERNAL: In case of contact with skin, wash immediately with soap and water.

reacts with fabric, galvanized metals, black iron and certain other metals. Any metallic equipment or nozzles used in application of Traco Arsenic Acid should be made of stainless steel as there is little or no reaction with this metal at field strength dilution. Do not use galvanized metal containers or spraying equipment. A highly toxic arsine gas may be formed. The residue of arsenic on all metals and deterioration of fabric and other material equipment in contact with the product should be avoided. Wash or exposed to Traco Arsenic Acid. Do not use equipment that is not thoroughly washed with water before use. Traco Arsenic Acid should not be used on galvanized or painted metal containers because of the possibility of excessive pressure developing from hydrogen liberation. Do not tank mix Traco Arsenic Acid with other pesticides or desiccants.

DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY PERFORATING OR CRUSHING. BURY OR DISCARD IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply when birds are likely to occur. Do not apply when weather is such as to favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of containers. Destroy this product only as specified on this label.

NOTICE

Taylor Chemical & Supply Company warrants that this material conforms to the information on the label and is reasonable in the amount of use specified on the Direction for Use, subject to the limitations and conditions. Taylor Chemical & Supply Company does not warrant or implied warranty, or any other warranty, or any implied warranty of FITNESS FOR PARTICULAR PURPOSES. Taylor Chemical & Supply Company does not warrant, except in writing with a separate statement, any warranty. Any damage arising from use of this material shall be the responsibility of the user. Taylor Chemical & Supply Company is not responsible for any damage arising from use of this material.

Taylor Chemical & Supply Company, Inc., 1000 N. U.S.A.

Manufactured by
Traylor Chemical & Supply Company, Inc.
Orlando, Florida Royal Center, Indiana Fresno, California
NET WEIGHT 450 lbs EPA Reg. No. 20004-3

Acid and is effective as a cotton desiccant. Traco Arsenic Acid is recommended particularly for use on cotton which is to be stripped. Cotton which has been properly desiccated with Traco Arsenic Acid is suitable for machine picking or stripping as normally there will be an absence of green leaves with little or no regrowth.

DIRECTIONS FOR USE: Apply Traco Arsenic Acid at the rate of 1½ quarts per acre using sufficient water to make 4-10 gallons of spray. For best results, thorough uniform coverage is necessary. Application should be made when air is calm and weather is clear and hot. Apply after the crop has matured, as earlier application may reduce yield. Do not apply within 4 days of harvest. Do not apply more than 1½ quarts per acre to avoid excessive residue of Arsenic Acid on raw cottonseed.

**DANGER
POISONOUS IF SWALLOWED, OR
ABSORBED THROUGH SKIN**

Avoid contact with skin, eyes or clothing. Do not breathe spray mist; wear respirator. Wash thoroughly after using and before eating or smoking. Keep children, pets, livestock, and poultry away from treated areas. Avoid contamination of food and water to be consumed by humans and animals. Do not graze areas treated with Traco Arsenic Acid or use treated plants or gin trash for feed or forage. Since Traco Arsenic Acid is injurious to all plant foliage, avoid contact with or drift to desirable plants or crops. Special precautions should be taken to avoid air drift to areas and buildings occupied by humans, animals or poultry.

**ANTIDOTE
CALL A PHYSICIAN IMMEDIATELY!**

INTERNAL: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Then two tablespoonfuls of Epsom Salt or Milk of Magnesia in water and plenty of milk and water. Have patient lie down and keep quiet.

EXTERNAL: In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

application of Traco Arsenic Acid should be made of stainless steel as there is little or no reaction with this metal at field strength dilution. Do not use galvanized metal containers or spraying equipment as highly toxic arsine gas may be formed. To reduce possible corrosion to metals and deterioration of fabric and other parts, all equipment including airplanes which have been in contact with or exposed to Traco Arsenic Acid, or its solution should be thoroughly washed with water immediately after use. Traco Arsenic Acid should not be stored in tightly sealed, unlined metal containers because of the possibility of excessive pressure developing from hydrogen liberation. Do not tank mix Traco Arsenic Acid with other defoliant or desiccants.

DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY PERFORATING OR CRUSHING. BURY OR DISCARD IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes, and apply this product only as specified on this label.

NOTICE

Traylor Chemical & Supply Co. warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Direction for Use, subject to the risks referred to therein. Traylor Chemical & Supply Co. makes no other express or implied warranty including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Traylor Chemical & Supply Co. is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential damages such as loss of profits or values.

MADE IN U.S.A.

PRINTED IN U.S.A.

Distributed By

EPA Reg. No. 20004-3

Traylor Chemical & Supply Company, Inc.

Orlando, Florida

Royal Center, Indiana

Fresno, California

NET WEIGHT: 450 lbs.