

STOP IT WILD ANIMAL REPELLENT

Money Back GUARANTEED
TO REPEL
DEER, RABBITS, SQUIRRELS

Used to Discourage Browsing,
Damaging and Feeding in Your
Backyard, Flowerbeds,
Trees and Shrubs



Active Ingredients:	
Indole-3-Butyric Acid.....	1.878
Thiram (Tetramethylthiuramdisulfide).....	3.07
Methyl Nonyl Ketone (2-Undecanone).....	1.188
Compounds Related to Methyl Nonyl ketone.....	0.064
Castor Oil (USP).....	2.75
Inert Ingredients.....	91.05
Total 100.00	

ACCEPTED
with COMMENTS
to EPA Letter Dated

NOV 28 1995

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this pesticide
registered under EPA Reg. No.
20215-7

MONEY BACK GUARANTEE TO ABSOLUTELY PERFORM!

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

*Causes substantial but temporary eye injury. Do not get in eyes, on skin or on clothing. Wear safety glasses. (*see below). Harmful if absorbed through skin. Wash any exposed body parts and clothing after use.

STATEMENT OF PRACTICAL TREATMENT

*If in eyes hold eyelids open and flush with a steady gentle stream of water for fifteen minutes. IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, large quantities of water. IF ON SKIN: Wash with plenty of soap and water. Get medical attention if any of the above conditions persists.

ENVIRONMENTAL HAZARDS Do not apply directly to water.

Storage and Disposal


Do not contaminate food, feed, or water by storage or disposal. **STORAGE:** Store only in original container in a dry place of a garage or outbuilding inaccessible to children and pets. Reclose partially emptied container and seal it in a plastic bag with a twist tie. **DISPOSAL:** Do not use empty container. Securely wrap in newspaper and discard in trash.

NET WT 2 LBS. (0.907 Kg.)

Will Treat 110 to 220 sq. ft.

By Alcor-Freeman Research Ltd.

Manufactured for



EPA REG. NO. EPA EST. NO.44641-CA-01

FOR OUTDOOR USE ONLY
EASY TO APPLY FROM CONTAINER

*** MONEY BACK GUARANTEE TO ABSOLUTELY PERFORM !**

*When used as instructed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions for control of the species listed below. Do not apply directly on plants, flowers or foliage (lawns excepted). Keep about one foot away from plants & painted surfaces. Do not apply to dichondra or unusual ground cover. Do not apply on or near fruit or nut-bearing trees, and in or around poultry houses. For Outdoor Use Only.

Money Back GUARANTEED
TO REPEL
RABBITS AND GRAY SQUIRRELS



Rabbits:(*Sytilagus* spp.): Apply at the rate of 1 lb. per 55 sq. feet around plants where browsing, burrowing and eating up your garden occurs or where rabbit droppings are noticed.



Gray Squirrels: Apply at the rate of 1 lb. per 55 sq. feet around the base of trees, poles, fence posts, nests, vegetable gardens, lawns and any area where squirrels are a nuisance. Spread evenly, not in piles. Repeat at least once per week until squirrels are no longer a nuisance. Repeat treatment if problem reoccurs.

**FOR OUTDOOR USE ONLY
EASY TO APPLY FROM CONTAINER**

Wild Animal Repellent is used to prevent browsing damage to ornamental trees and shrubs, ground cover and flowers by White and Black-tailed Deer and Rabbits and Squirrels.


Spread evenly around vegetable gardens (not within the gardens) and around and in between flowers and other ornamentals. Re-treat once a week until no more damage occurs.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions

For control of the species listed below. Do not apply directly on plants, flowers or foliage (lawns excepted). Keep about one foot away from plants and painted surfaces. Do not apply to dichondra or unusual ground cover. Do not apply on or near fruit or nut-bearing trees, and in or around poultry houses. for Outdoor Use Only.



**GUARANTEED TO REPEL
White & Black-tailed Deer**

Treat ground cover by spreading evenly not in piles, at the rate of 1 lb. per 55 sq. feet. Scatter around ornamental trees where browsing of lower branches or damage to bark is noticed. Cardboard and plastic cartons containing approximately 4 tablespoons of Wild Animal Repellent, with holes punched in all sides & top, may be hung from branches of trees or fastened to tree trunks and fences. Bags made from women's hosiery, by tying each end of a four end strip filled with Wild Animal Repellent is another method.

20215-7

NOV 28 1995

TERM OF ISSUANCE

NOTICE OF PESTICIDE:

☒ REGISTRATION
☐ REREISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Stop It! Wild Animal Repellent

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Freeman-Alcor Research Ltd.
25 Kevin Lee Lane
Rancho Mirage, CA 92270

5494003 $\frac{176}{38}$
5495011 $\frac{176}{38}$
5495634 $\frac{176}{18}$

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)(7)(A) provided that you:

A. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

B. Submit the following additional information concerning your registration forms:

1. Confidential Statement of Formula (CSF)

The latest CSF for this product (Stop It! Wild Animal Repellent), dated September 28, 1995, is now identical to the last accepted CSF for Stop It! Dog and Cat Repellent, EPA Reg. No. 20215-6. As indicated in our July 13, 1995, letter for Stop It! Dog and Cat Repellent, you need to modify the upper and lower certified limits of Thiram and Methyl Nonyl Ketone to reflect the purity of the source materials. Submit a revised CSF with this change.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

NOV 28 1995

A copy of your 9/28/95 CSF has been placed in our file for this product. All previous versions are obsolete.

C. Make the labeling changes listed below before you release the product for shipment:

1. Add "EPA Reg. No. 20215-7" to your label.
2. Add the following sentence, as a second paragraph in your Precautionary Statements under "WARNING":

Consumption of alcoholic beverages increases the toxic effects of thiram.

3. On the front panel of the proposed label, change

Used to Prevent Browsing,
Damaging and Feeding in Your
Backyard Vegetable Garden,
Flowerbeds, Trees and Shrubs

to

Used to Discourage Browsing,
Damaging and Feeding in Your
Backyard, Flower Beds,
Trees and Shrubs

These changes are needed because the current text is too promising and because uses are not covered by food tolerances. As indicated in the revised "USE RESTRICTIONS", the product may be "around edges of vegetable gardens only".

4. At the bottom of the front label panel, change

CONTENTS WILL TREAT BETWEEN 165 TO 330 SQ. FT.

to

"CONTENTS WILL TREAT 110 SQ. FT."

This product's proposed label (2 lb size) prescribes only one rate for all area treatments: 1lb/55 sq. ft. Therefore a 2 lb size would treat 110 sq. ft.

5. Under your net contents, change "Will Treat 110 to 220 sq. ft." to "Will Treat 110 sq. ft."

6. Restructure your use directions as follows:

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

Wild Animal Repellent may be used to discourage browsing damage to ornamental trees and shrubs, ground cover, and flowers by white-tailed deer (Odocoileus virginianus), mule (and black-tailed) deer (O. hemionus), rabbits (Sylvilagus spp.), and tree squirrels (Sciurus spp). THIS PRODUCT MAY BE USED AROUND EDGES OF VEGETABLE GARDENS ONLY. DO NOT APPLY THIS PRODUCT DIRECTLY TO FOOD CROPS. Do not use this product indoors.

Do not apply this product directly on plants, flowers or foliage (lawns excepted). Do not apply to dichondra or unusual ground cover. Do not apply on or near bearing fruit or nut trees, in gardens.

APPLICATION DIRECTIONS

Deer

Area and Band Treatments: Apply product evenly at the rate of 1 lb. of product per 55 square feet of treated area within 1 foot of ornamental trees and shrubs; on lawns; around and between flowers; and around the periphery of (but not within) vegetable gardens. Reapply product if damage resumes.

Bag and Carton Treatments: Use plastic cartons with small ventilation holes punched in all sides or nylon bags made from women's hosiery. Use -inch [indicate optimal size of square] squares of hosiery or cut-off "foot" sections. Do not use hosiery with "runs" in it.

Place about 4 tablespoons of Stop It® Wild Animal Repellent in each carton or bag. Close cartons. Tie-off open ends of "foot" bags or corners of bags made from square pieces of hosiery. Using twine or insulated wire, hang bags or cartons from branches of trees or fastened these items to tree trunks or to fences located near plants that are to be protected. Replace used product with fresh material if damage resumes.

Rabbits

Apply product evenly at the rate of 1 lb. of product per 55 square feet within 1 foot of ornamental trees and shrubs; on lawns; around and between flowers; and around the periphery of (but not within) gardens. Repeat treatment if damage resumes.

Tree Squirrels

Apply product evenly at the rate of 1 lb. of product per 55 square feet on lawns, around the periphery of (but not within) gardens, or around the bases of trees, poles, or fence posts used by squirrels. Spread product evenly throughout treated areas or peripheral treated bands. Repeat treatment if damage or other undesired squirrel activity resumes."

Note that we are suggesting an additional way to make bags from women's hosiery (i.e., using the "foot" portions). One knot should be sufficient for bags made from stocking "feet". Note also that you must supply the dimensions for hosiery squares to be used for making bags by tying up the four corners after the requisite amount of Stop It® has been placed in the center of the square. We suggest that you make up a few bags and determine the optimal dimensions for such squares.

The rate information (1 lb./55 ft²) provided is not particularly useful for band treatments. It probably would be helpful to users if labels also indicated how wide peripheral treatment bands should be and how long a band of the optimal width 1 lb. of product (or one 3-lb. container) should make when applied at the optimal particle density.

Submit one copy of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

- C. The Agency has concluded that the testimonial, which it does not recognize as data, does not support your efficacy claims. Therefore, you will need to ensure that you have in your files efficacy data consistent with the EPA Guidelines (Guidelines 96-19) to support the uses on your label: deer, rabbits, and tree squirrels. Since the Agency considers all of the pests to be non-public health uses, you do not need to submit these data to the Agency for review at the present time. However, we could call-in these data in the future if we received complaints or data showing ineffectiveness. In


addition, if you failed to have such data on file to support your product claims, your product could be subject to enforcement action.

If you need additional guidance on testing, please contact us.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,


Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

Enclosures: 1. Stamped label
2. A-79 Enclosure

Peacock WP#0:A:20215-7.NOT:305-5407,-6600:11/28/95