

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES' PROGRAMS REGISTRATION DIVISION (BII-567) WASHINGTON, D.C. 20460		EPA REGISTRATION NO.	DATE OF ISSUANCE
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended.)</i>		TERM OF ISSUANCE	JCT 1983
NAME OF PESTICIDE PRODUCT			
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)			
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>			
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		SIGNATURE OF APPROVING OFFICIAL	
		DATE	

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CIGO MICROBIOCIDE 350 is used in industrial and/or commercial recirculating cooling tower systems and industrial air-washing systems to control microbiological slime. Prior to the use of CIGO MICROBIOCIDE 350 in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 2.0 to 3.0 fl. oz. of CIGO MICROBIOCIDE 350 per 1000 gal. of water to provide 20 to 30 ppm of CIGO MICROBIOCIDE 350, based on total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug addition of 1.0 to 3.0 fl. oz. of CIGO MICROBIOCIDE 350 per 1000 gal. of water (10 to 30 ppm CIGO MICROBIOCIDE 350) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling tower systems.

CIGO MICROBIOCIDE 350 is used in industrial air-washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 4.7 to 6.0 fl. oz. of CIGO MICROBIOCIDE 350 per 1000 gal. of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 3.5 to 6.0 fl. oz. of CIGO MICROBIOCIDE 350 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or the water collection trays of the airwash system.

OCT 07 1983

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
PESTICIDE DISPOSAL: Products, spray residue, or materials that cannot be used or chemically rendered

CONTAINER DISPOSAL: Vehicles spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a drum designated for pesticides, reburied in a safe place away from water supplies.

STAFFORD DISPOSAL

METAL Triple-walled steel drums used for recycling, second-hand, or disposal at an approved landfill or bury in a safe place. Containers over 10 gallons should be resistant before storing for reconditioning.

PLASTIC CONTAINERS OVER 30 gallons must not be reused but should be triple washed and prepared for an incinerator or the landfill. Used pesticide containers (bottles) are a safe place. Containers over 30 gallons are to be removed and offered for reconditioning or triple washed by a licensed and certified firm specializing in reconditioning or disposal at an approved facility or turned in a safe place.

CHART 1. Current Federal Title I or Local Disposal Activities for Apparent Alternative Procedures

CIGO MICROBIOCIDE 350

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate 50.0 %

INERT INGREDIENTS 50.0 %

This product contains 5.2 lb. of active ingredient per gallon and weighs 10.4 lb. per gallon.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING: Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonful (10 ml) of ipecac syrup or 1 teaspoonful (5 ml) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other nonirritating drink. Never induce vomiting or give anything by mouth to an unconscious person. Refer to physician. Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS This pesticide is toxic to fish. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

Manufactured by:

Engineered Chemicals of Fla., Inc.

P.O. Box 11605

Tampa, FL 33680

EPA Reg. No.

EPA Est. No.

Net Contents