

PM 03

20552-2

9/14/99

6555 / 65687215
22/9 Page 1 of 7



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
20552-2

Date of Issuance:
SEP 14 1999

NOTICE OF PESTICIDE:
____ Registration
 X Reregistration

Term of Issuance:
Unconditional

Name of Pesticide Product
Evergreen Fly Block
(with Rabon oral
Larvicide)

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Evergreen Mills, Inc.
P.O. Box 548
Ada, OK 74820

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Document(s), EPA has reregistered the product listed above. Enclosed is a copy of your label stamped Accepted. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Signature of Approving Official:

George LaRocca
Insecticide Branch
Registration Division (7505C)

Date:

You must make the following labeling changes:

1. For clarity and consistency with other labels, your company name and address must be placed on the front panel of the label. A company telephone number or toll-free hotline number is encouraged.
2. As per the product chemistry review, the active ingredient chemical name should include a "(Z)-" in front of 2-chloro-1-(2,4,5-trichlorophenyl)vinyl dimethyl phosphate. In addition, the heading "ACTIVE INGREDIENT" must be the same type size and aligned with "Inert Ingredients."

For example:

"Active Ingredient: Tetrachlorvinphos [(Z)-2-chloro...]. . . . 0.30%
 Inert Ingredients. 99.70%

3. As per 40 CFR parts 156.10, the KOROC statement must appear on the front panel.

4. The signal word must appear on the front panel immediately below the child hazard warning statement.

5. The "Statement of Practical treatment" heading must be added. As per the Acute Toxicity report the statements must be revised from "IF in eyes, wash...see a physician" to read as follows:

"IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering syrup of ipecac. If person is unconscious, do not give anything my mouth and do not induce vomiting."

"IF ON SKIN: Wash with plenty of soap and water. get medical attention."

"IF IN EYES: Flush with plenty of water. Call a physician if irritation persists."

6. For Hazards to Human and Domestic Animals: Remove: "Harmful if swallowed...before eating or smoking." "This Product may cause....certain individuals."

As per the Acute Toxicity Report, the Precautionary Statements text must be modified to read as follows:

"Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic

reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet."

- 7. PPE Statement should add "long" before pants.

For clarity and consistency with other labels, the PPE must be placed separately and below the Hazard to Humans text as follows:

"Applicators and other handlers must wear:
-long sleeved shirt and long pants,
-chemical resistant gloves, and
-shoes plus socks."

- 8. As per the RED, add User Safety Requirements section stating: "Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry."

For clarity and consistency with other labels, you must place the User Safety Requirements section below the PPE section.

- 9. A User Safety Recommendations box must be added. As per the RED, add:

- "Users should remove clothing immediately if pesticide gets inside. then put on clean clothing."

- "Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing."

For clarity and consistency with other labels, you must place the User Safety Recommendations box below the User Safety Requirements section.

- 10. Under the Header "Directions for Use", The heading "Feeding Directions must be changed to "Directions for Use." The preferable location is following the Precautionary Statements section of the label.

- 11. As per 40 CFR parts 156.10, the following statement must be added: "It is a violation of Federal law to use this product in a manner inconsistent with its labeling."

- 12. For purposes of clarity and consistency with other pesticide product labels, you must add a subsection to the Directions for Use directly below the Storage and Disposal section entitled "General Information" and that the following information be placed therein:

"For beef cattle on pasture."
"Control of fecal flies in manure of treated cattle."
"Prevents development.....of treated cattle."

Section from:

"Allow free choice to cattle."
"Evergreen Fly Block with Rabon may...sanitation practices."

- 13. For purposes of clarity and consistency with other labels, you must add the Subheading "General Precautions and restrictions" and it must be placed directly under General Information section and include the following:
As per the RED:

"Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application."

The following sections must also be listed under "General Precautions and Restrictions":

"Animals should not be starved....salt in any form."
"Put out no more than two weeks supply at a time."

- 14. For purposes of clarity and consistency with other labels, the Sub-Header, "Application Instructions" must be added to the label, be placed following the "General Precautions and Restrictions" and include the following:

"Cattle should consume.....pound of body weight."
"Allow one block.....loafing areas."
"If consumption.....into the fall."

Enclosed is a copy of your label stamped "Accepted with Comments". Please submit two (2) copies of your final printed labeling before releasing your product for shipment. Please refer to the A-79 enclosure for further description of final printed labeling. Should you have any questions, you may contact Leonard Cole directly at 703.305.5412.

Sincerely,


George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Enclosure

Evergreen Fly Block (WITH RABON[®] ORAL LARVICIDE)

For beef cattle on Pasture.

Control of fecal flies in manure of treated cattle. Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle.

ACTIVE INGREDIENT

Tetrachlorvinphos: 2-chloro-1-(2, 4, 5-trichlorophenyl) vinyl dimethyl phosphate**	0.30%
Inert Ingredients*	99.70%

*Refers only to ingredients which are not larvicidal

**RABON Insecticide _ Contains 1362 mg of RABON per pound

EPA REG. NO. 20552-2

EPA EST. NO. 20552-OK-001

GUARANTEED ANALYSIS

Crude Protein, min	12.0%
Crude Fat, min	1.5%
Crude Fiber, min	8.0%
Calcium, min	4.0%
Calcium, min	5.0%
Phosphorus, min	1.25%
Salt, min	18.0 %
Salt, max	21%%
Potassium, min	0.7%
Vitamin A, min	35,000 IU/lb.
Vitamin D, min.	7,500 IU/lb.

3

INGREDIENTS

Grain Products, Plant Protein Products, Salt, Calcium Carbonate, Molasses Products, Monocalcium Phosphate, Dicalcium Phosphate, Magnesium Mica, Calcium Oxide, Potassium Chloride, Zinc Oxide, Manganous Oxide, Ferrous Sulfate, Ferrous Carbonate, Copper Chloride, Copper Sulfate, Sodium Selenite, Zinc Sulfate, Ethylenediamine Dihydriodide, Cobalt Carbonate, Vitamin A Supplement, D-Activated Animal Sterol (Source of Vitamin D3), Vitamin E Supplement.

ACCEPTED
with COMMENT
in EPA Letter D...

SEP 14 1999

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

20552-2

FEEDING DIRECTIONS

Allow free choice to cattle. Cattle should consume an average of 0.8 ounces of the Fly Block per 100 pounds of body weight per day, which is equivalent to 8 ounces for a 1000 lb. animal daily. This will supply the recommended average daily intake of 70 mgs Rabon Oral Larvicide per one hundred pound of body weight. Animals should not be starved for minerals before initiation of the Evergreen Fly Block with Rabon program but OMIT all salt from other feed after the program is started. Do not feed other free choice sources of salt or mineral containing salt in any form. Allow one block for each 10 head of cattle and place near watering and loafing areas. Put out no more than two weeks supply at a time.

If consumption of Evergreen Fly Block with Rabon is above 0.8 ounce per 100 lbs. of body weight per day, reduce the number of feed locations or relocate. If consumption is below 0.8 ounce per 100 lbs. of body weight per day, increase the number of feeding location. Start feeding Evergreen Fly Block with Rabon early in the spring before flies begin to appear, and continue feeding throughout the summer and into the fall.

Evergreen Fly Block with Rabon may be fed up to slaughter and to lactating dairy cows.

Evergreen Fly Block with Rabon prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control Evergreen Fly Block with Rabon should be used in conjunction with other good management and sanitation practices.

KEEP OUT OF REACH OF CHILDREN CAUTION


PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician. Wear long-sleeved shirt and pants; chemical resistant gloves; shoes and socks for protection when handling.

This Product may cause skin sensitization reactions in certain individuals.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water when disposing of equipment wash water.



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal of the product. Store the product in a dry, cool, and well-ventilated area. Separate the product during storage to prevent cross-contamination with other pesticides and fertilizers. If it is possible, the storage area should be locked and keyed.

Disposal: Completely empty container into application (mixer/feeder) equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

33.3 lbs Net
(15.1 kg)

Manufactured by:

Evergreen Mills, Inc. P.O. Box 548 - Ada, Oklahoma 74821-0548