

The presence of algae in outdoor swimming pools is objectionable because of the color, cloudiness, odor and increased chlorine demand of the water.

The use of State Algicide will help to maintain the water in a clean condition.

By controlling algae growth with State Algicide, the chlorine demand of the pool may be significantly reduced.

State Algicide is compatible with the usual water treatment chemicals.

Rinse empty container thoroughly with water and discard it.

#### NOTE TO PHYSICIAN

Pronable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

## SWIMMING POOL ALGICIDE OUTSTANDING ALGAE GROWTH DEPRESSANT

#### ACTIVE INGREDIENT:

n Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>)  
(dimethyl benzyl ammonium chloride) 10%

#### INERT INGREDIENTS 90%

EPA Registration No. 20622-1

Manufactured By  
STATE CHEMICAL CORPORATION  
Philadelphia, Pa. 19120

Net Content: ONE GALLON

ACCEPTED

April 18 1973  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. 20622-1  
Comment

#### DIRECTIONS

1. In freshly filled pools or pools showing no visible algae growth add one gallon State Algicide per 50,000 gallons of water to prevent algae growth.
2. If algae growth is observed, add one gallon State Algicide per each 20,000 gallons of water to kill and control those algae species most commonly found in swimming pools. When existing growth is dead, clean the pool, drain and refill if necessary, and add one gallon State Algicide per 50,000 gallons of water.
3. If the pool water treated as in (1) or (2) is recycled, add one gallon of State Algicide per 50,000 gallons of water every five to seven days to maintain between two and five parts per million active ingredient.
4. If the pool water treated as in (1) or (2) above is not recycled or not filtered it should be tested periodically to determine the active ingredient content. When necessary, one gallon State Algicide per 50,000 gallons of water should be added to maintain two to five parts per million of active ingredient.

#### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Flush eyes with physician's formula and call a contaminated contact before use.

If swallowed, drink plenty of water. Do not induce vomiting. If you are unable to vomit, take a laxative. If you are unable to vomit, take a laxative immediately.

#### DANGER KEEP OUT OF REACH OF CHILDREN

Corrosive, causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

This product is toxic to fish. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on the label.

ACCEPTED WITH COMMENTS