

SHAIL-SLUG & INSECT SPRAY

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS

SNAIL-SLUG & INSECT SPRAY mixes readily with water and may be used in all types of sprayers For control of listed insects use enough spray to thoroughly wet the affected plants or turf areas Do not use on fruit or vegetable crops Repeat as needed to control.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

and use not in accordance with directions.

WARNING: KEEP OUT OF REACH OF CHILDREN MAY
BE FATAL IF SWALLOWED, INNALED OR ABSORBED
THROUGH THE SKIM. Keep pesticide in original container. Do not put concentrate or dilute into food or
trink containers. Do not breathe spray mist. Do not
take internally Do not get into eyes, on skin, or on
clothing. Wash thoroughly with soap and water after
using. Keep children and domestic animals off treated
areas until surfaces have dried Nate for physicians.
Active ingredient has cholinergic effects Atropine is
antidotal, When container is empty, wash thoroughly
and destroy. Never reuse.

WARNING: DO NOT USE. POUR SPILL OR STORE NEAR


WARNING: DO NOT USE, POUR SPILL OR STORE NEAR HEAT OR OPEN FLAME.

HORTICULTURAL CAUTION: Do not use on Maidenhair Fern, Cape Chestnut of Geraldton Wax Flower Exces sive application may cause slight leaf injury to new growth on Roses.

growth on Roses.

This product is toxic to fish birds, and other wildlife Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues on crops or lawns Protective information may be obtained from your cooperative Agricultural Extension Service

Occidental Chemical Company



EPA Reg. No. 7001-96-44

Product Code 43 64



2 24 25

7001-96-14-14-18

SNAIL-SLUG & INSECT SPRAY

DIRECTIONS

SNAIL & SEUG CONTROL DILUTE: TABLESPOON 1 2 FL CZ PER GALLON OF WATER Thoroughly wet all plants soil surfaces, building foundations or other places harboring snails or stugs. Feeding stops soon after treatment but comprete kill may be delayed 2 or 3 days.

TURF PESTS Sod Aebworm Lawn Moth Cutworms, Armyworms, Minipedes, Sowbugs (Pillbugs, on Bluegrass Bermudagrass Dichondra and other ground covers Dilute I tablespoon per gallon of water and apply to 130-180 sq. ft. Water Jawn well before application for best results do not water again for 3 days after treatment.

ORNAMENTAL PLANTS

E gare	***** ********************************	Per us in
Comments of the second of the	Cope's fent afe a a European one around the end fine winds fen and the command of a common the end of a region of the pant busine earluppe's er	2 Tsp
THE STATE OF THE S	Auth dis inciding the subject of the	3 Tsp
AND LAND	ocumenta in susan mush untu na armanas na maran susanas n tuas una armanas	3 Tsp

Thirt is and 3 leasts into our sign on are equivalent to the sign of the first per sign as one espective a