GROWING SEASON [illegible] scale insects, red spider mites, mealybugs and whitefly [illegible] citrus (oranges, grapefruit, lemons, fruit trees (apricots, apples, cherries, nectarines, peaches, pears, plums, prunes), shade trees, evergreens, camellias, azaleas, hardy shrubs. Use 1 part BEST Oil Spray in 6 gallons of water (2 to 2 tablespoons per gallon). This application is also effective in the removal of sooty mold fungus through the control of whitefly, aphids. Do not apply to camellias and azaleas during bloom.

AS A SPREADER STICKER [illegible] weak whitefly, mealybug, aphid spray treatment, use 4 tablespoons [illegible] Oil Spray in 6 gallons of water (2 teaspoonfuls per 1 gallon) along with insecticides, fungicides, [illegible] of regular strengths. Non-[illegible]

GREENHOUSES [illegible] scale insects, red spider mites, whitefly and mealybugs [illegible] shrubs, gardenias, camellias and azaleas use 1/4 pint (4 oz.) per 6 gallons water (4 teaspoonfuls per 1 gallon). Allow at least 60 days between all sprays and limit to 1 application per year.

FOR DORMANT USE [illegible] scale insects, red spider mites, aphids, mealybugs on dormant shrubs, evergreens, note all woody plants, fruit trees (apricots, apples, cherries, nectarines, peaches, pears, plums, prunes), and shade trees use 1 part BEST Oil Spray in 6 gallons water (4 tablespoons per 1 gallon).

COMBINATION WINTER SPRAY Fruit trees, apricots, apples, cherries, nectarines, peaches, pears, plums, prunes, roses and ornamentals [illegible] For control of San Jose scale, rose scale, [illegible] scale, brown apple scale, black scale, insect eggs use 1 part BEST Oil Spray plus 1 pint of BEST or BRREC Lime Sulfur Spray in 6 gallons of water (2 to 2 tablespoons BEST Oil Spray plus 1 to 2 tablespoons of BEST or BRREC Lime Sulfur Spray per gallon water). Note [illegible] BEST or BRREC Lime Sulfur Spray label before use.

NOTICE [illegible] specified and [illegible] product. [illegible] storage and [illegible] refund of purchase price.

[illegible]

BEST.

Oil Spray

DORMANT AND GROWING SPRAY

Controls, Scale Insects, Mealybugs, Whiteflies, and Red Spider Mites.

ACTIVE INGREDIENT.	
*Petroleum Oil	98.0%
INERT INGREDIENTS	2.0%
TOTAL	100.0%
*Petroleum Oil minimum unsaturated residue	9.1%
Petroleum Oil classification: Unclassified	

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Side Panel For Additional Precautionary Statements

Net Contents: 1 Pint (473 ml)

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not induce vomiting. Call a physician immediately. Wash hands after use.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not contaminate water by the cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

KEEP CONTAINER TIGHTLY SEALED DURING STORAGE. Keep pesticide in original container. Do not put concentrate into or dilute by using food or drink containers. Do not reuse empty container. Wrap container and put in trash collection. Shake well before using. Use a forceful spray, wetting pests and all parts of plants thoroughly. Do not store diluted spray. Make new dilution for each use. When fungicides or pesticides are wettable powders, they must be added to the water before adding the oil.

Do not combine with sulfur sprays for use on foliage. Do not use within 30 days before or after use of sulfur or sulfur sprays. Avoid spraying when temperatures are above 85° or when plants are suffering from drought. Oil sprays should not be applied to broadleaf evergreens when freezing or new freezing temperatures may be expected. Do not use on ferns or cycas palms. Oil sprays may cause discoloration of Blue Spruce.

ACCEPTED

OCT 21 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 20934-63