




# Rose & Flower Dust

CONTAINS FOLPET, SULFUR & DIAZINON<sup>®</sup>\*

Controls insect pests and diseases of roses and flowers including Aphids, Thrips, Spider Mites, Powdery Mildew, Rust and Blackspot (Roses).



**ACTIVE INGREDIENTS:**


O-O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	5.0%
Folpet N-[(Tricholomethyl) thio] phthalimide	7.5%
Sulfur	10.0%
<b>INGREDIENTS</b>	<b>77.5%</b>
<b>TOTAL</b>	<b>100.0%</b>

\*DIAZINON is a registered trademark of Ciba-Geigy Corporation  
 U.S. Patent No. 2,754,243  
 \*\*U.S. Patent Nos. 2,553,770 & 2,553,771

**KEEP OUT OF REACH OF CHILDREN  
 CAUTION**

See Back Panel for Additional Precautionary Statements

Net Weight 10 oz. (283.5 g)



READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS.

**PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid breathing dust. May be absorbed through skin. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling and before smoking or eating. Avoid storage near food or feed products.

**STATEMENT OF PRACTICAL TREATMENT**

- If swallowed
  - Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.
- If inhaled
  - Remove victim to fresh air. Apply respiration if indicated.
- If on skin
  - Remove contaminated clothing and wash affected area with soap and water.
- If in eyes
  - Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. This product is highly toxic to bees exposed to direct treatment or to residues remaining on treated area. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity. Keep out of any body of water. Do not apply when weather conditions favor drift from area treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

KEEP CONTAINER TIGHTLY SEALED DURING STORAGE. Do not reuse empty container. Wrap container and put in trash collection.

**HORTICULTURAL NOTE:** Sulfur in this product may cause severe foliage injury to certain plants if used within two (2) weeks of an oil spray. Remove cap, point container toward plant, squeeze container. Shake container frequently. Dust early morning or late evening when temperature is low and air is still. Apply to all parts of plant, especially upper and lower leaf surfaces. Do not treat during excessively high temperature (above 90°) or damage may occur.

**INSECT CONTROL:** Treat when insects or damage first appear. Repeat as necessary throughout the growing season.

<b>MOST PLANTS</b>	<b>INSECTS CONTROLLED</b>
Roses	Aphids, Thrips, Spider Mites, Whiteflies, Leafhoppers, Omnivorous Leaf Tier
Camellias, Lilac, Boxwood	Aphids, Dipterous Leaf Miners, Leafhoppers, Omnivorous Leaf Tier, Scale Crawlers, (Cottony Cushion, Soft Scale), Thrips, Spider Mites, Webworms, Whiteflies, Bagworms
Carnations, Chrysanthemums, Asters, Zinnias	Aphids, Bagworms, Spider Mites, Dipterous Leaf Miners, Flea Beetles, Leafhoppers, Omnivorous Leaf Tiers, Thrips, Webworms, Whiteflies

**DISEASE CONTROL:** Start a preventive dusting program when foliage first appears. Under normal conditions, apply every 7 to 10 days throughout the growing season. Thorough coverage is required.

<b>MOST PLANTS</b>	<b>DISEASE CONTROLLED</b>
Roses	Powdery Mildew, Blackspot, Rust
Chrysanthemums	Septoria Leafspot
Carnations	Rust, Alternaria Leafspot
Chrysanthemums, Asters, Phlox, Snapdragon, Zinnias	Anthraxnose, Powdery Mildew, Alternaria Leafspot

**NOTICE:** Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one is authorized to make any other warranty, guarantee, or direction concerning this product. Because the time, place, rate of application, and other conditions of use are beyond the Seller's control, Seller's liability from the handling, storage and use of this product is limited to replacement of product or refund of purchase price.

ZOECON CORPORATION  
 Palo Alto, California 94304

EPA Reg No 20954-69  
 EPA Est No 20954-CA-1  
 Label No 980