

20454-80

JUL 15 1981

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 20954-80

zoëcon®

PENTAC® 50 WP

**MITICIDE FOR USE ON GREENHOUSE FLORAL CROPS
AND OUTDOOR ROSES AND NURSERY STOCKS.**

ACTIVE INGREDIENT:

Decachlorobis(2,4 cyclopentadiene-1-yl)	50%
---	-----

INERT INGREDIENTS: 50%

TOTAL	100%
-------	------

EPA Reg. No. 20954-80

EPA Est. No. 769-GA-1

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for Additional Precautionary Statements.


ZOECON CORPORATION
AGRICULTURAL CHEMICALS DIVISION
PALO ALTO, CALIFORNIA 94304

[illegible]

NET CONTENTS: 2 LBS

Wettable Powder Formulation

LABEL NO 581



2062

ZOECON

PENTAC® 50 WP

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PENTAC 50 WP is a specific miticide that is very effective against phytophagous mites such as *Two Spotted European Red Tumor Spider* and *Broad mites*. In the greenhouse and other shaded growing areas it is recommended for use on ornamental plants such as are listed below. PENTAC 50 WP has a long residual activity.

FLOWERING PLANTS

Roses
Miniature Roses
Chrysanthemums
Carnations
Gardenias
Poinsettias
Snapdragons
Zinnia
Delphinium

TROPICAL FOLIAGE PLANTS

Palms
Maranta
Zebra plant
Schefflera
Dieffenbachia
Aphelandra

OTHER COMMERCIAL ORNAMENTAL PLANTS

Arborvitae
Hemlock
Spruce
Birch
Dogwood
Azalea
Taxus (Yew)
Succulents
Pine & Evergreen Trees

For a more complete listing of mites controlled by PENTAC 50 WP and recommended ornamental plant uses, request Zoecon's PENTAC 50 WP Technical Data Sheet.

PENTAC 50 WP should be mixed at the rate of eight ounces (by weight) per 100 gallons of water. For smaller quantities, mix PENTAC 50 WP at the rate of one level teaspoon per gallon of water. Thoroughly apply spray to the point of run off, making certain that all leaf surfaces have been covered. Check with your local State Agricultural Extension Service Agency for recommended frequency of application in your area.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill, or by other approved state and local procedures.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

AND DOMESTIC ANIMALS

CAUTION

HARMFUL if swallowed. **WASH** thoroughly after handling. **AVOID** skin contact. **AVOID** inhalation of spray mist and dust. **AVOID** contamination of foodstuffs. **AVOID** contact with eyes. **AVOID** spraying in greenhouse, aquaria containing valuable tropical fish.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.

LABEL NO. 581

