

DIRECTIONS FOR USE:

READ ALL LABEL DIRECTIONS CAREFULLY BEFORE APPLYING

Roses (Greenhouse)—For control of powdery mildew, apply 10 to 12 fluid ounces per 100 gallons of water when disease first appears. Repeat every 7 to 10 days as necessary to maintain control of disease. If disease is severe follow the 7 day schedule. Spray to cover all plant surfaces.

PRECAUTIONS: Causes eye damage. Do not get in eyes. Wear goggles or face shield. May irritate skin. Avoid contact with skin and clothing. Avoid breathing spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wash thoroughly after handling.

FIRST AID: In case of contact immediately flush eyes with plenty of water for at least 15 minutes. Call a physician. Store in a cool, dry place. Do not store below 32°F. Destroy container when empty. Do not reuse.

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY.

WARRANTY: EM Laboratories warrants that this product, (1) conforms to the ingredient statement on the label, and (2) is reasonable fit for the purposes set forth in the Directions for use. **EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. EM LABORATORIES MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.**

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

5/76

ACCEPTED
JUN 23 1976
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under
EPA Reg. No. 21137-4

FUNGINEX®

EMULSIFIABLE CONCENTRATE

EPA Registration Number: 21137-4

EPA Establishment Number: 6967-WG-1

Active Ingredient:

Triforine (N,N'-[1,4-piperazinediylbis (2,2,2-trichloroethylidene)] bis [formamide]) 18.2%

Inert Ingredients: 81.8%

DANGER

KEEP OUT OF REACH OF CHILDREN
See Rear Panel For Additional Precautions

Net Contents: 1 U.S. Quart

Manufactured For:

EM LABORATORIES INC.

Pesticides Division

500 Executive Boulevard

Elmsford, New York 10523

Funginex® is a product and trademark of
CELAMERCK GmbH & Co., KG,
Ingelheim, W. Germany
US Patent No. 3,696,106

DIRECTIONS FOR USE:

READ ALL LABEL DIRECTIONS CAREFULLY BEFORE APPLYING

Roses (Greenhouse)—For control of powdery mildew, apply 10 to 12 fluid ounces per 100 gallons of water when disease first appears. Repeat every 7 to 10 days as necessary to maintain control of disease. If disease is severe follow the 7 day schedule. Spray to cover all plant surfaces.

PRECAUTIONS: Causes eye damage. Do not get in eyes. Wear goggles or face shield. May irritate skin. Avoid contact with skin and clothing. Avoid breathing spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wash thoroughly after handling.

FIRST AID: In case of contact immediately flush eyes with plenty of water for at least 15 minutes. Call a physician. Store in a cool, dry place. Do not store below 32°F. Destroy container when empty. Do not reuse.

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY.

WARRANTY: EM Laboratories warrants that this product, (1) conforms to the ingredient statement on the label and (2) is reasonable fit for the purposes set forth in the Directions for use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. EM LABORATORIES MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

5/76

ACCEPTED
JUN 23 1976
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 21137-4

FUNGINEX®

EMULSIFIABLE CONCENTRATE

EPA Registration Number: 21137-4
EPA Establishment Number: 6967-WG-1

Ingredient:
[N,N'-(1,4-piperazinediyl)bis (2,2,2-trichloro-ethylidene)] bis [formamide] 18.2%
Ingredients: 61.8%

DANGER

KEEP OUT OF REACH OF CHILDREN
See Rear Panel For Additional Precautions

Net Contents: 1 U.S. Quart

Manufactured For:

EM LABORATORIES INC.
Pesticides Division
600 Executive Boulevard
Elmsford, New York 10523

Funginex® is a product and trademark of
CELAMERCK GmbH & Co., KG,
Ingelheim, W. Germany
US Patent No. 3,696,106

1000
1000

94

DIRECTIONS FOR USE:

READ ALL LABEL DIRECTIONS CAREFULLY BEFORE APPLYING

Roses (Greenhouse)—For control of powdery mildew, apply 10 to 12 fluid ounces per 100 gallons of water when disease first appears. Repeat every 7 to 10 days as necessary to maintain control of disease. If disease is severe follow the 7 day schedule. Spray to cover all plant surfaces.

STATEMENT OF PRACTICAL TREATMENT:

IF IN EYES, flush with plenty of water for 15 minutes and get medical attention.
IF SWALLOWED, drink one or two glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.
IF INHALED, remove patient from contaminated area and get medical attention.
IF ON SKIN, remove contaminated clothing and wash skin with soap and water.

STORAGE: Store in a cool dry place. Do not store below 32°F. Destroy container when empty. Do not reuse.

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY

WARRANTY:

EM Laboratories warrants that this product, (1) conforms to the ingredient statement on the label, and (2) is reasonable fit for the purposes set forth in the Directions for use. **EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. EM LABORATORIES MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED**

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practices. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

Manufactured For:
EM LABORATORIES INC.

Pesticides Division
500 Executive Boulevard
Elmsford, New York 10523
Funginox* is a product and trademark of
CELAMERCK GMBH & Co., KG,
Ingelheim, Germany
affiliate of Celu GmbH, Ingelheim
and E. Merck, Darmstadt, Germany

FUNGI

EMULSIFIABLE C

EPA Registration N
EPA Establishment N

Active Ingredient:
Triforine (N,N'-[1,4-piperazine
trichloroethylidene]) bis (C
Inert Ingredients:

KEEP OUT OF REAC


DANG

See rear panel for Statement

PRECAUTIONS: C
age. Do not get in ey
or face shield. Ma
Avoid contact with
ing. Avoid breath

Net Contents: 1

BEST DOCUMENT AVAILABLE



BEST D

30

DIRECTIONS FOR USE:

SEE LABEL DIRECTIONS BEFORE APPLYING

(house)—For control of [illegible], apply 10 to 12 fluid ounces per 100 gallons of water. Repeat every 7 days as necessary to control of disease. If disease follows the 7 day cycle to cover all plant

FIRST AID:
Wash with plenty of water and get medical attention. Drink one or two glasses of water. If vomiting by touching with finger or blunt object, induce vomiting or give patient an unconscious state. Get medical attention. Wash contaminated clothing with soap and water.

Store in a cool dry place. Do not use. Destroy container after use.

DO NOT SELL IN PACKAGES ONLY

WARRANTY:

EM Laboratories warrants that this product, (1) conforms to the ingredient statement on the label, and (2) is reasonable fit for the purposes set forth in the Directions for use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. EM LABORATORIES MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

Manufactured For:
EM LABORATORIES INC.
Pesticides Division
500 Executive Boulevard
Elmsford, New York 10523
Funginex® is a product and trademark of
CELAMERCK GMBH & Co., KG,
Ingolheim, Germany
affiliate of Celanese Gmbh, Ingelheim
and E. Merck, Darmstadt, Germany

FUNGINEX

EMULSIFIABLE CONCENTRATE

EPA Registration Number: 21137-4
EPA Establishment Number: 6967-WG-1

Active Ingredient:
Triforine (N,N'-[1,4-piperazinediyl]bis (2,2,2-trichloroethylidene)) bis [formamide]) 18.2%
Inert Ingredients: 81.8%

KEEP OUT OF REACH OF CHILDREN

DANGER

See rear panel for Statement of Practical Treatment

PRECAUTIONS: Causes eye damage. Do not get in eyes. Wear goggles or face shield. May irritate skin. Avoid contact with skin and clothing. Avoid breathing spray mist.

Net Contents: 1 U.S. Quart

BEST DOCUMENT AVAILABLE

ACCEPTED
APR 18 1974
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registration number
EPA Reg. No. 21137-4

BEST DOCUMENT AVAILABLE

166

167