

HY-CLEAR

DIRECTIONS

Use **HY-CLEAR** at the rate of 1 pound per 10,000 gallons of water. Add total amount at one time, broadcasting directly into the pool water. Add **HY-CLEAR** preferably at night or when the pool is not in use. There will be an initial high chlorine reading and the pool should not be placed in use until the residual available chlorine is at a normal level of 1 to 1.5 ppm as determined by a test kit. The use of **HY-CLEAR** is recommended once weekly for heavily used commercial and semi-commercial pools and once every two weeks for residential pools receiving normal usage.

Procedures for regular chlorination of swimming pool water must be used to maintain a chlorine residual between 1.0 to 1.5 ppm as determined by a test kit.

Follow the directions for use on the label of the chlorine product used for the regular chlorination of the swimming pool water.

NOTE:

This product is to be used only to superchlorinate swimming pool water.



RESTORES ITS INVITING SPARKLE

ACTIVE INGREDIENT
Sodium Dichloro-s-Triazinetrione 100%

DANGER

KEEP OUT OF REACH OF CHILDREN

Rinse empty container thoroughly with water and discard it. See antidote statement and other required statements on the side panels.

NET WEIGHT 2 LBS. (32 OZ.)

EPA Reg. No. 21144-6

HY-CLEAR

Swimming pool water is subject to accumulations of a wide variety of organic contaminants. Perspiration, suntan lotions, hair sprays and cosmetics, scaling from skin of bathers, mucous-like discharges, etc. These organic wastes should be removed from the pool periodically, particularly during peak periods of heavy usage. **HY-CLEAR** will effectively reduce organic contamination, the number of bacteria and algae, in swimming pool water, resulting in increased water clarity.

DANGER

Corrosive. Causes eye damage. May cause burns on moist or broken skin. Do not get in eyes, on skin or on clothing. Protect eyes when handling. Dust may be harmful if inhaled, and may irritate nose and throat. Avoid breathing dust. May be harmful or fatal if swallowed.

Strong oxidizing material. Contact with organic matter or any foreign material may cause fire or explosive decomposition. Moisture contamination or fire may liberate irritating and hazardous chlorine-containing gases. Avoid contamination with combustible materials. Keep away from source of moisture, or heat. Store in a cool, dry, well-ventilated area. Keep container tightly closed when not in use.

ANTIDOTE

INTERNAL: Feed gruel or cooked cereal followed by olive oil or cooking oil.

EXTERNAL: Flood with cold water immediately.

CALL A PHYSICIAN
RINSE PRODUCT FROM SKIN
KEEP AWAY FROM CHILDREN

MANUFACTURED BY
HYPO CHEMICAL CORP
MILWAUKEE, WIS. 53225

HY-CLEAR

DIRECTIONS


Use **HY-CLEAR** at the rate of 1 pound per 10,000 gallons of water. Add total amount at one time, broadcasting directly into the pool water. Add **HY-CLEAR** preferably at night or when the pool is not in use. There will be an initial high chlorine reading and the pool should not be placed in use until the residual available chlorine is at a normal level of 1 to 1.5 ppms as determined by a test kit. The use of **HY-CLEAR** is recommended once weekly for heavily used commercial and semi-commercial pools and once every two weeks for residential pools receiving normal usage.

Procedures for regular chlorination of swimming pool water must be used to maintain a chlorine residual between 1.0 to 1.5 ppm as determined by a test kit.

Follow the directions for use on the label of the chlorine product used for the regular chlorination of the swimming pool water.

NOTE:

This product is to be used only to superchlorinate swimming pool water.



HY-C
RIDS YOUR POOL
F
SWIMMING

**RESTORE
INVITING**

ACTIVE INGREDIENT
Sodium Dichloro-s-Triazin

DANGER
KEEP OUT OF REACH OF CHILDREN
Rinse empty container thoroughly before reusing it. See antidote statement on the side panels.

NET WEIGHT
EPA Reg.