CONDITIONING AND PREPARING YOUR POOL

- A. Add HYPO Conditioner (Cyanuric Acid) slowly through the skimmer. 1 lb. per 4,000 gallons pool water. This is done only once at the beginning of the pool season. By doing so it reduces the effect of sunlight on the chloring concentrate and enables you to maintain a chlorine residual longer.
- To establish a chlorine residual in newly filled pools and to prevent the growth of algae, chlorinate at the start of the season with 80z.of HYPO Chlorine Concentrated Tablets, per 20,000 gallons of pool water. Add the slowly dissolving HYPO Concentrated Tablets to the skimmer. Chlorinate when there are no swimmers in the pool. Resume swimming when the Chlorine residual has dropped to 1.0 PPM.
- C. Adjust the pH to 7.4 to 7.6. If it is above 7.6, add pH Minus (Dry Acid). If it is below 7.4, add pH Plus (Dry Soda). A pH Test Kit should be used for proper pH adjustment.

DIRECTIONS

HYPO Chlorine Concentrated Tablets are formulated to release chlorine throughout the day. It is recommended that they be placed in the skimmer.

Recommended dosage: 2 oz. (or 12 Tablets) per 10,000 gallons of Pool Water every day or as needed to maintain a chlorine residual of 1.0 to 1.5 PPM as determined by a test kit. 6 Chiorine Concentrated Tablets weigh 1 oz.



DISINFECTION

LONG LASTING RESIDUALS RESIST SUNLIGHT FADEOUT

Active Ingredient: Trichloro-s-triazinetrione . . 99.5% Inert Ingredients 90% Available chlorine by weight

DANGER

KEEP OUT OF REACH OF CHILDREN See First Aid and other precautions on side panel.

NET WEIGHT 4 LBS.

EPA Reg. No. 21144-12 EPA Est. No. 21144-WI-1

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye damage. Do not get in eyes. Avoid skin contact. May cause burns to broken skin. May be fatal if swallowed. May cause skin, nose and throat irritation. Wash hands thoroughly after handling.

Strong Oxidizing Agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Keep container tightly closed when not in use. Keep away from open flames, heaters, or other heat source. Protect from moisture contamination.

FIRST AID EXTERNALLY:

In case of contact with skin or eyes, flush with water for 15 minutes. For eyes get medical attention. Clean contaminated clothing before


INTERNALLY:
Drink milk or mucitage, followed by cooking oit. Call a Physician

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DO NOT REUSE CONTAINER
RINSE EMPTY CONTAINER
THOROUGHLY CLEAN WITH WATER
BEFORE DISCARDING. PACKAGED BY

HYPO CHEMICAL CORP MILWAUKEE, WIS. 53225

1



CHLORINE CONCENTRATED TABLETS

CONDITIONING AND PREPARING YOUR POOL

- A. Add HYPO Conditioner (Cyanuric Acid) slowly through the skimmer. 1 lb. per 4,000 gallons pool water. This is done only once at the beginning of the pool season. By doing so it reduces the effect of sunlight on the chlorine concentrate and enables you to maintain a chlorine residual longer.
- B. To establish a chlorine residual in newly filled pools and to prevent the growth of algae, chlorinate at the start of the season with 8oz. of HYPO Chlorine Concentrated Tablets, per 20,000 gallons of pool water. Add the slowly dissolving HYPO Concentrated Tablets to the skimmer. Chlorinate when there are no swimmers in the pool. Resume swimming when the Chlorine residual has dropped to 1.0 PPM.
- C. Adjust the pH to 7.4 to 7.6. If it is above 7.6, add pH Minus (Dry Acid). If it is below 7.4, add pH Plus (Dry Soda). A pH Test Kit should be used for proper pH adjustment.

DIRECTIONS

HYPO Chlorine Concentrated Tablets are formulated to release chlorine throughout the day. It is recommended that they be placed in the skimmer.

Recommended dosage: 2 oz. (or 12 Tablets) per 10,000 gallons of Pool Water every day or as needed to maintain a chlorine residual of 1.0 to 1.5 PPM as determined by a test kit. 6 Chlorine Concentrated Tablets weigh 1 oz.



DAN

KEEP OUT OF REAC See First Aid and other pr

NET WEIG

FPA Reg. No. 21144-12

