

tain a chlorine residual bedetermined by a test kit.

Follow the directions for use on the label of the chlorine product used for the regular chlorination of the swimming pool water.

NOTE:

This product is to be used only to superchlorinate swimming pool water.

DANGER KEEP OUT OF REACH OF CHILDREN

Sodium Dichloro-s-Triazinetrione Dihydrate 100%

Rinse empty container thoroughly with water and discard it. See First Aid and other precautions on the side panel.

NET WEIGHT 2 LBS.(32 OZ.)

EPA Reg. No. 21144-13

EPA Est. No. 21144-WI-1

Swimming pool water is subject to accumulations of a wide variety of organic contaminants. Perspiration suntan lotions hair sprays and cosmetics, scaling from skin of bathers, mucous-like discharges, etc... These organic wastes should be removed from the pool periodically particularly during peak periods of heavy usage CLEAR UP will effectively reduce organic contamination, the number of bacteria and algae, in swimming pool water, resulting in increased water

DANGER KEEP OUT OF REACH OF CHILDREN

Corrosive Causes eye damage. Do not get in eyes or on skin. Do not breathe dust. May cause skin, nose and throat irritation. Wear safety goggies, dust respirator and protective clothing when handling. May be fatal if swallowed. May cause burns to broken skin.

DANGER: Strong oxidizing agent. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Decomposes at 350 ° 475 ° F, with liberation of poses at 350 $^{\circ}$ harmful gases. In case of decomposition, if possible isolate container in open air or well ventilated area. Flood with large volume of water if necessary

DANGER: Do not reuse container Rinse empty container thoroughly with water and

Mix only with water. Do not mix with other pool chemicals. Use only dry, clean measuring utensits. Store in a cool, dry place. Keep closed when not being used

FIRST AID

in case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention Clean சமாகர்ரிக்கும் othing before reuse

if swallowed, feed gruel or cookeu வருள் followed by olive oil or cooking oil. Call a Physician immediately.

This product is toxic to fish. Treated pool efficient water should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes

Apply this product only as specified on this label

PACKAGED BY

HYPO CHEMICAL CORP MILWAUKEE, WIS. 53225 CLEAR - UP MAY 16,1974

DIRECTIONS 21144-13

THE FEDERAL INS.

Use CLEAR-UP at the retrunglicide and poison of 1 pound per 10,000 gallous of under. Add total amount at one time, broadcasting directly into the pool water. Add CLEAR-UP preferably at night or when the pool is not in use.

There will be an initial high chlorine reading and the pool should not be placed in use until the residual available chlorine is at a normal level of 1 to 1.5 ppms as determined by a test kit. The use of **CLEAR-UP** is recommended once weekly for heavily used commercial and semi-commercial pools and once every two weeks for residential pools receiving normal usage.

Procedures for regular chlorination of swimming pool water must be used to maintain a chlorine residual between 1.0 to 1.5 ppm as determined by a test kit.

Follow the directions for use on the label of the chlorine product used for the regular chlorination of the swimming pool water.

NOTE:

This product is to be used only to superchlorinate swimming pool water.

RIDS YOUR POOL SWIMMI RESTO INVITING

ACTIVE INGREDIENT Sodium Dichloro-s-Triazine

MEEP OUT OF RE

Rinse empty container thor it. See First Aid and other

NET WEIGHT

EPA Reg. No. 21144-13

4/18/73