

21164-9

1/8



United States
Environmental Protection
Agency

Office of Pesticide Programs

Kindra V. Levels
Industrial Health Specialist
Occidental Chemical Corporation
PO Box 809050
Dallas, TX 75380-9050

DEC 30 2009

FILE COPY

Subject: Akta Klor 7.5
EPA Registration No. 21164-9
Application Date: December 03, 2009
Receipt Date: December 11, 2009

Dear Ms. Levels:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification:

- Revision to "Storage and Disposal" statement per PR Notice 2007-4

General Comments:

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson
Acting Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

Please read instructions on reverse before completing form.

Form Approved MB No. 2070-0060

Print Form



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other (checked)

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number: Occidental Chemical Corporation / 21164-9
2. EPA Product Manager: Emily Mitchell
3. Proposed Classification: None (checked), Restricted
4. Company/Product (Name): Akta Klor 7.5
5. Name and Address of Applicant: Occidental Chemical Corporation, PO Box 809050, Dallas, TX 75380-9050
6. Expedited Review: EPA Reg. No., Product Name

Section - II

Amendment - Explain below. Resubmission in response to Agency letter dated. Notification - Explain below. Final printed labels in response to Agency letter dated. "Me Too" Application. Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156.

Section - III

1. Material This Product Will Be Packaged In: Child-Resistant Packaging, Unit Packaging, Water Soluble Packaging, 2. Type of Container: Metal, Plastic, Glass, Paper, Other (Specify) bulk
3. Location of Net Contents Information: Label (checked), Container
4. Size(s) Retail Container: bulk, 55 gal, drum, 275 gal, tote, 330 gal, tote, & 5 gal pail
5. Location of Label Directions: On Label (checked), On Labeling accompanying product
6. Manner in Which Label is Affixed to Product: Lithograph Paper glued (checked), Stenciled, Other

Section - IV

1. Contact Point: Name: Kindra V. Levels, Title: Industrial Health Specialist, Telephone No.: 972-404-3446
Certification: I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.
2. Signature: Kindra V. Levels
3. Title: Industrial Health Specialist
4. Typed Name: Kindra V. Levels
5. Date: Dec 3, 2009
6. Date Application Received (Stamped)



Occidental Chemical Corporation
 A subsidiary of Occidental Petroleum Corporation

OxyChem.

5005 LBJ Freeway, Suite 2200, Dallas, TX 75244-6119
 P. O. Box 809050, Dallas, TX 75380-9050
 Phone 972.404.3800

3/8

December 3, 2009

Document Processing Desk (NOTIF)
 Office of Pesticide Programs (7504P)
 U.S. Environmental Protection Agency
 1200 Pennsylvania Ave., NW
 Washington, DC 20460-0001

SUBJECT: Notification of label changes per PR Notice 2007-4

Dear Madam or Sir:

Enclosed is a pesticide registration amendment application for Occidental Chemical Corporation's **Akta Klor 7.5, EPA Reg. No. 21164-9**. The registration is being amended by notification to bring it into compliance with the current regulatory requirements of Pesticide Registration Notice (PR) 2007-4: Labeling Revisions Required by the Final Rule "Pesticide Management and Disposal; Standards for Pesticide Containers and Containment."

Enclosed you will find the following documents supporting this notification:

- *Application for Pesticide Registration*, EPA Form 8570-1, with an attachment
- One (1) copy of the new label (with changes highlighted)


Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Should you have any questions regarding this registration amendment application, please give me a call at the number indicated below or you may e-mail me at kindra_levels@oxy.com.

Sincerely,

Kindra Levels

Enclosures



{All text in braces {xxx} is administrative and will not appear on a final label}
{All text in brackets [xxx] is optional and may or may not be included on a final label}

AKTA KLOR 7.5

EPA Reg. No. 21164-9

Column 1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE. CAUSES EYE AND SKIN DAMAGE. Harmful if swallowed. Irritating to nose and throat. Avoid breathing vapor. Do not get in eyes, on skin or clothing. Wear goggles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

CHEMICAL HAZARDS

Dry sodium chlorite is a strong oxidizing agent. This product becomes a fire or explosive hazard if allowed to dry. Mix only into water. Contamination may start a chemical reaction with generation of heat, liberation of hazardous gases (chlorine dioxide), and possible fire and explosion. Do not contaminate with garbage, dirt, organic matter, household products, chemicals, soap products, paint products, solvents, acids, vinegar, beverages, oils, pine oil, dirty rags, or any other foreign matter.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTIFICATION
Date Reviewed: 12/30/09
Reviewed By: [Signature]

Directions for Use in the Mechanical or Electrolytic Generation of Chlorine Dioxide as a Disinfectant, or for Microorganism Control in Water and Wastewater Systems

AKTA KLOR 7.5 may be used in the mechanical generation of chlorine dioxide for use in controlling microorganisms in water and wastewater systems. AKTA KLOR 7.5 is fed to chlorine dioxide generation equipment, which produces an aqueous solution of chlorine dioxide by one of the following methods of generation:

- (1) The chlorine method, which uses AKTA KLOR 7.5 and chlorine gas;
- (2) The hypochlorite method, which uses AKTA KLOR 7.5 and a combination of a hypochlorite solution, and an acid;
- (3) The acid-chlorite method, which uses AKTA KLOR 7.5 and an acid as the activating agent; or,
- (4) The electrolytic method which uses AKTA KLOR 7.5, with sodium chloride added as needed.

Your Occidental Chemical Corporation representative can guide you in the selection, installation and operation of generation systems. Consult the instructions on the chlorine dioxide generation system before using AKTA KLOR 7.5.

FEED REQUIREMENTS

Feed rates of AKTA KLOR 7.5 will depend on the severity of contamination and the degree of control desired. The exact dosage will depend on the size of the system and residual necessary for effective control. Depending on the generator type, AKTA KLOR 7.5 may be diluted at the point of use to prepare a 3% to 7.5% active aqueous solution for use in chlorine dioxide generators.

In all cases, generated chlorine dioxide solution should be applied in such a manner to ensure adequate mixing and minimal volatilization. The water stream to be treated may either be passed directly through the chlorine dioxide generator or treated via side stream injection point. The generation system employed should be in good working order and capable of achieving chlorine dioxide solutions free from chlorine contamination.

Because of the variability of demand in water and process systems, the dosage of chlorine dioxide required to achieve the target residuals is normally lower for continuous feed systems than for slug or timed feed applications. The minimum acceptable residual for chlorine dioxide, as determined by a verified procedure, is 0.1 ppm for a minimum one minute contact time.

{All text in braces {xxx} is administrative and will not appear on a final label}
{All text in brackets [xxx] is optional and may or may not be included on a final label}

AKTA KLOR 7.5

EPA Reg. No. 21164-9

Column 3

Residual determination procedures should be substantiated methods and should also be specific for chlorine dioxide or used in systems where no chlorine contamination is possible. Do not add AKTA KLOR 7.5 directly to process water.

APPLICATIONS

POTABLE WATER AND WASTEWATER DISINFECTION:

For most municipal and public potable water systems a chlorine dioxide residual concentration up to 2.0 ppm is sufficient to provide adequate disinfection. Residual disinfectant and disinfection byproducts must be monitored as required by the National Primary Drinking Water Regulations (40 CFR Part 141) and state drinking water standards. For wastewater and sewage applications, residual chlorine dioxide concentrations up to 5.0 ppm are generally adequate.

FOOD PROCESSING PLANTS, DAIRIES, BOTTLING PLANTS, AND BREWERIES:

For microbial control in typical food processing water systems, such as flume transport, chill water systems, hydrocoolers, beverage and brewery pasteurizers and bottle rinsing, apply AKTA KLOR 7.5 through a chlorine dioxide generation system to achieve a chlorine dioxide residual concentration ranging from 0.25 to 5.0 ppm. Water, containing up to 3 ppm residual chlorine dioxide may be used for washing fruits and vegetables that are not raw agricultural commodities in accordance with 21CFR § 173.300. Treatment of the fruits and vegetables with chlorine dioxide must be followed by a potable water rinse, or by blanching, cooking or canning.

POULTRY PROCESSING WATER:

Use AKTA KLOR 7.5 to generate chlorine dioxide for use as an antimicrobial agent in water used in poultry processing in an amount not to exceed 3 ppm residual chlorine dioxide as determined by an appropriate method in accordance with 21CFR § 173.300.


AQUEOUS DISINFECTION SYSTEMS FOR CIP CLEANING:

If the concentration of chlorine dioxide generated from AKTA KLOR 7.5 exceeds 5.0 ppm, a potable water rinse should follow treatment. Care should be taken to ensure the biological and chemical quality of the potable water.

GENERAL INDUSTRIAL PROCESS WATER TREATMENT (OILFIELD INJECTION WATER, WHITE WATER PAPER MILL SYSTEMS, AND RECIRCULATING COOLING TOWERS):

For control of microbial slime, these systems will require a chlorine dioxide residual concentration ranging between 0.25 and 5.0 ppm. The AKTA KLOR 7.5 dosage needed to achieve these levels will vary widely depending on the exact application.

Please consult your Occidental Chemical Corporation representative for assistance in determining the correct dosage level.



{All text in braces {xxx} is administrative and will not appear on a final label}

{All text in brackets [xxx] is optional and may or may not be included on a final label}

AKTA KLOR 7.5

EPA Reg. No. 21164-9

Column 4

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Keep product in tightly closed container when not in use. Don't drop, roll or skid drum. Keep upright. Always replace cover. Store in a cool, dry well-ventilated area away from heat or open flame.

Pesticide Wastes: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

{Text for non-refillable liquid containers that are 5 gallons or smaller}

CONTAINER DISPOSAL: Nonrefillable Container.

Do not reuse or refill this container. Offer for recycling if available. Offer for reconditioning if appropriate. Triple Rinse or Pressure Rinse container promptly after emptying.

Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure Rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

{Text for non-refillable liquid containers that are larger than 5 gallons}

CONTAINER DISPOSAL: Nonrefillable Container.

Do not reuse or refill this container. Offer for recycling if available. Offer for reconditioning if appropriate. Triple Rinse or Pressure Rinse container promptly after emptying.

Triple Rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure Rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

{Text for refillable liquid containers}

CONTAINER DISPOSAL: Refillable Container.

Refill this container with [Technical Sodium Chlorite Solution 50] [Supplemental distributor brand name] only. Do not reuse this container for any other purpose.

Cleaning or pressure rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing process two more times.

To pressure rinse the container before final disposal, empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

