
21165-32

01/29/2002

1/4

#### [FRONT LABEL PANEL]



Reg. No.

# **Pyranha** Space Spray 1-10 HP Concentrate

Effectively Kills & Repels: House flies, Stable flies, Horse flies, Fruit flies, Black Flies, Deer flies, Horn flies, Mosquitoes, Gnats, Biting and Non-biting Midges, Bott flies, Face flies and fleas.

Quick Knockdown and Effective Control.

**Recommended for Commercial/Industrial Use Only** 

ACTIVE INGREDIENTS:	
Pyrethins:	0.55%
*Piperonyl Butoxide, Technical:	5.50%
<b>**</b> Permethrin: (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-	
dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate	1.10%
INERT INGREDIENTS:	<u>92.85%</u>
<b>TOTAL:</b>	100.00%

\*Equivalent to 4.4% (butylcarbityl)(6-propylpiperonyl) ether and 1.1% related compounds. \*\*Cis/trans ratio: Max. 65% (+/-) trans and min. 35% (+/-) cis.

# KEEP OUT OF REACH OF CHILDREN CAUTION

Have the produc or going for trea	<b>FIRST AID</b> et container or label with you when calling a poison control center or doctor atment.
If swallowed	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>

### [FRONT LABEL PANEL CON'T]

If in eyes	<ul> <li>Hold eye open and rinse and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If inhaled	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
If on skin or clothing	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>

## See Back/Side Label Panel for Additional Precautionary Statements

Net Contents \_\_\_\_\_

۰.

÷ 1.

#### [BACK/SIDE LABEL PANEL]

Effectively Kills & Repels: House flies, Stable flies, Horse flies, Fruit flies, Black Flies, Deer flies, Horn flies, Mosquitoes, Gnats, Biting and Non-biting Midges, Bott flies, Face flies and fleas.

#### Quick Knockdown and Effective Control.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Drift or runoff may adversely affect fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Keep in a cool, dry area preferably locked and away from children and pets. Do not store below  $32^{\circ}F(0^{\circ}C)$ . In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**Dilution/Use Rate:** Dilute before using. When used as a space spray and ulua low volume spray, dilute by adding 1 part of this product to 21 parts of clean water. Mix thoroughly pricr to application. Repeat treatments as necessary to maintain control.

#### [BACK/SIDE LABEL PANEL]

Where to Use: Use as a space spray in horse barns<sup>†</sup>, dog kennels, and zoo animal quarters.

Use as an outdoor area spray for temporary reduction of listed insects on and around homes, patios, tennis courts, pool areas, beach houses, and lawn areas.

# <sup>†</sup>Do not apply this product to horses intended for slaughter or human consumption. Do not apply this product in horse barns (stables) where horses intended for slaughter or human consumption will be maintained.

Do not treat areas where food crops are growing. Personnel should vacate containment areas (i.e. horse barns, dog kennels) to be treated while treatment is in progress. Treated areas should be thoroughly ventilated prior to re-entry by personnel. Do not use in commercial food/feed handling establishments, restaurants, or other areas were food is commercially prepared or processed.

#### **Application Directions:**

To apply as a space spray, use a mechanical (Non-Thermal) spray equipment such as Pyranha Automatic Space Spray System. Adjust spray nozzles to deliver a fine mist to the entire treatment area at a rate of 1 ounce diluted product per 1,000 cubic feet of area.

When used as an ultra low volume spray to outdoor area sites, apply the diluted product at a rate of 6 to 12 fl.oz. per 1,000 sq.ft. of area. This product may be applied with non-thermal application equipment including portable backpack sprayers, vehicle mounted non-thermal ULV equipment, LECO ULV Cold Aerosol Generator, Microgen, Curtis, London Aire or other application equipment designed for ULV aerosol generation. Repeat treatments as necessary to maintain control of nuisance pests. Direct the diluted spray into tall grass, shrubbery and around lawns where these pests may hover or rest. Apply when the air is still and avoid wetting foliage. Do not apply when wind speeds exceed 10 mph. Do not apply directly to open water. Do not apply within 100 feet of lakes and streams. Do not allow spray treatments to drift to ornamental ponds, pasture lands, cropland, poultry ranges, or water supplies. Repeat treatments after 1- hour, only as necessary to maintain control.

MANUFACTURED EXCLUSIVELY FOR PYRANHA, INC. 6602 Cunningham Road Houston, TX 77041 832-467-3840 800-231-2966

> EPA Reg. No. 21165-32 EPA Est. No. 44446-TX-1