



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Blue Shield® Sic-Tabs® are to be used as a disinfectant and for aigas control in pool water. They are long-lasting and are intended to slowly meter chloring into pool water. In order to obtain its maximum effect, use as follows:

- 1. Superchlorinate the pool water using a last acting chlorinating product, following label directions. Do not use pool until the chlorine residual drops to 2.0 ppm (parts per million).
- 2. Adjust the cyanuric acid level in the pool water to 35 ppm (parts per million) with Blue Shield's Conditioner and Stabilizer, following directions on the label.
- 3. Suggested daily dosage is two Blue Shield® Sto-Tabs® per 9,800 gallions of pool water. Add to floating dispenser, top water skimmer, or automatic chlorinator, This dosage may vary in accordance with temperature, bather load and amount of water flow. Using a reliable test kit as a guide, maintain a 1.0 to 1.5 ppm free chlorine residual. During extreme heat or with heavy bather load, water should be checked every 2 hours. Maintain a pH level of 7.2 to 7.6 for best results. One tablet weighs eporoximately 1/2 oz. (14 grams). Tablets should not be thrown directly into pool. Not recommended for wader or splasher pools.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE: Causes irreversible eye damage and skin burns, May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco: Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT (FIRST AID) IF SWALLOWED, drink promptly large quantities of water. DO NOT induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. IF INHALED, remove person to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get immediate medical attention. IF ON SKIN, Wash with plenty of soap and water, Get medical attention, IF IN EYES, Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

NOTE TO PLY CIC:AM: P. chable mucosal damage may contraindicate the use

of gastric lavage.

PHYSICAL AND CHEMICAL HAZARDS

DANGER: STRONG OXIDIZING AGENT Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to lire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water if necessary to dissolve all material before discarding container.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans of public waters unless in accordance with the requirements of a National Political Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board of Regional Office of the EPA.

STORAGE AND DISPOSAL

Keep product dry in a lightly closed container when not in use. Store in a cool, dry well ventilated area away from heat and open flame. In

Case of decomposition, isolate container, if poseible in open sizer wall vantilated area. Flood with 100 Santo Drive, Manchester, CT 06040 sible, in open air or well ventilated area, Flood with large volumes of water if necessary to dissolve all material before discarding container. Do not reuse empty container. Rinse thoroughly before discarding in trash. Do not contaminate food or feed by storage, disposal or cleaning of equipment. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide of Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for outgance.

Under Th insecticide hungicade amended, for the EPA REG. NO. 21288-13 CALIF, REG. NO. 21268-13-AA EPA EST. NO. 58401-MO-1 (1) 10 (1) (1) HEIR ST