UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

FEB 3 2003

Mr. Madhu Mandava North American Marketing Corporation (NAMCO) 100 Sanrico Drive Manchester, CT 06040

Subject:

Blue Shield Econo-Shock

EPA Registration Number 21268-17

Application Date: 1/10/03 Receipt Date: 1/15/03

Dear Mr. Mandava:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

• To revise the "First Aid" Statement in accordance with PR Notice 2001-1

Conditions

- 1. Place the "First Aid" Statement on front panel of the label.
- 2. Delete the numbers "37273" and "\$199" on front panel of the label, it has no relevance to EPA registered products".

General Comments

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact Delores Williams at (703) 308-6372.


Sincerely

Robert S. Brennis

Product Manager 32

Regulatory Management Branch II Antimicrobials Division (7510C)

| CONCURRENCES | | | | | | | | |
|--------------|--|--|--|--|-------|--|--|--|
| SYMBOL | | | | | ***** | | | |
| SURNAME | | | | | | | | |
| DATE | | | | | -+ | | | |



ACCEPTED with COMMENTS EPA Letter Dated:

FEB 3 2003

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended for the pesticide, registered under EPA Reg. No.

21268-17

W.

37273

econo-shock

| FIRST AID | | | | |
|-------------------------|---|--|--|--|
| If in eyes: | Hold eye open and rinse slowly with a steady, gentle stream of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 manutes, then continue rinsing eye. Call a polson control center or physician for treatment advice. | | | |
| If swallowed: | Call a physician or poison control center immediately for treatment advice. Drink promptly large quantities of water. DO NOT induce vomiting unless told to do so by poison control center or physician. Avoid alcohol. Do not give anything by mouth to an unconscious person. | | | |
| If inhaled: | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably, mouth-to-mouth, if possible. Call a poison control center or physician for treatment advice. | | | |
| if on skin clothing: | Take off contaminated clothing. Wash skin with planty of water for 15-20 minutes. Call a poison control center or physician for treatment advice. | | | |

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call Chemitres 800-424-9300

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGERs Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on colothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorty ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS:This Pasticide is toxic to fish and squatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product lo sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross fifth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For a new pool or Spring start up, superchlorinate with 1 gallon of this product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check level of available chlorine with a test kit. Adjust and maintain water pH to between 7.2 and 7.8. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by feeder device 22 oz. of this product for each 10.000 galons of water to yield en available chlorine residual between 0.6 and 1.0 ppm by weight. Stabilized pools should

maintain a residual 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and attainity of the water frequently with the appropriate test kits. Frequency of water treatment will depend on temperature and number of swimmers. Bathers should not be allowed in the pool when the residual chlorine is above 3.0 ppm.

Every 7 days, or as necessary, superchlorinate the pool with 1 gallon of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not re-enter the pool until the chlorine residual is between 1.0 and 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

Winterizing Poots - While water is still clear and clean, add 7 oz. of product per 1000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

User Please Note: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry, ventilated area away from direct sunlight. In case of spill, flood area with large quantities of

water. Rinse empty container thoroughly with water and either return to the manufacturer or discard by placing in trash collection or send to approved landfill. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

