

**ACCEPTED**  
*Apr 30 - 1973*  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC PESTS REGISTERED  
 UNDER NO. *21270-1*

**FLD**

**FRESH AS LEMON  
 DISINFECTANT**

**DISINFECTANT DEODORIZER SANITIZER**

**COLD DISINFECTION**

FOR DISINFECTION OF PREVIOUSLY CLEANED SURGICAL INSTRUMENTS, BARBER TOOLS AND DENTAL EQUIPMENT, SIMPLY SUBMERGE INSTRUMENTS INTO SOLUTION CONTAINING 1½ OUNCE FLD PER GALLON OF WATER FOR 10 MINUTES.

**RESTAURANT AND BAR RINSE**

DISHES, GLASSWARE, SILVERWARE, COOKING UTENSILS, WASH WITH SOAP OR SYNTHETIC DETERGENT; RINSE THOROUGHLY AND IMMERSE IN A SANITIZING SOLUTION CONTAINING 1 OUNCE FLD TO 4 GALLONS OF WATER. NO TERMINAL POTABLE WATER RINSE REQUIRED.

**DANGER**

KEEP OUT OF REACH OF CHILDREN.

CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. PROTECT EYES AND SKIN WHEN HANDLING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD.

**FIRST AID**

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. FOR EYES, CALL A PHYSICIAN. REMOVE AND WASH ALL CONTAMINATED CLOTHING BEFORE REUSE. IF SWALLOWED, DRINK PROMPTLY A LARGE QUANTITY OF MILK, EGG WHITES, GELATIN SOLUTION OR IF THESE ARE NOT AVAILABLE, DRINK LARGE QUANTITIES OF WATER. CALL A PHYSICIAN IMMEDIATELY.

**NOTE TO PHYSICIAN**

PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE. MEASURES AGAINST CIRCULATORY SHOCK, RESPIRATORY DEPRESSION AND CONVULSION MAY BE NEEDED.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD.

**ACTIVE INGREDIENTS:**

N-ALKYL (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>) DIMETHYL BENZYL AMMONIUM CHLORIDES ..... 5%

N-ALKYL (68% C<sub>12</sub>, 32% C<sub>14</sub>) DIMETHYL ETHYLBENZYL AMMONIUM CHLORIDES ..... 5%

INERT INGREDIENTS: ..... 90%

100%

FLD IS A CONCENTRATE AND SHOULD BE DILUTED BEFORE USING.

EPA REG. NO. 21270-1

NET CONTENTS:

**ONE QUART (32 OZ.)**

**DANGER**

KEEP OUT OF REACH OF CHILDREN. SEE FIRST AID AND OTHER PRECAUTIONARY STATEMENTS ON LEFT PANEL.

DISTRIBUTED BY  
**INTERNATIONAL RESEARCH CORPORATION**  
 OAK BROOK, ILLINOIS 60521

**USE DIRECTIONS:** PRECLEAN AND REMOVE GROSS FILTH AND SOIL DEPOSITS PRIOR TO DISINFECTING AND SANITIZING WITH FLD.

**HOUSEHOLD**

FOR SANITIZING AND DISINFECTING FLOORS, WALLS AND INANIMATE HARD SURFACES. FOR SCHOOLS, HOMES, LOCKER ROOMS, GARBAGE PAILS, SINK TOPS, CORRIDORS, CLASSROOMS, OFFICES AND SHOWER STALLS. APPLY SOLUTION WITH MOP OR CLOTH. SANITIZE WITH 1 OUNCE FLD TO 4 GALLONS OF WATER. DISINFECT WITH 3 OUNCES FLD TO 5 GALLONS OF WATER. KILLS STAPHYLOCOCCUS AUREUS AND SALMONELLA CHOLERAESUIS.

**HOSPITALS**

FOR FLOORS, WALLS AND OTHER HARD SURFACES. IN NURSING HOMES, INSTITUTIONS. AS WELL AS SINK TOPS, GARBAGE PAILS, TELEPHONES AND RESTROOMS, USE FLD AT 3½ OUNCES PER 5 GALLONS OF WATER. AT THIS LEVEL FLD WILL BE EFFECTIVE AGAINST PSEUDOMONAS AERUGINOSA PRD-10.

**FOOD PROCESSING EQUIPMENT**

FOR SANITIZATION OF PREVIOUSLY CLEANED FOOD PROCESSING EQUIPMENT AND FOOD UTENSILS DILUTE 1 OUNCE FLD PER 4 GALLONS OF WATER TO PROVIDE (200 PPM) OF ACTIVE QUATERNARY. AT THIS LEVEL, NO POTABLE WATER RINSE IS REQUIRED.

**DAIRIES**

TO SANITIZE DAIRY EQUIPMENT SUCH AS TANKS, LINKS, SINKS, AND MILK CANS FIRST CLEAN AND RINSE THE EQUIPMENT THOROUGHLY. THEN APPLY SANITIZING SOLUTION CONTAINING 1 OUNCE FLD TO 4 GALLONS OF WATER (200 PPM). AT THIS LEVEL, NO POTABLE WATER RINSE IS REQUIRED. FOLLOW RECOMMENDATIONS OF LOCAL HEALTH BOARD.