DIRECTIONS FOR USE

General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its tabeling.

Use at 1 ounce per gallon of water. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level.

At 1 ounce per gallon of water, this product is fungicidal against pathogenic fungi. For best results, use MALONE NO. 77 with a cloth or mop and apply to walls floors and other hard surfaces.

If used for sanitization of food equipment or other food contact items, limit the level of active quaternary to 200 ppm. (1.4 oz. per 5 gallons), NO RINSE REQUIRED.

This product when used on environmental, inanimate, hard surfaces at 1 ounce per gallon of water, is effective against influenza A2. Herpes Simplex, Adenovirus type 2 and Vaccinia viruses.

For heavy soil or organic matter, a pre-cleaning step is recommended

MALONE NO. 77 is a concentrated detergent, disinfectant, sanitizer, fungicide and deodorizer. It is specifically designed for Institutional use, such as Hospitals Nursing Homes, and Schools where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces.

MALONE NO. 77 is for use on floors, walls and other hard surfaces in Hospitals. Nursing Homes, Hotels, Public Areas, Industrial Areas and in Institutions. It is excellent for Operating Rooms, Rest Rooms, Nurseries and Food Service Areas.

When used as directed, MALONE NO 77 is effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa MALONE NO 77 is also effective against pathogenic fungi, Trichophyton interdigitale

If used for sanitization of food processing equipment or food contact items limit the active quaternary to 200 ppm. At this level, NO POTABLE WATER RINSE is required.

MALONE NO. 77 is an effective sanitizer when diluted in water up to 250 ppm hardness (CaCo₃).



Concentrated Detergent, Strangicide, Disinfectant, De

ONLY FOR SALE TO, USE, AND STORAGE BY SE



ACTIVE INGREDIENTS:

n-Alkyl (60%C14, 30%C16, 5%C12, 5%C18) dimethyl benzyl ammonium chlorides 4.50% n-Alkyl (68%C12, 32%C14) dimethyl ethylbenzyl ammonium chlorides 4.50%







Keep Out of Reach of Children **DANGER**

See right side panel for first aid and additional precautionary statements.

ACCEPTED



JUN 0 7 1983

Under the Federal Interfici Fungicide, and Rodestitude Acquaicate and mended to the peasurable registered NET CONTENTS:

ONE U.S. GALLON

(3.7853 LITERS)

MANU ACTURED BY: MALONE CHEMICAL, INC., LINDEN, N.J. 07

etergent,Sanitizer, ectant, Deodorizer

STORAGE BY SERVICEPERSONS.



ONTENTS:

LITERS)

. GALLON

HEMICAL, INC., LINDEN, N.J. 07036

EPA Reg. No. 21326-1 EPA EST. No. 21326-N.J.-01









STORAGE AND DISPOSAL

Do not contamiliate water, food or feed by storage or disposal

Open dumping is prohibited

Do not reuse empty container.

2. Pesticide Disposal

Pesticide is pray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place

3. Container Disposal

Triple rinse (or equivalent) and dispose in an incinerator or fandfill approved for pesticide containers, or bury in a safe place

Consult federal, state or local disposal authorides for approved alternate procedures such as limited open burning

PRECAUTIONARY STATEMENTS

Hazard to Human and Domestic Animals

DANGER

Keep Out of Reach of Children Causes severe skin and eye damage. Do not get on skin, on cluthing or in eyes. Wear rubber gloves while handling and wear goggles or face shield. Harinful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT
In case of contact immediately flush eyes or skin with plenty of water for at least
15 numbers. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol Call a physician immediately. Call a physician immediately

NOTE TO PHYSICIAN

Plobable mucesal damage may contraindicate the use of gastric lavage. Measures against circulatory shock respiratory depression and convulsion may be

DIRECTIONS FOR USE

General Classification

It is a violation of Federal I aw to use this product in a manner incor's stent with its labeling

Use at 1 ourice per gallon of water. This product will be effective against Pseudomon is aeruginosa PRD 10 at this level

At 1 ounce per gallon of water, this product is fungicidal against pathogen of fung-For best results, use MALONE NO, 77 with a cloth or mop and apply to walls floors and other hard surfaces

If used for sanitization of food equipment or other food contact thems, limit the level of active quaternary to 200 ppin. (1.4 oz. per 5 gallons), NO RINSE REQUIRED.

This product when used on environmental inanimate, thard surfaces at 1 curice per galion of water, is effective against influenza A2, Herpel, Simplex, Adenovirus type 2 and Vaccinia viruses

For heavy soil or organic matter, a pre-cleaning step is recommended

MALONE NO. 77 is a concentrated detergent, disinfectant, sanitizer, fungicide and deodorizer. It is specifically designed for Institutional use, such as Hospitals, Nursing Homes, and Schools where housekeeping will be of prime importance in controlling the hazard of cress-infection from environmental surfaces

MALONE NO. 77 is for use on floors, walls and other hard surfaces in Hospitals. Nursing Homes, Hotels, Public Areas, Industrial Areas and in Institutions. It is exceltent for Operating Rooms, Rest Rooms, Nurseries and Food Service Areas

When used as directed, MALONE NO 77 is effective against Staphylococcus aureus. Salmonella choleraesuis and Pseudomonas aeruginosa. MALONE NO. 77 is also relective against pathogenic fungi. Trichophyton interdigitale.

If used for sanitization of food processing equipment or food contact items, limit the active quaternary to 200 ppm. At this level, NO POTABLE WATER RINSE is

MALONE NO. 77 is an effective sanifizer when diluted in water up to 250 ppm hardness (CaCo₃).

Concentrated Detergent, Sanitizer, Fungicide, Disinfectant, Decdorizer

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS.

ACTIVE INGREDIENTS: n Alkyl (60° C14, 30° C16, 5° C12, 5° C18) d methyl benzyl ammonium chlorides n Alkyl (68°-C12, 32°-C14) dimethyl ethylbenzyl ammon um chlorides INERT INGREDIENTS 91 00° Total 100°

> Keep Out of Reach of Children DANGER

See right side panel for first aid and additional precautionary statements.

JUN 0 7 1983

Under the Federal Inset a Furgicide, and Rodenticide as as amended for the posticide getered under EPA Reg No.

EPA Reg. No. 21326-1 EPA EST. No. 21326-N.J.-01 STORAGE AND DIS 1. Prohibitions

Do not contaminate water

Open dumping is prohibit Do not reuse empty contact. Pesticide Disposal

Pesticide, spray mixture of should be disposed of in a

away from water supplies. 3. Container Disposal

Triple rinse (or equivalen pesticide containers, or bur

4. General Consult federal, state or

cedures such as limited ope

PRECA Hazar(Keep Out of Reach of Chi

on skin, on clothing or in eye or face shield. Harmful or fall STATEMEN

In case of contact, immed 15 minutes For eyes, call a p fore reuse. If swallowed, drie solution or if these are not a

Probable mucosal dama Measures against circulator, needed,

Call a physician immediately

ner inconsistent with its

ill be effective against

ninst pathogenic fungi nop and apply to walls,

tact items, limit the level RINSE REQUIRED. and surfaces at 1 ounce is Simplex, Adenovirus

ommended. int, sanitizer, fungicide ise, such as Hospitals, of prime importance in surfaces. 1 surfaces in Hospitals

Unstitutions It is excel-Service Areas rainst Staphylococcus nosa, MALONE NO. 77 digitale.

and contact items, firms ILE WATER RINSE is

water up to 250 ppm

Concentrated Detergent, Sanitizer, Fungicide, Disinfectant, Decdorizer

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS.

ACTIVE INGREDIENTS:

n-Alkyl (60%-C14, 30% C16, 5%-C12, 5%-C18) dimethyl benzyl ammonium chlorides n Alkyl (68° C12, 32° C14) d-methyl ethylbenzyl ammonium chlorides 4 50%

INERT INGREDIENTS ... Total

91 00° a 100°



DANGER

See right side panel for first aid and additional precautionary statements.

JUN 0 7 1983

Under the Federal Insertice Fungicide, and Rodenticide .wi. as amended, for the pesticide registered under EPA Reg. No.

Keep Out of Reach of Children

EPA Reg. No. 21326-1

EPA EST. No. 21326-N.J.-01

STORAGE AND DISPOSAL

1. Prohibitions

Do not contaminate water, food or feed by storage or disposal Open dumping is prohibited Do not reuse empty container.

2. Pesticide Disposal

Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies

3. Container Disposal Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for

pesticide containers, or bury in a safe place 4. General

Consult federal, state or local disposal authorities for approved alternate procedures such as limited open burning

PRECAUTIONARY STATEMENTS

Hazard to Human and Domestic Animals

DANGER

Keep Out of Reach of Children Causes severe skin and eye damage. Do not get on skin, on clothing or in eyes. Wear rubber gloves while handling and wear goggles or face shield. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be