

DIRECTIONS FOR USE
General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Disinfection

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi, *Trichophyton interdigitale*.

For best results, use MALONE NO. 76 with a cloth or mop and apply to walls, floors, and other hard surfaces.

For heavy soil or organic matter, a pre-cleaning step is recommended.

This product when used on environmental inanimate hard surfaces at 2 ounces per gallon of water, is effective against influenza A2, Herpes Simplex, Adenovirus type 2 and Vaccinia viruses.

Sanitation

If used for sanitization of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm (2.8 ounces per 5 gallons of water). **NO RINSE REQUIRED.**

MALONE NO. 76 is a cleaner, disinfectant, and sanitizer designed for institutional use such as Hospitals, Nursing Homes and Institutions where housekeeping will be of prime importance in controlling the hazard of cross infection from environmental surfaces. MALONE NO. 76 can provide the assurance you need in this area when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans, and operating rooms. Effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Pseudomonas aeruginosa*. Also effective against pathogenic fungi, *Trichophyton interdigitale*.

When used for sanitization of previously cleaned food processing equipment and food contact items, limit active quaternaries to 200 ppm. At this level, **NO POTABLE WATER RINSE** is required.

MALONE NO. 76 is an effective sanitizer when diluted in water up to 250 ppm hardness (CaCO₃).

MALONE

**Cleaner, Disinfectant,
Deodorizer, Fungicide**

ONLY FOR SALE TO, USE, AND STORAGE BY

ACTIVE INGREDIENTS:

n-Alkyl (60%C14, 30%C16, 5%C12, 5%C18)	
dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68%C12, 32%C14) dimethyl	
ethylbenzyl ammonium chlorides	2.25%
INERT INGREDIENTS	95.50%
Total	100%

Keep Out of Reach of Children
DANGER

See right side panel for first aid and additional precautionary statements.

ACCEPTED

JUN 07 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered for this pesticide under EPA Reg. No. 7460-3

NET CONTENTS:

ONE U.S. GALLON
(3.7853 LITERS)

MANUFACTURED BY: MALONE CHEMICAL, INC., LINDSEY, WY.

Disinfectant, Fungicide

DO NOT STORE BY SERVICE PERSONS.

76

MALATHION

CONTENTS:

5.5 GALLON

(20.8 LITERS)

LANE CHEMICAL, INC., LINDEN, N.J. 07036

EPA Reg. No. 21326-3

EPA EST. No. 21326-N.J.-01

STORAGE AND DISPOSAL

1. Prohibitions

Do not contaminate water, food or feed by storage or disposal.
Open dumping is prohibited.
Do not reuse empty container.

2. Pesticide Disposal

Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

3. Container Disposal

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

4. General

Consult federal, state or local disposal authorities for approved alternate procedures such as limited open burning.

PRECAUTIONARY STATEMENTS

Hazard to Human and Domestic Animals

DANGER

Keep Out of Reach of Children. Causes severe skin and eye damage. Do not get on skin, on clothing or in eyes. Wear rubber gloves while handling and wear goggles or face shield. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DIRECTIONS FOR USE
General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

Disinfection

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi, *Trichophyton interdigitale*.

For best results, use MALONE NO. 76 with a cloth or mop and apply to walls, floors, and other hard surfaces.

For heavy soil or organic matter, a pre-cleaning step is recommended.

This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against influenza A2, Herpes Simplex, Adenovirus type 2 and Vaccinia viruses.

Sanitation

If used for sanitization of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm (2.8 ounces per 5 gallons of water). **NO RINSE REQUIRED.**

MALONE NO. 76 is a cleaner, disinfectant, and sanitizer designed for institutional use such as Hospitals, Nursing Homes and Institutions where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. MALONE NO. 76 can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans, and operating rooms. Effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Pseudomonas aeruginosa*. Also effective against pathogenic fungi, *Trichophyton interdigitale*.

When used for sanitization of previously cleaned food processing equipment and food contact items, limit active quaternaries to 200 ppm. At this level **NO POTABLE WATER RINSE** is required.

MALONE NO. 76 is an effective sanitizer when diluted in water up to 250 ppm hardness (CaCO₃).

Cleaner, Disinfectant, Deodorizer, Fungicide

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS.

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
dimethyl benzyl ammonium chlorides . . . 2.25%
n-Alkyl (68% C12, 32% C14) dimethyl
ethylbenzyl ammonium chlorides 2.25%

INERT INGREDIENTS 95.50%
Total 100%

76

Keep Out of Reach of Children
DANGER

See right side panel for first aid and
additional precautionary statements.

ACCEPTED
JUN 07 1983
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 21326-3

MANUFACTURED BY MALONE CHEMICAL, INC. LINDEN, N.J. 07036

EPA Reg. No. 21326-3
EPA EST. No. 21326-NJ-01

51326.3

STORAGE AND DISPOSAL

1. Prohibitions

Do not contaminate water, food or feed by storage or disposal
Open dumping is prohibited
Do not reuse empty container.

2. Pesticide Disposal

Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

3. Container Disposal

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

4. General

Consult federal, state or local disposal authorities for approved alternate procedures such as limited open burning.

PRECAUTIONARY STATEMENTS

Hazard to Human and Domestic Animals

DANGER

Keep Out of Reach of Children. Causes severe skin and eye damage. Do not get on skin, on clothing or in eyes. Wear rubber gloves while handling and wear goggles or face shield. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.