21346-2 11/23/2004

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

NOV 2 3 2004

Jomaps 6500 Industrial Way Alpharetta, GA 30004

Attn.:

Phillip A. Connell Sr., President

Subject:


M-1 Additive

EPA Registration No. 21346-2

Amendment Dated November 1, 2004

The amendment referred to above submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide act as amended to modify the labeling use instructions and to make minor modifications to the precautionary statements is acceptable under the following conditions:

- 1. Jomaps will inform its retail outlet customers that the M-1 Additive product which is packaged in small size containers (i.e., the 1.5 and 3 oz. pillow packs) must be removed from direct consumer access and placed in the "paint pit" or other such area as paints are mixed and tinted and which are readily accessible only to employees. In its communications with these customers, Jomaps will note that its M-1 Additive product labels will soon bear labeling making it illegal for the product to be sold in its package directly to the consumer. Jomaps will submit copies of its correspondence to its customers on this issue to EPA.
- 2. Jomaps also will advise its retail outlet customers to be aware of, and comply with, the Personal Protective Equipment statements required to be on the M-1 Additive label. Jomaps will note that its M-1 Additive product labels bear labeling stating that the additive may only be mixed into paints and other coatings by store employees wearing the appropriate Personal Protective Equipment (i.e., gloves and eyewear to avoid contact with skin and eyes). Jomaps will submit copies of its correspondence to its customers on this issue to EPA.
- 3. Jomaps will supply, at shipment, stickers for placement by the paint store employees on the lid of any paint or coating to which M-1 Additive is added in the retail outlet. These stickers will advise the consumer of the need for using a respirator when applying such coatings by sprayer. As indicated in the attachment to this letter, the M-1 Additive



package will bear labeling requiring paint store employees to affix the stickers to the lids of paint cans into which they have added the M-1 Additive. The language on the stickers will read:

"For safety reasons, when applying this paint with a sprayer, wear a dust/mist respirator unless another type of respirator is specified on the paint label."

The number of these stickers supplied by Jomaps to the sales outlet should be equal to the number of gallons of paint which may be treated with the M-1 Additive according to label directions for use. Jomaps will submit documentation of sticker distribution with the initial shipment of product for each of its customers to EPA.

- 4. Prior to or in those initial shipments, Jomaps will supply each retail sales outlet with an additional number of such stickers equal to the number of gallons of paint which may be treated with the M-1 Additive already on hand in those outlets. Jomaps will submit documentation of sticker distribution for these stocks already in the hands of its customers to EPA.
- 5. In the event that Jomaps fails to comply with any of the conditions listed above, EPA may cancel this registration using the procedures described in FIFRA § 6(e).

A stamped copy of the label is enclosed for your records.

If you have any questions concerning this letter please contact Marshall Swindell at (703)308-6341.

Sincerely,

Marshall Swindell

Product Manager 33

Regulatory Management Branch 1 Antimicrobials Division (7510C)

TREATS 1 GALLON



FOR USE IN

ALL INTERIOR & EXTERIOR LATEX, OIL & SOLVENT BASE **PAINTS, STAINS & COATINGS**

NOT FOR SALE IN THIS PACKAGE DIRECTLY TO CONSUMER. TO BE ADDED TO PAINT ONLY BY RETAIL SALES PERSONNEL WEARING LISTED PERSONAL PROTECTIVE EQUIPMENT.

WHEN ADDING THIS PRODUCT TO PAINT, RETAIL SALES PERSONNEL MUST AFFIX A STICKER TO THE LID OF THE PAINT CAN THAT READS, FOR SAFETY REASONS, WHEN APPLYING THIS PAINT WITH A SPRAYER, WEAR A DUST/MIST RESPIRATOR UNLESS ANOTHER TYPE OF RESPIRATOR IS SPECIFIED ON THE PAINT LABEL.

Add Per Directions For Use

ACTIVE INGREDIENTS: Chlorothalonil (2,4,5,6,-tetra-
chloroisophthalonitrile
INERT INGREDIENTS 48.2%
TOTAL 100.0%
Contains Petroleum Distillates

WARNING - AVISO KEEP OUT OF REACH OF CHILDREN See Other Precautions On Back Panel

EPA Reg. No. 21346-2 EPA EST. No. 67034-GA-1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. Il you do not understand the label, find someone lo explain it to you in detail.)

Causes substantial but temporary eye injury, Harmful if inhaled Do not get in eyes or on clothing. Avoid contact with skin. Avoid preathing vapor, Do not apply this product in a way that will contact workers or other persons.

FIRST AID					
if inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, proferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice. 				
IF ON SKIN OR Clothing	Take off contaminated clothing Rinse skip immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice.				
IF IN EYES	 Hadd eye open and rinse slowly and gently with water for 15-20 minutes. Remove contract lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centle or doctor for treatment advice. 				
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have affected person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor. Do not give anything by mouth to an unconscious person.				
Have the product	container or label with you when calling a poison control center or dector, or going for treatment				
Emergency ph	lone numbers (800) 424-9300 CHEMTREC (transportation and spills) (800) 910-4044 Phison Control Center (human health) (800) 345-4735 ASPIC Alatinot health)				

NOTES TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric favage. Persons having temporary allergic reaction respond to treatment with antihistamines or steroid creams and/or systemic steroids.

PERSONAL PROTECTIVE EQUIPMENT (PPE)
Mixers and handlers must wear appropriate clothing such as gloves and eyewear to avoid contact with skin and eyes. Follow manufacturer's instructions for cleaning/maintaining PPE If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users must wash hands before eating, drinking, chewing gum, using tebacco, or using the tolet

Usors must remove PPE immediately after handling this product. Wash the outside of gloves before removing As soon as possible, wash thoroughly and change into clean clothing.

Users must remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This posticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS Do not use or store near heat or open flame

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product may not be added to paint by residential users/consumers. Knead unopened tube with lingers to mix: Cut off corners as marked, squeeze contents into a 1 gallon of paint or other coating. Mix thoroughly into coating. Shake sealed container daily before use. Add 5 squirts per gallon of paint or other coating. Shake seared container learly device were well. Add entire contents into 5 gallon container. Mix thoroughly into coating. Shake container well. Add entire contents into 5 gallon container. Mix thoroughly into coating. Shake well. Pour contents into color canister. Dispense liquid as shown in table "A". Mix thoroughly into coating. If the underlying surface to be coated is first precleaned with a standard bleach, wall 36 hours before applying a paint, or coating to which M-1 has been added.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal PESTICIDE STORAGE: Do not expose to extreme temperatures PESTICIDE DISPOSAL: Waste from the use of this product may be disposed of on site or at an approved waste disposal facility CONTAINER DISPOSAL: Dispose in landfill or incineration. If burned stay out of smoke

To put "3 wt, ozs" of M-1 per gallon of paint or 15wt, ozs, per 5 gallons of paint, "DISPENSE LIQUID" ounces as shown in table "A"

TABLE "A"

3wt. ozs. per gallon 15wt. ozs. per 5 gallons

DISPENSER CALIBRATION	16ths.	32nds.	48ths.	64ths.
For 5 Gallons	10 ¹⁵ / ₁₆	10 ³⁰ / ₃₂	10 ⁴⁵ / ₄₈	10 ⁶⁰ / ₆₄
For 1 Gallon	2 ³ / ₁₆	2 ⁶ / ₃₂	2 ⁹ /48	2 ¹² / ₆₄
For 1 Quart	9/16	¹⁸ /32	²⁷ /48	³⁶ /64

ACCEPTED with COMMENTS in EPA Letter Dated:

NOV 2 \$ 2004

Under the Federal Insecticide. Rungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

21346-2