ADDITIVE CONTROLS MILDEW

FOR USE IN
ALL PAINTS & STAINS
CAUTION: Keep out of
React of Children.
See Other Precautions on Back Panel.
EPA Reg. No. 21346-2
WT. 15 OZ.

ADD M-1 AT RATE OF 3 OZ. PER GALLON OF PAINT OR STAIN. FOR MAXIMUM EFFICIENCY 3 OZ. IS RECOMMENDED. MIX THOROUGHLY AND USE PAINT OR STAIN AS DIRECTED IN CERTAIN ALKYD MODIL ED LATEX PAINTS SOME YELLOWING MAY OCCUR IN CAN OVERNIGHT BUT WILL DISAPPEAR WITHIN 3 DAYS AFTER APPLICATION.

CAUTION: AVOID CONTACT WITH SKIN. KEEP OUT OF EYES. RINSE EMPTY CONTAINER WITH WATER AND DISCARD IT. DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

ACTIVE INGREDIENT: TETRACHLOROISOPH-THALONITRILE 51.8%

INERT INGREDIENTS: . . 48.2%

P.O. BOX 88583 ATLANTA, GA. 30338

ADDITIVE CONTROLS MILDEW

FOR USE IN
ALL PAINTS & STAINS
CAUTION: Keep out of
Reach of Children.
See Other Precautions on Back Panel
EPA Reg. No. 21345-2
WT. 3 OZ

ADD M. 1. AT RATE OF
3 OZ. PER GALLON OF PAINT OR
STAIN. FOR MAXIMUM EFFI
CIENCY 3 OZ. IS RECOMMENDED.
MIX THOROUGHLY AND USE
PAINT OR STAIN AS DIRECTED
IN CERTAIN ALKYD MODIFIED
LATEX PAINTS SOME YELLOW
NG MAY OCCUR IN CAN OVER
WIGHT BUT WILL DISAPPEAR
WITHIN 3 DAYS AFTER APPLICAFION
CAUTION: AVOID CONTACT
WITH SKIN KEEP OUT OF EYES.
AINSE EMPTY CONTAINER WITH
WATER AND DISCARD IT. DO
NOT USE, POUR, SPILL, OR
STORE NEAR HEAT OR OPEN
THALONITRILE51.8%
INERT INGREDIENTS: .. 48.2%
P.O. BOX 88583
ATLANTA, GA. 30338

Huy 12, 192

213011-7