

Gallex CA Two

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate 33.3%

INERT INGREDIENTS 66.7%

This product contains 3.2 lb. of active ingredient per gallon and weighs 9.61 lb. per gallon.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, call a physician immediately. If patient is conscious, induce vomiting by stroking or tickling the patient's throat or far back on patient's tongue. Emetics such as 2 teaspoonful (10 mL) of ipecac syrup or 1 teaspoonful (5 mL) of dry mustard in warm water to form a paste or even soap in warm water can be used. Repeat until vomit fluid is clear. Then have patient drink plenty of milk, gelatin solution, beaten egg whites, flour and water, or other nonoily demulcent. Never induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: The pesticide is toxic to fish. Do not apply in marine and/or estuarine or fields. Do not discharge treated effluent into lakes, streams, ponds, or public waters unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

BEST DOCUMENT AVAILABLE

Manufactured by:

A. J. Galloway Co., Galloway Chemical Div.
6414 125th Avenue North
Largo, FL 33543

EPA REG. NO. _____ EPA EST. NO. _____

NET CONTENTS _____

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Gallex CA Two _____ is used in industrial and/or commercial recirculating cooling tower systems and industrial air-washing systems to control microbiological slime. Prior to the use of Gallex CA Two _____ in industrial and/or commercial recirculating cooling tower systems, systems should be cleaned to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 3 to 5 fl. oz. of Gallex CA Two _____ per 1000 gal. of water to provide 30 to 45 ppm of Gallex CA Two _____, based on total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug addition of 2 to 5 fl. oz. of Gallex CA Two _____ per 1000 gal. of water (15 to 45 ppm Gallex CA Two _____) every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of recirculating cooling tower systems.

Gallex CA Two _____ is used in industrial air-washing systems which maintain effective mist-eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 8 to 10 fl. oz. of Gallex CA Two _____ per 1000 gal. of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 6 to 10 fl. oz. of Gallex CA Two _____ per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and severity of the bacterial problem. Slug additions may be made to the sump or the water collection trays of the airwash system.

Gallex CA Two _____ is used to control both aerobic and anaerobic bacteria, including sulfate-reducing organisms, in petroleum secondary-recovery waterflooding operations. In systems fouled with microbiological deposits, Gallex CA Two _____ should be added as a slug dose to provide a concentration of 12 to 24 ppm (1.4 to 3 fl. oz. of Gallex CA Two _____ per 1000 gal. of water treated). This should be followed by a continuous addition of Gallex CA Two _____ employing a chemical-metering pump to maintain a concentration of 12 ppm, based on total weight of water treated. Both slug additions and continuous addition of Gallex CA Two _____ should be made at the heater treater dump, gathering lines, or receiving tanks. Addition should always be made upstream to the filter.

Gallex CA Two _____ is also used to inhibit the growth of fungi and bacteria in water-based drilling muds, completion fluids, packer fluids, and other water-based drilling fluids containing starch, gums, sugars, or other organic materials. For these purposes Gallex CA Two _____ is added at rates of 1 to 5 gal. per 100 barrels of fluid (0.03 to 0.12% by volume).

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.


STORAGE: Do not expose to extreme temperatures. Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL

PLASTIC: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

METAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE REGISTRATION PROGRAMS REGISTRATION DIVISION (30557) WASHINGTON, D.C. 20460 NOTICE OF PESTICIDE: <small>REGISTRATION</small> <i>Under the Federal Insecticide, Fungicide, and Rodenticide Act</i>	EPA REGISTRATION NO.	DATE OF ISSUANCE
	17 MAY 1984	
	TERM OF ISSUANCE	
NAME OF PESTICIDE PRODUCT		
NAME AND ADDRESS OF REGISTRANT (Include ZIP Code)		
<p style="text-align: center;"> <input type="checkbox"/> <input type="checkbox"/>  <input type="checkbox"/> <input type="checkbox"/> </p>		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE