021,55.2 PART 101,3 EPA REGISTRATION NO. DATE OF ISSUANCE US ENVIRONMENTAL PROTECTION AGENCY 22555-2 JUN 23 1986 OFFICE OF PESTICIDES PROGRAMS TERM OF ISSUANCE REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460 NAME OF PESTICIDE PRODUCT REGISTRATION REREGISTRATION NOTICE OF PESTICIDE: That Flowable Sulfur (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended) NAME AND ADDRESS OF REGISTRANT (Include ZIP code) Γ Stoller Chemical Company 8582 Katy Freeway, Suite 200 Houston, TX 77024 NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith, Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others. Based on your response to the Registration Standard Guidance Package, EPA has reregistered the product listed above. This registration is granted under the authority of section 3(q) of FIFRA. The labeling referred to above, submitted in connection with registration under FIFRA. is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted. Change "Harmful if . . . " to "Harmful if swallowed, inhaled, or absorbed through skin." Delete "May cause irritation of nose, throat, or skin." Add "Wash thoroughly with soap and water after handling. contaminated clothing and wash before reuse." Add "Do not apply when weather conditions favor drift from treated areas" to the environmental hazards statement. 5. Change "Use Precautions" to "Note to User." The correct Pesticide Disposal statement is "Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility."

Y BE USED UNTIL SUPPLY IS EXHAUSTED

ATTACHMENT IS APPLICABLE
SIGNATURE OF APPROVING OFFICIAL

EPA Form 8570-6 (Rev. 5-76)

- 7. Add a dermal first aid statement.
- 8. Incorporate all the necessary language from PR Notice 83-2, Farmworker Safety.

Henry M. Jacoby¹
Product Hanager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)



PRECAUTIONARY STATEMENTS Hazarda To Humans and Domestic Animais CAUTION

Harmful If swallowed. Avoid breathing spray mist. May cause irritation of nose, throat or skin. Avoid contact with eyes, skin and clothing. Do not reenter fields within 24 hours after application.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

USE PRECAUTIONS

Some truits and other plants are susceptible to injury from sulfur under certain climatic conditions. The user is advised not to use sulfur on any crop unless local use has proved that sulfur is safe in that locality. When crops are intended for procassing, consult with processor before applying sulfur.

During periods of high temperature sulfur may burn foliage and fruit. Do not make sulfur applications at excessively high temperatures. Do not use sulfur with oil or within 4 weeks of an oil application unless in a dormant, delayed dormant, or postharvest application.

When sulfur is used with arsenicals, time should be added to prevent plant injury.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR MIXING BEFORE USING, STIR UNTIL SMOOTH

Pour recommended amount in partially filled spray tank. Keep agitator running during filling and spraying operation. DO NOT ALLOW MIXTURE TO STAND. Failure to maintain agitation will cause THAT Flowable Sullur to settle and may necessitate manual stirring to redisperse. When used with dormant oil, add oil when lank is 1/2 full and maintain agitation until spraying is complated.

The strong adhesive properties of THAY Flowable Sulfur act as a sticker on the plant, and the sticking characteristic necessitates the Ilushing of equipment with water after each day's use. Sulfur in any form is corrosive material. TO REDUCE THE EFFECT, EQUIPMENT SHOULD BE FLUSHED DAILY.

THAT is adaptable to spraying from all types of spray equipment. For dilute, high volume sprays apply 25 to 100 gallons per acre (GPA) for most vegetable crops, 400 to 800 GPA for truit orchards and up to 1500 GPA as may be required for large citrus groves. For concentrate ground sprays, use 5 to 20 GPA for most vegetable crops and 25 to 100 GPA for fruit and nut crops. For serial spraying, 3 to 15 GPA are commonly used.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE.DISPOSAL: Posticide_spray mixture or rinsate that cannot be used according to lavel instructions must be disposed of according to Federal, State of local modedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning of dispose of in a sanitary landlill or by incineration il permitted by State and local authoriti5s.

FLOWABLE SULFUR

ACTIVE INGREDIENT: Sulfur INERT INGREDIENTS 48% Total 100%

(Contains 6.0 pounds Sulfur per gallon)

Keep Out of Reach of Children **CAUTION:**

if Swallowed: Induce vomiting by sticking finger down throat. Never give anything by mouth to an unconscious person. Get medical attention. If in Eyes: Wash eyes with plenty of clear water for at least 15 minutes. Get medical attention. See left side panel for additional precautionary statements.



THIS PRODUCT FREEZES AT 32° F.

MANUFACTURED BY: Stoller Chemical Company, Inc. CCEPTED
8582 Katy Freeway, Suite 2007 COMPENS
Houston, Texas 77012 EPA Letter Detect

(713) 461-2910

EPA Establishment No. 22555-TX-1 EPA Registration No. 22555-2

Net Contents: 5 Gallons

REREGISTERED June 9 1986

registered us & SPA Reg. No. 22555-2

r the pesticide

##nemded

Unless otherwise s rates are given as gallons of water for

APPLE & PEAR:

Scab Pre-bloom thros

Cover sprays . Powdery Mildew Pre-bloom three

Cover sprays . . PEACH:

Powdery Mildew, Pink and bloom Petal fall, shuci

CHERRY:

Brown Rot, Leafs Pink and Bloom Petal fail, shuc

CITRUS (grapefruit, tangelos, and tange Rust Mite . . .

Do not apply with COTTON:

Atlantic Mite. 2 gallon for mid to la GRAPES (California

Powdery Mildew. ımum ol 8 pints Th summer. Make firs long, and third at a

The timing, rate local conditions. C Agricultural Experiformation. Follow: PEANUTS:

Rust. Apply 2 t thorough coverage after planting. Rep control is required application.

POTATOES:

Powdery Mildew by air. Apply at the intervals.

STRAWBERRIES:

Powdery Milden and repeal at 3-we canned, discontinu accordance with te TOMATOES:

Tomalo Russet upon size oi plant:

Consult your Stat Extension Service ing program best i

NOTICE: Seller w chemical descript stated on this lab under normal cond other warranty of re pose, expressed o Net Weight of Contents: 57.5 Poundender the Patent Faculty Contrary to label in Fungicide, and Rodenticide Act

JI 1981