

USE DIRECTIONS

Use at 2 1/2 ounces per gallon of water. This product will effectively disinfect surfaces against Pseudomonas aeruginosa. PPD 10 at this level.

For a one ounce per gallon of water, this product is fungicidal against pathogenic fungi.

For best results, use Dis-Fect with a cloth or mop and apply to walls, floors and other similar hard surfaces.

If used for sanitization of previously cleaned food equipment or other food contact items, limit the level of active quaternary to 200 ppm (1.4 oz. per 5 gallons).

At this level (200 ppm) no potable water rinse is required. For heavy soil or organic matter, a precleaning step is recommended.

Rinse empty container thoroughly with water and discard.

DIS-FECT !

CONCENTRATED DETERGENT, SANITIZER, FUNGICIDE, DISINFECTANT, DEODORIZER

ACTIVE INGREDIENTS:

Quaternary 150 - C14 - 30% C18 - 5% C12 - 11%
Dimethyl benzyl ammonium chloride
Alkyl 68 - C12 - 32% C14 - dimethyl ethylbenzyl ammonium chloride
Tetrasodium ethylene diamine triacetate
Sodium Carbonate
INERT INGREDIENTS

EPA Reg. No. 22947-2



NET ONE U.S. GALLON

DANGER

Keep Out of Reach of Children

See right side panel for additional precautionary statements and first aid.

Manufactured by
AMANAR MAINTENANCE CORPORATION
SPRINGFIELD, MISSOURI 65304



... as in hospitals, and of prime importance on hospital surfaces.

Dis-Fect ! is for use in hospitals, Nursing Institutions. It is also used in Food Service Areas.

It is used as direct disinfectant for Salmonella choleraesuis, effective against pathogens.

It is used for sanitization of food contact items and Potable Water Rinsers.

DANGER

Keep Out of Reach of Children. Get in eyes, on skin. Avoid contamination of concentrate.

FIRST AID

In case of contact, at least 15 minutes. Wash contaminated clothing with detergent solution, or in hot water. Call a physician.

USE DIRECTIONS:

Use at 1 ounce per gallon of water. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level.

At 1 ounce per gallon of water, this product is fungicidal against pathogenic fungi.

For best results, use Dis-Fect I with a cloth or mop and apply to walls, floors and other similar hard surfaces.

If used for sanitization of previously cleaned food equipment or other food contact items, limit the level of active quaternary to 200 ppm (1.4 oz. per 5 gallons).

At this level (200 ppm) no potable water rinse is required. For heavy soil or organic matter, a precleaning step is recommended.

Rinse empty container thoroughly with water and discard.

DIS-FECT I

CONCENTRATED DETERGENT, SANITIZER, FUNGICIDE, DISINFECTANT, DEODORIZER

ACTIVE INGREDIENTS.

n Alkyl (60% C ₁₄ : 30% C ₁₆ : 5% C ₁₂ : 5% C ₁₈) dimethyl benzyl ammonium chlorides	4.5%
n Alkyl (68% C ₁₂ : 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	4.5%
Tetrasodium ethylene diamine tetraacetate	2.0%
Sodium Carbonate	4.0%
INERT INGREDIENTS:	85.0%
	100.0%

EPA Reg. No. 22947-2



NET ONE U.S. GALLON

DANGER

Keep Out of Reach of Children

See right side panel for additional precautionary statements and first aid.

Manufactured by
AMANAR MAINTENANCE CORPORATION
 SPRINGFIELD, MISSOURI 65804



Dis-Fect I is for use on hard surfaces such as Hospitals, hotels, and prime impc environmental surf

Dis-Fect I is for use on Hospitals, Nursing Institutions. It is used in Food Service A

When used as direct disinfectant for Salmonella cholerae effective against pa

If used for sanitization of food contact items No Potable Water I

DANGER

Keep Out of Reach of Children. Get in eyes, on skin. Avoid contamination of concentrate.

FIRST AID

In case of contact, at least 15 minutes. Wash contaminated clothing. Use gelatin solution, or Call a physician.