



7 2 1

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.  
**FIRST AID:** If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.  
**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, or ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.  
**STORAGE:** Do not stack more than four cases high. Leaking or damaged containers should be placed in overpack bags for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.  
**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.  
**CONTAINER DISPOSAL:** Do not reuse empty container. Wrap container and place in trash.

Developed and Manufactured by  
**AMANAR Maintenance Corporation**  
Rogersville, Missouri 65742

EPA Registration No.  
EPA Established No. 22947 MO-01

*"for professional water treatment programs"*

**AMANAR**  **Maintenance Corp.**

**Poly-Pro ALG.**

**ACTIVE INGREDIENT:**

Poly [oxyethylene (dimethyliminio) ethylene - (dimethylimino) ethylene dichloride] .... 25.0%

**INERT INGREDIENT** ..... 75.0%

This product contains 2.19 lb. of active ingredient per gallon and weighs 8.79 lb. per gallon.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**SEE LEFT SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS**

**NET ONE U.S. GALLON**

**DIRECTIONS FOR USE  
GENERAL CLASSIFICATION**


It is a violation of Federal law to use this product inconsistent with its labeling. Poly-Pro ALG. is algae, bacteria, and fungi in recirculating industrial water cooling towers. Prior to its use, be cleaned to remove algal growth, microb and other deposits. An initial slug addition of ounces of Poly-Pro ALG. per 1,000 gallons provide a concentration of 19.2 to 48 parts Poly-Pro ALG., based on the total weight of system, is recommended. Repeat initial dose is evident. Subsequent slug additions of 0. ounces of Poly-Pro ALG. per 1,000 gallons of parts per million of Poly-Pro ALG.) should be 2 to 5 days, or as needed. The frequency of ad upon the relative amount of bleedoff and the microbiological problem. Slug additions sho the sump of water cooling towers. Poly-Pro / control bacteria in industrial air-washing maintain effective mist eliminating compor its use, systems should be cleaned to rei slime and other deposits. An initial slug dose fluid ounces of Poly Pro ALG. per 1,000 gall recommended. Repeat initial dosage until cor Subsequent slug additions of 5.95 to 14.7 Poly-Pro ALG. per 1,000 gallons of water sho ed each 1 to 5 days, or as needed. The freque depends upon the relative amount of bleedoff the bacterial problem. Slug additions may b sump or to the water collection trays of the a

**CONTROL NUMBER**

AMEN

JUL

22947-3



DOCUMENT AVAILABLE



