

[23305-2]

DIRECTIONS

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during the treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Remove pets, birds, and cover fish aquariums before spraying.

SPACE SPRAY. For rapid control of **houseflies, fruitflies, mosquitos, flying moths, and gnats:** Close doors and windows and shut off ventilating systems. Apply using a good sprayer adjusted to deliver a fine mist. Direct spray toward the upper portions of the enclosure, filling the room with mist. Use 1/2 to 1 ounce per 1,000 cubic feet of space. Do not remain in treated areas. Ventilate the area after treatment is completed.

To kill exposed stages of **roaches, ants, spiders, clover mites, cheese mites, confused flour beetles, saw-toothed grain beetles, red flour beetles, rice weevils, granary weevils, and grain mites:** Treat as above, using 2 to 3 ounces per 1,000 cubic feet of space. Keep area closed for at least 15 minutes. Do not remain in treated areas. Ventilate the area after treatment is completed and before reoccupying.

SURFACE SPRAY. To insure maximum control of the crawling insects named above, apply a coarse mist directed toward insects into cracks and crevices along baseboard, around the base of machinery, containers of stored products, and other areas where insects may hide. For food products, remove the product and infested products. The shelves and razors should be cleaned and thoroughly sprayed to contact all pests and covered with clean paper after allowing holes to dry.

Control Insect Products

CLEMCO FOOD PLANT SPRAY

EPA Reg. No. 23305-2

A Ready-To-Use PYRENONE[®] Insecticide

For use in Bakeries, Food Plants, Restaurants, Hotels, Motels, Hospitals, Schools, Office Buildings and Food Processing or Handling Plants

The insecticidal components piperonyl butoxide and pyrethrins are classified as food additives, and when this product is used as directed allowable tolerance levels will not be exceeded.

ACTIVE INGREDIENTS:	100%
Pyrethrins	0.20%
*Piperonyl Butoxide Technical	1.00%
Petroleum Distillate	98.80%

*Equivalent to 0.8% (butylcarbityl)-6-propylpiperonyl ether and 0.2% of related compounds.

CAUTION:

KEEP OUT OF REACH OF CHILDREN

See side panels for additional precautions

Net Contents

1 Gallon


PYRENONE is a registered trademark of EMC Corporation

EPA EST. No. 23305-0H-1

Manufactured in U. S. A. by

**SOUTHERN MILL CREEK PRODUCTS
OF OHIO, INC.**

18319 NOTTINGHAM ROAD
CLEVELAND, OHIO 44119



DIRECTIONS (Continued)

Control Insect Products

Any devices that are contacted with spray should be washed before using. In commercial and institutional applications, liberally spray around and under tables, chairs, sofas to directly contact the pests with spray. Industrial and commercial infested stored food products should be fumigated or treated by other effective methods. Use an approved product intended for this purpose. Spray ant trails, nests and points of entry. Spray larval infested areas daily. In other areas, repeat treatment two weeks or when pests start to reappear.

WASPS AND HORNETS: Application should be made in late evening when insects are at nest. Spray entrance and breeding place. Contact as many nests as possible.

CAUTION: Do not allow children to play in treated areas. Do not eat or drink in treated areas. Do not use in areas where children play.

Do not use in areas where children play. Do not use in areas where children play.

Do not use in areas where children play. Do not use in areas where children play.

Do not use in areas where children play. Do not use in areas where children play.

Do not use in areas where children play. Do not use in areas where children play.

Do not use in areas where children play. Do not use in areas where children play.