

Reg # 23486-17 P 1/4
PM 15
JUL 31 1986

Mr. H.R. McLane
Inland Laboratories, Inc.
2739 Pasadena Boulevard
Pasadena, TX 77502

Dear Mr. McLane:

Subject: Amendment - Label Update
Clodrin Dairy Backrubber
EPA Registration No. 23486-17
Your Application Dated March 20, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. The signal word "WARNING" does not appear necessary for this formulation and it may be changed to "CAUTION."
2. The Statement of Practical Treatment should be revised to read:

If swallowed - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

86134:Newkirk:LR-13:KENCO:7/16/86:7/28/86:dej:VO

CONCURRENCES

SYMBOL								
SURNAME	Newkirk							
DATE	7-18-86							

12/4 17

2

3. Revise the Note to Physician to Read:

Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be used in conjunction with atropine.

4. Change "Cover feed and feed troughs, etc." to "Cover feed and feed troughs, etc." in the Precautionary Statements.
5. Delete Note to Physician in the Precautionary Statement.
6. Add "Do not wet the skin because of possible skin irritation" following statement "Do not treat Brahman, etc."

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosure

KEEP OUT OF REACH OF CHILDREN

W A R N I N G

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible vomiting should be induced under the supervision of a physician. Have victim drink 1 or 2 glasses of water and touch back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious convulsing person. This product contains a petroleum hydrocarbon. Vomiting may cause aspiration pneumonia.

IF IN EYES: Flush eyes with plenty of water. Get medical attention immediately.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Get medical attention immediately.

IF INHALED: Remove victim to fresh air and apply artificial respiration if indicated. Get medical attention immediately.

NOTE TO PHYSICIAN: This product contains a cholinesterase inhibitor. Atropine is antidotal.

SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 23486-17

EPA EST. NO. 23486-1A-1

23486-1X-1

NET CONTENTS 1 GALLON (5 GAL.; 30 GAL.)

INLAND LABORATORIES, INC.
2739 PASADENA BLVD.
PASADENA TEXAS 77502

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe spray mist. Do not get in eyes or on skin, Wash thoroughly after handling and before eating or smoking. Do not contaminate feed, water or foodstuffs. Do not allow spray mist to contaminate milk or milking utensils. Cover feed and feed troughs or remove before spraying.

NOTE TO PHYSICIAN: This product is an organic phosphate insecticide which is a cholinesterase inhibitor. If poisoning should occur atropine is antidotal.

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to fish and wildlife. Keep out of any body of water.

PHYSICAL & CHEMICAL HAZARDS

Do not use pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in its original labeled container in a cool, dry, locked place out of reach of children. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Triple rinse (or equivalent). The offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

IMPORTANT PRECAUTIONS: Do not apply to young calves under 6 months old. After treating Dairy Cattle, wash the teats with an approved cleaning solution and then dry them prior to milking. Do not treat sick or convalescing animals. Do not treat Brahman or Brahman-Cross cattle, as they may show hypersensitivity to organophosphate insecticides. Do not apply dermally in conjunction with Trichlorfon and do not use on animals simultaneously or within a few days before or after treatment with, or exposure to, cholinesterase inhibiting drugs, pesticides or chemicals.

FLY CONTROL**FOR DAIRY AND BEEF CATTLE****FOR USE ON BACKRUBBERS AND FACERUBBERS**

This product is to be used undiluted for the saturation of, or addition to the reservoir of animal backrubber or face rubber mechanisms.

Horn Flies and Face Flies are only controlled by the insecticidal residue which is transferred to the animals coat when rubbed against the "saturated" body or face "Rubber" mechanism surface. Recharge the unit as needed to maintain the insecticidal activity.

If the backrubber has no reservoir, saturate the cable at the rate of 2 to 3 quarts per 20 feet of cable or only to the point just before runoff. Repeat every two weeks or more often if conditions warrant.

Backrubbers of Facerubbers should be located around the pasture and/or loafing areas especially near feed bunks, watering facilities, or salt licks where the cattle usually congregate so that it will be used frequently.

FLY CONTROL AS A SPRAY

For the control of Face Flies, Horn Flies and Stable Flies, apply as a mist spray to animals by use of an automatic sprayer (treadle or electric eye actuated) or by hand operated sprayers at milking time. Apply at the rate of a maximum of two ounces per animal per day. For best fly control apply daily. **NOTICE:** Buyer and user assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.